



**National Highways and Infrastructure Development Corporation
Ltd.**

Schedules

FOR

**Restoration/Rehabilitation of Churachandpur-
Tipaimukh road NH-02 (Old NH-150) from Km 9.00 to
Km 70.00 (Total Length = 61.00 Km) in the State of
Manipur in FY 2025-26 on EPC mode.**

**NATIONAL HIGHWAYS & INFRASTRUCTURE DEVELOPMENT
CORPORATION LTD
(MINISTRY OF ROAD TRANSPORT & HIGHWAYS, GOVT. OF INDIA)**

JULY, 2025

SCHEDULE - A

(See Clauses 2.1 and 8.1)

SITE OF THE PROJECT

1. The Site

- (i) Site of the **Churachandpur-Tipaimukh road NH-02 (Old NH-150) from Km 9.00 to Km 70.00** Project Highway shall include the land, buildings, structures and road works as described in **Annex-I** of this **Schedule-A**.
- (ii) The dates of handing over the Right of Way to the Contractor are specified in **Annex-II** of this **Schedule-A**.
- (iii) An inventory of the Site including the land, buildings, structures, road works, trees and any other immovable property on, or attached to, the Site shall be prepared jointly by the Authority Representative and the Contractor, and such inventory shall form part of the memorandum referred to in Clause 8.2 (i) of this Agreement.
- (iv) The alignment plans of the Project Highway are specified in **Annex-III**. In the case of sections where no modification in the existing alignment of the Project Highway is contemplated, the alignment plan has not been provided. Alignment plans have only been given for sections where the existing alignment is proposed to be upgraded. The proposed profile of the Project Highway shall be followed by the contractor with minimum FRL as indicated in the alignment plan. The Contractor, however, improve/upgrade the road profile indicated in **Annex-III** based on site/design requirements.
- (v) The status of the environment clearances obtained or awaited is given in **Annex IV**.

Annex-I

(Schedule-A)

SITE

1. Site

The Site of the Single-lane Project Highway comprises the section of [National Highway 02 (Old NH-150)] commencing from km 9.00 to km 70.00 in the State of Manipur. The land, carriageway and structures comprising the Site are described below.

2. Land

The Site of the Project Highway comprises the land as described below:

| S. No. | Chainage (km) | | Existing Right of Way (m) | Existing Right of Way (m) | Remarks |
|--------|---------------|-------|---------------------------|---------------------------|--|
| | From | To | | | |
| 1 | 9.00 | 70.00 | 6.1- 6.35 | 6.1-6.35 | Rehabilitation/Restoration work is proposed within existing ROW. |

3. Carriageway

The present carriageway of the Project Highway is single lane with earthen shoulder from Km9.00 to Km 70.00. Type of existing pavement is flexible.

4. Major Bridges

The Site includes the following Major Bridges:

| Sl. No. | Existing Chainage (km) | Type of Structure | | | Span Arrangement (m) | Width (m) |
|---------|------------------------|-------------------|---------------|-----------------|----------------------|-----------|
| | | Foundation | Sub-structure | Super-structure | | |
| Nil | | | | | | |

5. Road over-bridges (ROB)/ Road under-bridges (RUB)

The Site includes the following ROB (road over railway line) / RUB (road under railway line):

| Sl. No. | Existing Chainage (km) | Type of Structure | | Span Arrangement (m) | Width (m) |
|---------|------------------------|-------------------|----------------|----------------------|-----------|
| | | Foundation | Superstructure | | |
| Nil | | | | | |

6. Grade separators

The Site includes the following grade separators:

| Sl. No. | Existing Chainage (km) | Type of Structure | | Span Arrangement (m) | Width (m) |
|---------|------------------------|-------------------|----------------|----------------------|-----------|
| | | Foundation | Superstructure | | |
| Nil | | | | | |

7. Minor bridges

The Site includes the following minor bridges:

| Sl. No. | Existing Chainage (km) | No of spans with Span Length (m) | Width (m) | Remarks |
|---------|------------------------|----------------------------------|-----------|---|
| 1 | 25+630 | Single Span, 12.2 m | 3.5 | Tuila river, Hamilton steel (truss) and timber decking Bridge |
| 2 | 26+280 | Single Span, 43.00 m | 7.5 | Tuila River Uni-modular composite girder Bridge |
| 3 | 40+640 | Single span, 6.00 m | 7.0 | Mountain drain Bridge |
| 4 | 41+790 | Single Span, 6.00m | 7.0 | Mountain drain Bridge |
| 5 | 42+360 | Single Span, 15.2 m | 3.5 | Hamilton steel (truss) and timber decking Bridge |
| 6 | 68+860 | Single span, 6.00 m | 5.5 | Mountain drain Bridge |

8. Railway level crossings

The Site includes the following railway-level crossings:

| Sl. No. | Location (km) | Remarks |
|---------|---------------|---------|
| Nil | | |

9. Underpasses (vehicular, non-vehicular)

The Site includes the following underpasses:

| Sl. No. | Existing Chainage (km) | Type of structure | No. of span with Span Arrangement (m) | width (m) |
|---------|------------------------|-------------------|---------------------------------------|-----------|
| Nil | | | | |

10. Culverts

The Site has the following culverts:

| Sl. No. | Chainage | Type of Culvert | Span (m) |
|---------|----------|-----------------|----------|
| 1 | 10+870 | HPC | 3 |
| 2 | 10+900 | HPC | 3 |
| 3 | 11+900 | Slab | 3 |
| 4 | 12+070 | Slab | 2.5 |
| 5 | 12+440 | HPC | 2.5 |
| 6 | 12+630 | HPC | 2.5 |
| 7 | 13+100 | HPC | 2.5 |
| 8 | 13+170 | Slab | 2.5 |

| Sl. No. | Chainage | Type of Culvert | Span (m) |
|---------|----------|-----------------|----------|
| 9 | 14+500 | Slab | 2.5 |
| 10 | 15+470 | Slab | 2 |
| 11 | 16+900 | Slab | 3.5 |
| 12 | 17+570 | HPC | 0.9 |
| 13 | 18+200 | HPC | 0.9 |
| 14 | 19+260 | HPC | 0.9 |
| 15 | 19+540 | HPC | 0.9 |
| 16 | 19+770 | HPC | 0.9 |
| 17 | 19+940 | HPC | 0.9 |
| 18 | 20+500 | HPC | 0.9 |
| 19 | 20+700 | HPC | 0.9 |
| 20 | 20+870 | HPC | 0.9 |
| 21 | 20+910 | HPC | 0.9 |
| 22 | 20+950 | HPC | 0.9 |
| 23 | 21+210 | HPC | 0.9 |
| 24 | 21+510 | HPC | 0.9 |
| 25 | 21+670 | HPC | 0.9 |
| 26 | 21+750 | HPC | 0.9 |
| 27 | 21+940 | HPC | 0.9 |
| 28 | 22+100 | HPC | 0.9 |
| 29 | 22+220 | HPC | 0.9 |
| 30 | 22+500 | HPC | 0.9 |
| 31 | 22+950 | HPC | 0.9 |
| 32 | 24+390 | HPC | 0.9 |
| 33 | 24+850 | HPC | 0.9 |
| 34 | 25+040 | Slab | 2.5 |
| 35 | 25+500 | Slab | 2.5 |
| 36 | 26+350 | HPC | 0.9 |
| 37 | 26+600 | HPC | 0.9 |
| 38 | 26+950 | HPC | 0.9 |
| 39 | 27+040 | HPC | 0.9 |
| 40 | 27+150 | HPC | 0.9 |
| 41 | 27+170 | Slab | 3 |
| 42 | 28+130 | HPC | 0.9 |
| 43 | 28+700 | HPC | 0.9 |
| 44 | 29+300 | HPC | 0.9 |
| 45 | 29+720 | HPC | 0.9 |
| 46 | 30+220 | HPC | 0.9 |
| 47 | 30+500 | Slab | 2.5 |
| 48 | 30+870 | Slab | 2.5 |
| 49 | 30+950 | HPC | 0.9 |
| 50 | 31+920 | HPC | 0.9 |
| 51 | 32+400 | HPC | 0.9 |
| 52 | 32+500 | HPC | 0.9 |
| 53 | 32+650 | HPC | 0.9 |
| 54 | 34+170 | Slab | 3 |
| 55 | 35+000 | HPC | 0.9 |
| 56 | 35+200 | HPC | 0.9 |
| 57 | 35+500 | HPC | 0.9 |
| 58 | 36+550 | HPC | 0.9 |
| 59 | 36+580 | Slab | 4 |

| Sl. No. | Chainage | Type of Culvert | Span (m) |
|---------|----------|-----------------|----------|
| 60 | 36+800 | Slab | 4 |
| 61 | 37+400 | HPC | 0.9 |
| 62 | 37+850 | Slab | 4 |
| 63 | 39+920 | HPC | 0.9 |
| 64 | 40+020 | HPC | 0.9 |
| 65 | 40+900 | HPC | 0.9 |
| 66 | 41+330 | Slab | 4 |
| 67 | 41+710 | HPC | 0.9 |
| 68 | 42+130 | Slab | 4 |
| 69 | 42+350 | HPC | 0.9 |
| 70 | 43+250 | HPC | 0.9 |
| 71 | 43+400 | HPC | 0.9 |
| 72 | 44+140 | Slab | 4 |
| 73 | 44+500 | HPC | 0.9 |
| 74 | 44+760 | HPC | 0.9 |
| 75 | 45+060 | HPC | 0.9 |
| 76 | 45+100 | HPC | 0.9 |
| 77 | 45+300 | HPC | 0.9 |
| 78 | 45+900 | Slab | 6 |
| 79 | 46+650 | HPC | 0.9 |
| 80 | 46+870 | HPC | 0.9 |
| 81 | 47+140 | HPC | 0.9 |
| 82 | 47+220 | HPC | 0.9 |
| 83 | 47+270 | HPC | 0.9 |
| 84 | 47+400 | HPC | 0.9 |
| 85 | 47+700 | HPC | 0.9 |
| 86 | 48+000 | HPC | 0.9 |
| 87 | 49+250 | HPC | 0.9 |
| 88 | 49+450 | HPC | 1.8 |
| 89 | 49+530 | HPC | 1.8 |
| 90 | 49+650 | HPC | 1.8 |
| 91 | 49+770 | HPC | 0.9 |
| 92 | 49+900 | HPC | 0.9 |
| 93 | 50+250 | HPC | 0.9 |
| 94 | 50+350 | HPC | 0.9 |
| 95 | 50+600 | HPC | 0.9 |
| 96 | 51+000 | HPC | 0.9 |
| 97 | 51+270 | Slab | 7 |
| 98 | 51+450 | HPC | 0.9 |
| 99 | 51+850 | HPC | 0.9 |
| 100 | 52+520 | HPC | 0.9 |
| 101 | 52+700 | HPC | 0.9 |
| 102 | 52+900 | HPC | 0.9 |
| 103 | 53+420 | HPC | 0.9 |
| 104 | 53+920 | HPC | 0.9 |
| 105 | 54+030 | HPC | 0.9 |
| 106 | 54+150 | HPC | 0.9 |
| 107 | 54+600 | Slab | 3 |
| 108 | 54+660 | HPC | 0.9 |
| 109 | 54+800 | Slab | 3 |
| 110 | 55+000 | HPC | 0.9 |

| Sl. No. | Chainage | Type of Culvert | Span (m) |
|---------|----------|-----------------|----------|
| 111 | 55+100 | HPC | 0.9 |
| 112 | 55+190 | HPC | 0.9 |
| 113 | 55+300 | HPC | 0.9 |
| 114 | 56+050 | Slab | 4 |
| 115 | 56+200 | HPC | 0.9 |
| 116 | 56+280 | Slab | 4 |
| 117 | 56+400 | Slab | 4 |
| 118 | 56+650 | Slab | 2.5 |
| 119 | 56+950 | Slab | 4 |
| 120 | 57+250 | Slab | 3 |
| 121 | 57+370 | HPC | 0.9 |
| 121 | 57+620 | HPC | 0.9 |
| 123 | 57+750 | HPC | 0.9 |
| 124 | 57+970 | Slab | 2.5 |
| 125 | 58+300 | HPC | 0.9 |
| 126 | 58+470 | HPC | 1.8 |
| 127 | 58+960 | HPC | 0.9 |
| 128 | 59+050 | HPC | 0.9 |
| 129 | 59+400 | HPC | 0.9 |
| 130 | 59+450 | HPC | 0.9 |
| 131 | 59+850 | Slab | 10 |
| 132 | 60+140 | Slab | 3 |
| 134 | 60+270 | Slab | 3 |
| 135 | 60+370 | Slab | 3 |
| 136 | 60+520 | HPC | 0.9 |
| 137 | 60+700 | Slab | 13 |
| 138 | 61+030 | HPC | 0.9 |
| 139 | 61+130 | Slab | 3 |
| 140 | 61+190 | HPC | 0.9 |
| 141 | 61+380 | HPC | 0.9 |
| 142 | 61+650 | HPC | 0.9 |
| 143 | 61+770 | HPC | 0.9 |
| 145 | 61+900 | HPC | 0.9 |
| 146 | 62+050 | HPC | 0.9 |
| 147 | 62+100 | Slab | 3 |
| 148 | 62+440 | HPC | 0.9 |
| 149 | 62+540 | Slab | 3 |
| 150 | 62+600 | HPC | 0.9 |
| 151 | 62+720 | Slab | 5 |
| 152 | 62+770 | HPC | 0.9 |
| 153 | 63+220 | Slab | 6 |
| 154 | 63+280 | HPC | 0.9 |
| 155 | 63+560 | HPC | 0.9 |
| 156 | 63+680 | HPC | 0.9 |
| 157 | 63+800 | HPC | 0.9 |
| 158 | 63+860 | HPC | 0.9 |
| 159 | 64+070 | HPC | 0.9 |
| 160 | 64+290 | HPC | 0.9 |
| 161 | 64+400 | HPC | 0.9 |
| 162 | 65+030 | HPC | 0.9 |
| 163 | 65+300 | Slab | 6 |

| Sl. No. | Chainage | Type of Culvert | Span (m) |
|---------|----------|-----------------|----------|
| 164 | 65+500 | HPC | 3 |
| 165 | 66+170 | HPC | 0.9 |
| 166 | 66+270 | HPC | 0.9 |
| 167 | 66+950 | HPC | 0.9 |
| 168 | 67+300 | HPC | 0.9 |
| 169 | 68+030 | HPC | 0.9 |
| 170 | 68+450 | HPC | 0.9 |
| 171 | 68+750 | HPC | 0.9 |
| 172 | 69+050 | Slab | 8 |
| 173 | 69+150 | Slab | 4 |
| 174 | 69+400 | HPC | 0.9 |

11. Bus bays

The details of bus bays on the Site are as follows:

| Sl. No. | Chainage (km) | Length (m) | Left Hand Side | Right Hand Side |
|---------|---------------|------------|----------------|-----------------|
| Nil | | | | |

12. Truck Lay byes

The details of truck lay byes are as follows:

| Sl. No. | Chainage (km) | Length (m) | Left Hand Side | Right Hand Side |
|---------|---------------|------------|----------------|-----------------|
| Nil | | | | |

13. Road side drains

The details of the existing road side drain to be investigated by the Contractor in consultation of Authority's representative.

14. Major junctions

The details of major junctions are as follows:

| Sl. No. | Existing Chainage | Lane Configuration | Type | Sides | Remarks |
|---------|-------------------|--------------------|------|-------|---------|
| Nil | | | | | |

Note: (NH: National Highway, SH: State Highway, MDR: Major District Road)

15. Minor junctions

The details of the minor junctions are as follows:

| Sr. No. | Location of intersection | Type of intersection | Other features |
|---------|--------------------------|----------------------|----------------|
| 1 | 13+900 | cross junction | Village Road |
| 2 | 24+100 | Y junction | Village Road |
| 3 | 24+200 | T junction | Village Road |
| 4 | 24+530 | Y junction | Village Road |
| 5 | 24+820 | Y junction | Village Road |
| 6 | 27+500 | Y junction | Village Road |
| 7 | 27+530 | Y junction | Village Road |
| 8 | 45+270 | Y junction | Village Road |
| 9 | 45+550 | Y junction | Village Road |

| Sr. No. | Location of intersection | Type of intersection | Other features |
|---------|--------------------------|----------------------|----------------|
| 10 | 50+900 | Y junction | Village Road |
| 11 | 51+640 | T junction | Village Road |
| 12 | 55+700 | T junction | Village Road |
| 13 | 61+540 | T junction | Village Road |
| 14 | 65+300 | Y junction | Village Road |
| 15 | 67+250 | T junction | Village Road |

16. Bypasses

The details of the bypasses are as follows:

| Sl.No. | Name of bypass (town) | Chainage (km) | Length (in km) |
|--------|-----------------------|---------------|----------------|
| Nil | | | |

17. Other structures

| Sl. No. | Chainage (km) | Type of Structure | No. of Spans with span length (m) | Width(m) |
|---------|---------------|-------------------|-----------------------------------|----------|
| Nil | | | | |

18. Hazardous Locations

- a) Retaining Wall
- b) Breast Wall
- c) Toe Wall
- d) Any other structures

Note: The details of the existing Hazardous Locations to be investigated by the Contractor in consultation of Authority's representative.

19. Existing Utilities

(i) The site includes the following electrical utilities:

(a) Extra High-Tension Lines (EHT Lines) *

| Sl. No | Chainage | | Length (in km) | | | | Crossings | | | |
|--------|----------|----|----------------|-------|-------|------|-----------|-------|-------|------|
| | From | To | 400KV | 220KV | 110KV | 66KV | 400KV | 220KV | 110KV | 66KV |
| Nil | | | | | | | | | | |

(b) High Tension/Low Tension Lines (HT/LT Lines) *

| Sl. No. | Chainage | | HT/LT Lines (Length/Nos+) | | | Distribution Station | |
|---------|----------|----|---------------------------|------|----|----------------------|----------|
| | From | To | 33KV | 11KV | LT | No | Capacity |
| Nil | | | | | | | |

(ii) Public Health utilities (Water/Sewage Pipe Lines) *

- The site includes the following Public Health utilities: -

| Sl. No. | Chainage | | Pipe line | Distribution Tank | Reservoir | Community Sanitary Complex | IHHL |
|---------|----------|----|-----------|-------------------|-----------|----------------------------|------|
| | From | To | (in km) | Nos. | Nos. | Nos. | Nos. |
| Nil | | | | | | | |

(* This illustrative and may change as per features of existing utilities.)

Contractor shall inspect the project highway for existing utilities and undertake shifting in accordance with Annexure – I of Schedule – B and as per the Utility Relocation Plan approved by the concerned Utility Owning Dept.

Annex – II

(See Clauses 8+3 (i))

(Schedule-A)

Dates for providing Right of Way of Construction Zone

The dates on which the Authority shall provide Right of Way of construction Zone to the Contractor on different stretches of the Site are stated below:

| Sl. No. | Ch From | Ch To | Length (km) | Width (m) | Date of providing RoW |
|---------|---------|--------|-------------|--|------------------------|
| 1 | 9+000 | 70+000 | 61.00 | As per para 2 of Annex-I of Schedule-A | 100% on Appointed date |

The Construction of Project Highway will be implemented as per Manual, details of which are already given in Article-2 of Annexure – I of Schedule–A.

Annex - III

(Schedule-A)

Alignment Plans

The existing alignment of the Project Highway shall be modified in the following sections as per the alignment plan indicated below:

- (i) The existing alignment of the Project Highway is to be strengthened by Contractor as per Schedule B. Existing road level at site shall be followed by the contractor as minimum FRL. The contractor shall, however, improve/upgrade the Road profile as based on site/design requirement in consultation of Authority.
- (ii) Traffic Signages are to be installed by Contractor as per Schedule-B. The contractor shall, however, improve/upgrade based on site/design requirement as per relevant specifications/IRC Codes/Manual.

Annex - IV

(Schedule-A)

Environment Clearances

The project highway does not require environmental clearance as per MoEF circular F. No. 21-270/2008-1A.III (dated 22 August 2013).

SCHEDULE - B

(See Clause 2.1)

DEVELOPMENT OF THE PROJECT HIGHWAY

1 Development of the Project Highway

Development of the Project Highway shall include the design and construction of the Project Highway as described in this Schedule - B and Schedule – C.

2. Rehabilitation and Augmentation

Rehabilitation and augmentation shall include Single-Laning with earthen shoulder of the Project Highway as described in Annex-I of this Schedule-B and in Schedule-C.

- a) Landslide clearance to make formation width of 6.35 m not less than 17950.83 cum.
- b) Clearing grass and removal of rubbish as per site location not less than 17.52 Ha.
- c) Hill side drain clearance as per site location not less than 60450 Rm.
- d) Scarifying the existing granular road surface to a depth of 50mm not less than 17408 Sqm.
- e) Construction of subgrade/earthen shoulder as per site location not less than 9210 Cum.
- f) GSB-IRC Gr-III of 75 mm thickness as per site location in not less than 1382 Cum.
- g) WBM-IRC Gr-II of 75 mm thickness as per site location in not less than 1634 Cum.
- h) Cleaning the existing WBM road surface including removing of binding material & other foreign matter.
- i) Primer coat on WMM/WBM surface not less than 21786 Sqm.
- j) Tack coat on Granular surface treated with primer not less than 18420 Sqm.
- k) Dense Bituminous Macadam (DBM)- Gr-II of thickness 50 mm using VG-40, not less than 921 Cum.
- l) Filling Pot-holes and Patch repairs with Bituminous Concrete, 40mm not less than 11726 Sqm.
- m) Tack Coat on bituminous surfaces not less than 228750 Sqm.
- n) Bituminous Concrete (BC) Gr-II-10 mm (nominal size) of thickness 40 mm using VG-40 not less than 9150 Cum.
- o) Maintenance of earthen shoulder along the road not less than 122000 Sqm.
- p) Excavation for protection work as per site requirement not less than 2142.06 Cum.
- q) Construction of Gabion Wall for retaining earth –not less than 4107.60 Cum
- r) Construction of 1 no RCC NP3 pipe (900mm dia) culvert (2 row i.e., 15 m) in

all respect.

3 Specifications and Standards

The Project Highway shall be designed and constructed in conformity with the specifications and standards specified in Annex-I of Schedule – D.

Annex - I

(Schedule-B)

DESCRIPTION OF PROJECT

The Site of the **Restoration/Rehabilitation of Churachandpur-Tipaimukh road NH-02 (Old NH-150) from Km 9.00 to Km 70.00 (Total Length = 61.00 Km) in the State of Manipur**. The land, carriageway and stretches comprising the site are described below.

1. Widening of existing Highway

- (i) The Project Highway shall follow the existing alignment unless otherwise specified by the Authority and shown in the alignment plans specified in **Annex-III of Schedule-A**. Geometric deficiencies, if any, in the existing horizontal and vertical profiles shall be corrected as per the prescribed standards for hilly terrain to the extent land is available.

(ii) Width of Carriageway

- (a) Single-Laning with earthen shoulders shall be undertaken. The paved carriageway shall be [3.75 m] wide in accordance with the typical cross sections drawings in the Manual.

Provided that in the built-up areas the width of the carriageway shall be as specified in the following table:

| Sl. No. | Built-up stretch (Township) | Location (km to km) | Width (m) | Typical cross section (Ref. to Manual) |
|---------|-----------------------------|---------------------|-----------|--|
| NIL | | | | |

- (b) Except as otherwise provided in this Agreement, the width of the paved carriageway and cross-sectional features shall conform to paragraph 1 (i) & (ii) above.

2. Geometric Design and General Features

(i) General

Geometric design and general features of the Project Highway shall be in accordance with Section 2 of the Manual.

(ii) Design speed

The design speed shall be minimum design speed of 20 Km per hr. for mountainous and steep terrain.

(iii) Improvement of the existing road geometrics

In accordance with Paragraph 2.1(v) of Manual, as far as possible, uniformity of design standards shall be maintained throughout the length. In case of any change, it shall be effected in a gradual manner.

In the sections, where improvement of the existing road geometrics to the prescribed standards is not possible, the existing road geometrics shall be improved to the extent possible within the given right of way and proper road signs and safety measures shall be provided:

(iv) Right of Way

The site of the project highway comprises the land as described in **Annex-II of Schedule-A**.

(v) Type of shoulders

- (a) In built-up sections, footpaths/ covered drains shall be provided in the following stretches:

| Sl. No. | Stretch (from km to km) | Fully paved shoulders/ footpaths | Reference to cross section |
|---------|-------------------------|----------------------------------|----------------------------|
| NIL | | | |

- (b) In open country, hard shoulders of 1.5 m width shall be provided and balance 1.0m width shall be covered with 150 mm thick compacted layer of granular material.
- (c) Design and specifications of hard shoulders and granular material shall conform to the requirements specified in the relevant manual.

| Sl. No. | Stretch (from km to km) | Total Length (Km) | Type of shoulder |
|---------|----------------------------|-------------------|-----------------------------------|
| 1 | From Ch. 9.00 to Ch. 70.00 | 61.00 | 1 m earthen shoulder on each side |

(vi) Lateral and vertical clearances at underpasses

- (a) Lateral and vertical clearances at underpasses and provision of guardrails/crash barriers shall be as per paragraph 2.10 of the Manual.
- (b) Lateral & Vertical clearance: The width of the opening and vertical clearances at underpasses shall be as follows:

| Sl. No. | Design Chainage | Clear span/ opening (m) | Vertical Clearance (m) | Remarks |
|---------|-----------------|-------------------------|------------------------|---------|
| Nil | | | | |

(vii) Lateral and vertical clearances at overpasses

- (a) Lateral and vertical clearances at overpasses shall be as per paragraph 2.11 of the Manual.

(b) Lateral & Vertical clearances at overpasses shall be as follows:

| Sl. No. | Design Chainage | Clear span/opening (m) | Vertical Clearance (m) | Remarks |
|---------|-----------------|------------------------|------------------------|---------|
| Nil | | | | |

(viii) Service Roads

Service roads shall be constructed at the locations and for the lengths indicated below:

| Sl. No. | Location of service road (from km to km) | Right hand side (RHS)/Left-hand side (LHS)/or Both sides | Length (km) of Service Road |
|---------|--|--|-----------------------------|
| Nil | | | |

(ix) Grade-separated structures

(a) Grade-separated structures shall be provided as per paragraph 2.13 of the Manual. The requisite particulars are given below:

i) Overpass

| Sl. No. | Design Chainage | Span arrangement (m) | Road to be carried under the structure | Width of Structure (m) |
|---------|-----------------|----------------------|--|------------------------|
| Nil | | | | |

ii) Vehicular Underpass (VUP)

| Sl. No. | Design Chainage | Span arrangement (m) | Road to be carried under the structure | Min. Vertical clearance (m) | Width of Structure (m) |
|---------|-----------------|----------------------|--|-----------------------------|------------------------|
| Nil | | | | | |

iii) Light Vehicular Underpass

| Sl. No. | Design Chainage | Span arrangement(m) | Road to be carried under the structure | Min. Vertical clearance (m) | Width of Structure (m) |
|---------|-----------------|---------------------|--|-----------------------------|------------------------|
| Nil | | | | | |

iv) Small Vehicular Underpass

| Sl. No. | Design Chainage | Span arrangement(m) | Road to be carried under the structure | Min. Vertical clearance (m) | Width of structure (m) |
|---------|-----------------|---------------------|--|-----------------------------|------------------------|
| Nil | | | | | |

(b) In the case of grade-separated structures, the type of structure and the level of the Project Highway and the crossroads shall be as follows:

| Sl. No. | Location (Design Chainage) | Type of Structure | Cross road at | | |
|---------|----------------------------|-------------------|----------------|--------------|---------------|
| | | | Existing level | Raised Level | Lowered Level |
| Nil | | | | | |

(x) Cattle and pedestrian underpass/overpass

Cattle and pedestrian underpass/ overpass shall be constructed as follows:

| Sl. No. | Location | Type of crossing |
|---------|----------|------------------|
| Nil | | |

(xi) Typical cross-sections of the Project Highway

Typical cross-sections of the Project Highway

| Sr. No. | From (Km) | To (Km) | Length (Km) | TCS Type | Description |
|---------|-----------|-----------|-------------|-----------------|-----------------------------------|
| 1 | Ch. 9.00 | Ch. 70.00 | 61.00 | TCS-1, 2, 3 & 4 | TCS of proposed Single Lane road. |

(xii) Description of Road works: Below under mentioned works are to be executed as per Specifications & Standards issued by MoRTH and good engineering practice.

(a) Re-construction of completely damaged portion shall be done in the following locations as given below:

| Sl. No. | Existing Chainage (km) | | Length (m) | Typical Cross Section | Details |
|--------------|------------------------|----|----------------|-----------------------|---|
| | From | To | | | |
| 1 | 26 | 27 | 50.00 | TCS-1 | Re-construction of these stretches by providing Subgrade-500mm thickness, GSB-75 mm thickness, WBM – 75 mm thickness, DBM – 50 mm thickness & BC – 40 mm thickness. |
| 2 | 42 | 43 | 90.00 | | |
| 3 | 57 | 58 | 642.00 | | |
| 4 | 58 | 59 | 1000.00 | | |
| 5 | 59 | 60 | 1000.00 | | |
| 6 | 60 | 61 | 1000.00 | | |
| 7 | 61 | 62 | 1000.00 | | |
| 8 | 66 | 67 | 100.00 | | |
| 9 | 67 | 68 | 30.00 | | |
| Total | | | 4912.00 | | |

(b) Strengthening of the existing road shall be done in the following locations as given below:

| Sl. No. | Existing Chainage (km) | | Length (m) | TCS | Details |
|---------|------------------------|----|------------|-------|--|
| | From | To | | | |
| 1 | 9 | 10 | 30 | TCS-2 | Strengthening of these portions shall be done by filling potholes with WBM material in the big pothole |
| 2 | 10 | 11 | 30 | | |
| 3 | 11 | 12 | 70 | | |
| 4 | 17 | 18 | 105 | | |

| Sl. No. | Existing Chainage (km) | | Length (m) | TCS | Details |
|--------------|------------------------|----|---------------|-----|---|
| | From | To | | | |
| 5 | 18 | 19 | 290 | | portion and patch repair by 40mm BC including tack coat followed by spraying Prime coat on granular surface and overlaying of 40 mm BC at the top followed by tack coat spraying. |
| 6 | 19 | 20 | 25 | | |
| 7 | 24 | 25 | 3 | | |
| 8 | 25 | 26 | 70 | | |
| 9 | 32 | 33 | 45 | | |
| 10 | 35 | 36 | 5 | | |
| 11 | 36 | 37 | 20 | | |
| 12 | 38 | 39 | 7 | | |
| 13 | 41 | 42 | 3 | | |
| 14 | 42 | 43 | 120 | | |
| 15 | 44 | 45 | 10 | | |
| 16 | 45 | 46 | 20 | | |
| 17 | 48 | 49 | 10 | | |
| 18 | 51 | 52 | 50 | | |
| 19 | 55 | 56 | 20 | | |
| 20 | 56 | 57 | 10 | | |
| Total | | | 943.00 | | |

(c) Strengthening of the existing road shall be done in the following locations as given below:

| Sl. No. | Existing Chainage (km) | | Length (m) | TCS | Details |
|---------|------------------------|----|------------|-------|---|
| | From | To | | | |
| 1 | 9 | 10 | 20 | TCS-3 | Strengthening of these portions shall be done by patch repair with 40mm BC, and overlaying of BC at the top followed by tack coat spraying. |
| 2 | 10 | 11 | 100 | | |
| 3 | 11 | 12 | 80 | | |
| 4 | 13 | 14 | 15 | | |
| 5 | 15 | 16 | 3 | | |
| 6 | 16 | 17 | 45 | | |
| 7 | 17 | 18 | 165 | | |
| 8 | 18 | 19 | 40 | | |
| 9 | 19 | 20 | 115 | | |
| 10 | 20 | 21 | 5 | | |
| 11 | 21 | 22 | 25 | | |
| 12 | 22 | 23 | 3 | | |
| 13 | 24 | 25 | 5 | | |
| 14 | 25 | 26 | 35 | | |
| 15 | 27 | 28 | 8.00 | | |
| 16 | 28 | 29 | 10.00 | | |
| 17 | 29 | 30 | 12.00 | | |
| 18 | 31 | 32 | 10.00 | | |
| 19 | 32 | 33 | 120.00 | | |
| 20 | 33 | 34 | 70.00 | | |
| 21 | 34 | 35 | 5.00 | | |
| 22 | 35 | 36 | 30.00 | | |
| 23 | 36 | 37 | 20.00 | | |
| 24 | 37 | 38 | 30.00 | | |
| 25 | 38 | 39 | 5.00 | | |
| 26 | 39 | 40 | 7.00 | | |
| 27 | 42 | 43 | 30.00 | | |

| Sl. No. | Existing Chainage (km) | | Length (m) | TCS | Details |
|--------------|------------------------|----|----------------|-----|---------|
| | From | To | | | |
| 28 | 43 | 44 | 8 | | |
| 29 | 44 | 45 | 15 | | |
| 30 | 45 | 46 | 40 | | |
| 31 | 46 | 47 | 15 | | |
| 32 | 47 | 48 | 30 | | |
| 33 | 48 | 49 | 35 | | |
| 34 | 49 | 50 | 80 | | |
| 35 | 50 | 51 | 10 | | |
| 36 | 52 | 53 | 15 | | |
| 37 | 53 | 54 | 7 | | |
| 38 | 54 | 55 | 45 | | |
| 39 | 55 | 56 | 40 | | |
| 40 | 56 | 57 | 15 | | |
| 41 | 62 | 63 | 200 | | |
| 42 | 63 | 64 | 180 | | |
| 43 | 64 | 65 | 200 | | |
| 44 | 65 | 66 | 120 | | |
| 45 | 66 | 67 | 150 | | |
| 46 | 67 | 68 | 200 | | |
| 47 | 68 | 69 | 40 | | |
| 48 | 69 | 70 | 30 | | |
| Total | | | 2488.00 | | |

(d) Overlaying of BC on existing road shall be done in the following locations as given below:

| Sl. No. | Existing Chainage (km) | | Length (m) | TCS | Details |
|---------|------------------------|----|------------|-------|--|
| | From | To | | | |
| 1 | 9 | 10 | 950.00 | TCS-4 | Strengthening of these portions shall be done by overlaying of 40 mm BC followed by tack coat spraying on existing bituminous surface. |
| 2 | 10 | 11 | 870.00 | | |
| 3 | 11 | 12 | 850.00 | | |
| 4 | 12 | 13 | 1000.00 | | |
| 5 | 13 | 14 | 985.00 | | |
| 6 | 14 | 15 | 1000.00 | | |
| 7 | 15 | 16 | 997.00 | | |
| 8 | 16 | 17 | 955.00 | | |
| 9 | 17 | 18 | 730.00 | | |
| 10 | 18 | 19 | 670.00 | | |
| 11 | 19 | 20 | 860.00 | | |
| 12 | 20 | 21 | 995.00 | | |
| 13 | 21 | 22 | 975.00 | | |
| 14 | 22 | 23 | 997.00 | | |
| 15 | 23 | 24 | 1000.00 | | |
| 16 | 24 | 25 | 992.00 | | |
| 17 | 25 | 26 | 895.00 | | |
| 18 | 26 | 27 | 950.00 | | |
| 19 | 27 | 28 | 992.00 | | |
| 20 | 28 | 29 | 990.00 | | |
| 21 | 29 | 30 | 988.00 | | |
| 22 | 30 | 31 | 1000.00 | | |

| Sl. No. | Existing Chainage (km) | | Length (m) | TCS | Details |
|--------------|------------------------|----|------------------|-----|---------|
| | From | To | | | |
| 23 | 31 | 32 | 990.00 | | |
| 24 | 32 | 33 | 835.00 | | |
| 25 | 33 | 34 | 930.00 | | |
| 26 | 34 | 35 | 995.00 | | |
| 27 | 35 | 36 | 965.00 | | |
| 28 | 36 | 37 | 960.00 | | |
| 29 | 37 | 38 | 970.00 | | |
| 30 | 38 | 39 | 988.00 | | |
| 31 | 39 | 40 | 993.00 | | |
| 32 | 40 | 41 | 1000.00 | | |
| 33 | 41 | 42 | 997.00 | | |
| 34 | 42 | 43 | 760.00 | | |
| 35 | 43 | 44 | 992.00 | | |
| 36 | 44 | 45 | 975.00 | | |
| 37 | 45 | 46 | 940.00 | | |
| 38 | 46 | 47 | 985.00 | | |
| 39 | 47 | 48 | 970.00 | | |
| 40 | 48 | 49 | 955.00 | | |
| 41 | 49 | 50 | 920.00 | | |
| 42 | 50 | 51 | 990.00 | | |
| 43 | 51 | 52 | 950.00 | | |
| 44 | 52 | 53 | 985.00 | | |
| 45 | 53 | 54 | 993.00 | | |
| 46 | 54 | 55 | 955.00 | | |
| 47 | 55 | 56 | 940.00 | | |
| 48 | 56 | 57 | 975.00 | | |
| 49 | 57 | 58 | 358.00 | | |
| 50 | 62 | 59 | 800.00 | | |
| 51 | 63 | 60 | 820.00 | | |
| 52 | 64 | 61 | 800.00 | | |
| 53 | 65 | 62 | 880.00 | | |
| 54 | 66 | 63 | 750.00 | | |
| 55 | 67 | 64 | 770.00 | | |
| 56 | 68 | 65 | 960.00 | | |
| 57 | 69 | 66 | 970.00 | | |
| Total | | | 52657.000 | | |

(e) Construction of earthen shoulder shall be done in the following locations as given below:

| Sl. No. | Existing Chainage (km) | | Length (km) | Width (m) | Details |
|---------|------------------------|--------|-------------|-----------------------------|---|
| | From | To | | | |
| 1 | 9+000 | 70+100 | 61 | Total 2 m (1m on each side) | Construction of Earthen Shoulders shall be done on each side by filling with fresh soil, making up loss of material/ irregularities on shoulder to the design level by adding fresh approved soil and |

| Sl. No. | Existing Chainage (km) | | Length (km) | Width (m) | Details |
|---------|------------------------|----|--------------|-----------|--|
| | From | To | | | |
| | | | | | compacting it with appropriate equipment |
| | Total | | 5.700 | | |

3. Intersections and Grade Separators

All intersections and grade separators shall be as per section 3 of the Manual+ Existing intersections which are deficient shall be improved to the prescribed standards.

Properly designed intersections shall be provided at the locations and of the types and features given in the table below:

(i) At grade Intersections

All intersections as per the site requirement shall be designed and constructed in accordance with the manual. A list of intersections is given in the below table. The draft layout of minor junctions is given in indicative Plan & Profile drawings for reference.

(a) Major junctions

The details of major junctions are as follows:

| Sl. No. | Existing Chainage | Lane Configuration | Type | Remarks |
|---------|-------------------|--------------------|------|---------|
| Nil | | | | |

Note: (NH: National Highway, SH: State Highway, MDR: Major District Road)

(b) Minor junctions

The details of the minor junctions are as follows:

| Sr. No. | Location of intersection | Type of intersection | Other features |
|---------|--------------------------|----------------------|----------------|
| 1 | 13+900 | cross junction | Village Road |
| 2 | 24+100 | Y junction | Village Road |
| 3 | 24+200 | T junction | Village Road |
| 4 | 24+530 | Y junction | Village Road |
| 5 | 24+820 | Y junction | Village Road |
| 6 | 27+500 | Y junction | Village Road |
| 7 | 27+530 | Y junction | Village Road |
| 8 | 45+270 | Y junction | Village Road |
| 9 | 45+550 | Y junction | Village Road |
| 10 | 50+900 | Y junction | Village Road |
| 11 | 51+640 | T junction | Village Road |
| 12 | 55+700 | T junction | Village Road |
| 13 | 61+540 | T junction | Village Road |
| 14 | 65+300 | Y junction | Village Road |
| 15 | 67+250 | T junction | Village Road |

Note: If any other junction is identified during development of the project highway in addition to those mentioned above shall also be improved with proper drainage facilities as per specification & standards, which shall be covered within the scope of work. The Number, location & type of junction shown in above table are minimum and it may increase as per actual site condition and increase in number will not attract change of Scope on this account.

(ii) Grade-separated intersection without ramps

| Sl. No. | Design Chainage | Salient Feature (Formation width) (m) | Minimum Length of Viaduct (m) | Road to be carried Under the structure | Type of Structure |
|---------|-----------------|---------------------------------------|-------------------------------|--|-------------------|
| NIL | | | | | |

4 Road Embankment and Cut Section

- (i) Widening and improvement of the existing road embankment/cuttings and construction of new road embankment / cuttings shall conform to the Specifications and Standards given in Section 4 of the Manual and the specified cross-sectional details. Deficiencies in the plan and profile of the existing road shall be corrected.

- (ii) Raising of the existing road/New carriageway

The existing road shall be raised as per design requirements in accordance with the manual in conformity with the minimum FRL.

5 Pavement Design

- (i) Pavement design shall be carried out in accordance with Section 5 of the Manual.
- (ii) Type of pavement

Flexible pavement shall be provided for the entire length of the project highway.

- (iii) Design requirements - as per paragraphs 5.4, 5.9 and 5.10 of the manual and extant relevant IRC Guidelines.

- (a) Design Period and strategy

Flexible pavement for new pavement or for widening and strengthening of the Existing pavement shall be designed for a minimum design period of 20 years. Stage construction shall not be permitted.

- (b) Design Traffic

Notwithstanding anything to the contrary contained in this Agreement or the Manual, the Contractor shall design the pavement for design traffic of not less than 20 MSA.

- (iv) Reconstruction of stretches:

The following stretches of the existing road shall be reconstructed. These shall be designed as new pavement.

| Sl. No. | Chainage (km) | | Length (m) | Typical Cross Section | Details |
|--------------|---------------|----|----------------|-----------------------|---|
| | From | To | | | |
| 1 | 26 | 27 | 50.00 | TCS-1 | Re-construction of these stretches by providing Subgrade-500mm thickness, GSB-75 mm thickness, WBM – 75 mm thickness, DBM – 50 mm thickness & BC – 40 mm thickness. |
| 2. | 42 | 43 | 90.00 | | |
| 3 | 57 | 58 | 642.00 | | |
| 4 | 58 | 59 | 1000.00 | | |
| 5 | 59 | 60 | 1000.00 | | |
| 6 | 60 | 61 | 1000.00 | | |
| 7 | 61 | 62 | 1000.00 | | |
| 8 | 66 | 67 | 100.00 | | |
| 9 | 67 | 68 | 30.00 | | |
| Total | | | 4912.00 | | |

6. Road Side Drainage

Drainage system including surface and subsurface drains for the Project Highway shall be provided as per Section 6 of the Manual.

(a) Cleaning of hill side choked Drain

| Sl. No | Chainage | | Length (m) |
|--------------|----------|--------|--------------|
| | From | To | |
| 1 | 9+000 | 70+000 | 60450 |
| Total | | | 60450 |

Note: Location for cleaning of choked drains are to be decided in consultation with Authority and Authority's Engineer.

7 Designs of Structures

(i) General

(a) All bridges, culverts and other structures shall be designed and constructed in accordance with section 7 of the Manual and shall conform to the cross-sectional features and other details specified therein.

(b) Width of carriageway of new bridges and structures shall be as follows:

| Sl. No. | Chainage | Width of structure and cross-sectional features | Remarks |
|---------|----------|---|---------|
| Nil | | | |

(c) The following structures shall be provided with footpaths:

| Sl. No. | Chainage | Width of structure and cross-sectional features | Remarks |
|---------|----------|---|---------|
| Nil | | | |

(d) All bridges shall be high-level bridges.

(e) The structures shall be designed to carry utility services like electric cable, water pipeline, OFC etc. as per the requirement of the site.

- (f) Cross-section of the new culverts and bridges at deck level shall conform to the typical cross-sections given in section 7 of the Manual.

(ii) Culverts

- (a) Overall width of all culverts shall be equal to the roadway width of the approaches.
- (b) Reconstruction of New additional culverts / existing culverts:

Reconstruction of new culverts / existing culverts shall be provided at the following locations:

| Sl.No. | Culvert Location | Span /Opening (m) |
|--------|------------------|-------------------|
| Nil | | |

- (c) Widening of existing culverts

All existing culverts which are not to be reconstructed shall be widened to the roadway width of the Project Highway as per the typical cross section given in section 7 of the Manual. Repairs and strengthening of existing structures where required shall be carried out.

| Sl. No. | Culvert location | Type, span height and width of the existing culvert(m) | Repairs to be carried out |
|---------|------------------|--|---------------------------|
| Nil | | | |

- (d) Additional new culverts shall be constructed as per particulars given in the table below:

| Sl.No. | Culvert Location | Proposed size | Type | Span /Opening (m) |
|--------|------------------|--------------------------|---------------|--|
| 1 | 42+360 | 900 mm dia in double row | Hume pipe NP3 | 900mm dia 2 row total 1800mm in a length of 7.5m |

- (e) Repairs/replacements of railing/parapets, flooring and protection works of the above culverts shall be undertaken as follows:

| Sl.No. | Location | Type of repair required |
|--------|-----------|--|
| 1 | km 42+360 | Parapet wall of length 7.8 m on both side of the above culvert is to be constructed. |

- (f) Floor protection works shall be as specified in the relevant IRC Codes and Specifications.

(iii) Bridges

- (a) Existing bridges to be re-constructed/widened

- (i) The existing bridges at the following locations shall be re-constructed:

| Sl. No. | Chainage (km) | Type of Structure | | | No. of Spans with span length (m) | Remarks |
|---------|---------------|-------------------|---------------|-----------------|-----------------------------------|---------|
| | | Foundation | Sub-structure | Super-structure | | |

| |
|-----|
| Nil |
|-----|

(ii) The following narrow bridges shall be widened:

| Sl. No. | Design Chainage | Existing Chainage | Span Arrangement | Existing width (m) | Proposed Total Width (m) | Cross-section at deck level for widening |
|---------|-----------------|-------------------|------------------|--------------------|--------------------------|--|
| Nil | | | | | | |

(b) **Additional new bridges:** New bridges at the following locations on the Project Highway shall be constructed. GADs for the new bridges are attached in the drawings folder.

| Sl. No. | Design Chainage | Name of Nallah | Span arrangement (m) | Width of structure and cross-sectional features | Remarks |
|---------|-----------------|----------------|----------------------|---|---------|
| Nil | | | | | |

Note: Proposed span arrangement is indicative and any increase in length/span/height shall not be treated as a change in the scope of work.

IRC Class Special Vehicle loading shall be taken into account in the structural design of bridges/Flyover/VUP/ Viaduct.

(c) The railings of existing bridges shall be replaced by crash barriers at the following locations:

| Sl.No. | Location at Chainage | Remarks |
|--------|----------------------|---------|
| NIL | | |

(d) Repairs/replacements of railing/parapets of the existing bridges shall be undertaken as follows:

The existing bridges and structures to be repaired/ strengthened, the nature and extent of repairs /strengthening required are given below;

The following bridges shall be retained with repairs:

| Sl.No. | Design Chainage | Existing Chainage | Remarks |
|--------|-----------------|-------------------|---------|
| NIL | | | |

(e) Drainage system for bridge decks

An effective drainage system for bridge decks shall be provided as specified in the Manual.

(iv) Rail-road bridges

(a) Design, construction and detailing of ROB shall be as specified in section 7 of the Manual.

(b) Road over-bridges

Road over-bridges (road over rail) shall be provided at the following locations:

| Sl. No. | Design Chainage | Route | Span arrangement (m) | Total Length (m) | Width (m) |
|---------|-----------------|-------|----------------------|------------------|-----------|
| NIL | | | | | |

(c) Road under-bridges

Road under-bridges (road under railway line) shall be provided at the following level crossings, as per the GAD drawings attached:

| Sl.No. | Location of Level crossing (Ch) | Number and length of span(m) |
|--------|---------------------------------|------------------------------|
| NIL | | |

(v) Grade-separated structures

The grade-separated structures shall be provided at the locations and of the type and length specified in paragraphs 2 (vi), 2 (vii) and 2 (ix) of this Annex-I.

(vi) Repairs and strengthening of bridges and structures

The existing bridges and structures to be repaired/strengthened, and the nature and extent of repairs /strengthening required are given below:

(a) Bridges

| Sl. No. | Location | Nature and extent of repairs to be carried out |
|--------------------------------|----------|--|
| As per table on para 7 (iii) d | | |

(b) ROB / RUB

| Sl. No. | Location of ROB/RUB(Ch) | Nature and extent of repairs /strengthening to be carried out |
|---------|-------------------------|---|
| NIL | | |

(c) Overpasses/Underpasses and other structures

| Sl. No. | Location of Structure (Ch) | Nature and extent of repairs/strengthening to be carried out |
|---------|----------------------------|--|
| NIL | | |

(vii) List of Major Bridges and Structures

The following is the list of the Major Bridges and Structures:

| Sl. No. | Location | Type |
|---------|----------|------|
| Nil | | |

8. Traffic Control Devices and Road Safety Works

Nil

9. Roadside Furniture

(i) Road side furniture shall be provided in accordance with article 8(i) of this schedule.

(ii) Overhead traffic signs: location and size

| Sl. No. | Location (km) | Size |
|---------|---------------|------|
| Nil | | |

10. COMPULSORY AFFORESTATION

The number of trees which are required to be planted by the Contractor as compensatory afforestation should be as per Forest Conservation Act, twice the number of trees to be cut.

11. HAZARDOUS LOCATIONS

The safety measures shall be provided at all hazardous/sinking/landslide locations as per the manual in consultation with the Authority's Engineer and Gabion Type Retaining wall & breast wall shall be provided at the following locations:

(a) Gabion Retaining Wall.

| S. No. | Chainage (Km) | | Length (in meter) | Height | Unit |
|--------|---------------|--------|-------------------|------------|------|
| | From | To | | (in Meter) | |
| 1 | 26.251 | 26.258 | 14 | 3.00 | Rm |
| 2 | 26.302 | 26.309 | 14 | 3.00 | Rm |
| 3 | 32.690 | 32.697 | 7 | 3.00 | Rm |
| 4 | 36.780 | 36.801 | 21 | 4.80 | Rm |
| 5 | 45.040 | 45.061 | 21 | 4.80 | Rm |
| 6 | 51.640 | 51.661 | 21 | 4.80 | Rm |
| 7 | 60.545 | 60.559 | 14 | 3.60 | Rm |
| 8 | 61.440 | 61.454 | 14 | 4.80 | Rm |
| 9 | 61.459 | 61.487 | 28 | 4.80 | Rm |
| 10 | 61.580 | 61.594 | 14 | 3.00 | Rm |
| 11 | 66.050 | 66.078 | 28 | 3.00 | Rm |
| 12 | 66.160 | 66.188 | 28 | 4.80 | Rm |
| 13 | 67.940 | 67.968 | 28 | 3.00 | Rm |
| | Total | | 252 | | |

(b) Gabion Breast Wall.

| S. No. | Chainage (Km) | | Length (in meter) | Height | Unit |
|--------|---------------|--------|-------------------|------------|------|
| | From | To | | (in Meter) | |
| 1 | 17.680 | 17.722 | 42 | 3.00 | Rm |
| 2 | 60.450 | 60.471 | 21 | 3.60 | Rm |
| 3 | 60.550 | 60.571 | 21 | 3.00 | Rm |
| 4 | 61.445 | 61.473 | 28 | 3.60 | Rm |

| | | | | |
|--|-------|-----|--|--|
| | Total | 112 | | |
|--|-------|-----|--|--|

12. SPECIAL REQUIREMENTS FOR HILL ROADS

Landslide Clearance in soil in not less than 17950.83 Cum

Clearing of grass and removal of rubbish in not less than 17.52 Ha

13. CHANGE OF SCOPE

The length of Structures, bridges, culverts, underpasses, flyovers etc. specified hereinabove shall be treated as an approximate assessment. The actual lengths as required on the basis of detailed investigations shall be determined by the Contractor in accordance with the Specifications and Standards. Any variations in the lengths specified in this Schedule-B shall not constitute a Change of Scope, save and except any variations in the length arising out of a Change of Scope expressly undertaken in accordance with the provisions of Article 13.

14. The details of utilities are as follows:

| Sr. No | Type of Utility | Unit | Quantity | Location/stretch (LHS/RHS) |
|--------|-----------------------|--------|----------|----------------------------|
| A | Electrical Utilities | | NA | |
| A1 | Electrical Poles | Nos. | | |
| A2 | Electrical cables | meters | | |
| A3 | Transformers | Nos. | | |
| - | ----- | -- | | |
| - | ----- | -- | | |
| B | Water/Sewage pipeline | | | |
| B1 | Sewage | meters | | |
| B2 | Water supply | meters | | |
| - | ----- | -- | | |
| - | ----- | -- | | |

| | | | |
|---|------------------|------|--|
| C | Felling of Tress | Nos. | |
|---|------------------|------|--|

Schedule - C

(See Clause 2.1)

Project Facilities

1. Project Facilities

The Contractor shall construct the Project Facilities in accordance with the provisions of this Agreement. Such Project Facilities shall include:

- (a) Toll plaza[s];
- (b) Roadside furniture;
- (c) Pedestrian facilities;
- (d) Truck Lay byes;
- (e) Bus-bays and passenger shelters;
- (f) Rest areas; and
- (g) Others to be specified

2. Description of Project Facilities

Each of the Project Facilities is described below:

a) Toll Plaza: -

| Sl. No. | Design Chainage (km) | Name of the Place |
|---------|----------------------|-------------------|
| Nil | | |

b) Roadside furniture: -

| Sl. No. | Description | Location | Design Standard |
|---------|-------------|----------|-----------------|
| Nil | | | |

- c) **Pedestrian Facility:** - Pedestrian facilities in the form of foot path shall be provided in the built-up area. Pedestrian facilities shall be provided at the locations of urban sections in order to ensure safety of pedestrians while crossing in consultation with NHIDCL.

d) Truck Lay bye: -

| Sl. No. | Truck lay bye Chainage (Both Side) | Name of the Place |
|---------|------------------------------------|-------------------|
| Nil | | |

e) Bus Bay & Passenger shelter: -

| Sl. No. | Project Facility | Location (km) | Design Requirements | Other Essential Details |
|---------|------------------|---------------|---------------------|-------------------------|
| Nil | | | | |

f) Rest Areas

| Sl. No. | Rest Area Chainage | Name of the Place |
|---------|--------------------|-------------------|
| | Nil | |

g) Others to be specified

Street Lighting:

Nil

SCHEDULE - D

(See Clause 2.1)

SPECIFICATIONS AND STANDARDS

1. Construction

The Contractor shall comply with the Specifications and Standards set forth in Annex-I of this Schedule-D for construction of the Project Highway.

2. Design Standards

The Project Highway including Project Facilities shall conform to design requirements set out in the following documents:

- a) Manual of Specifications and Standards for Two Laning of Highways with paved shoulder (IRC: SP: 73-2018), referred to herein as the Manual.
- b) IRC-37-2018 or latest: Guidelines for the design of flexible pavement.
- c) Code for Practice of Road Signage- IRC 67: 2022 or latest
- d) Hill Road Manual IRC SP 48:2023 or latest should be referred.
- e) The NGT order dated 01.11.2018 should be followed for disposal of muck.

Annex - I

(Schedule-D)

Specifications and Standards for Construction

1. Specifications and Standards

All Materials, works and construction operations shall conform to the Manual of Specifications and Standards for Two-Laning of Highways with paved shoulder (IRC: SP:73-2018), referred to as the Manual and Indian Road Congress (IRC) Codes and Standards and MORTH Specifications for Road and Bridge Works.

Where the aforesaid Manuals, guidelines, codes, standards and specifications are silent on any aspect, Good Industry Practice shall be adopted to the satisfaction of the Authority's Engineer.

2. Deviations from the Specifications and Standards

- 2.1 The terms "Concessionaire", "Independent Engineer" and "Concession Agreement" used in the Manual shall be deemed to be substituted by the terms "Contractor", "Authority's Engineer" and "Agreement" respectively.

Schedule - E
(See Clause 2.1 and 14.2)
MAINTENANCE REQUIREMENTS

1. Maintenance Requirements

- 1.1. The Contractor shall, at all-time maintain the Project Highway in accordance with the provisions of this Agreement, Applicable Laws and Applicable Permits.
- 1.2. The Contractor shall repair or rectify any Defect or deficiency set forth in Paragraph 2 of this Schedule-E within the time limit specified therein and any failure in this behalf shall constitute non-fulfillment of the Maintenance obligations by the Contractor. Upon occurrence of any breach hereunder, the Authority shall be entitled to effect reduction in monthly lump sum payment as set forth in Clause 14.6 of this Agreement, without prejudice to the rights of the Authority under this Agreement, including Termination thereof.
- 1.3. All Materials, works and construction operations shall conform to the "SPECIFICATIONS FOR ROAD AND BRIDGE WORKS (FIFTH REVISION, April 2013)", including latest corrections slips, issued by the Ministry of Surface Transport & Highways, Government of India and published by the Indian Roads Congress.

Where the specifications for a work are not given, Good Industry Practice shall be adopted to the satisfaction of the Authority's Engineer.

2. Repair/rectification of Defects and deficiencies

The obligations of the Contractor in respect of Maintenance Requirements shall include repair and rectification of the Defects and deficiencies specified in Annex-I of this Schedule-E within the time limit set forth therein.

3. Other Defects and deficiencies

In respect of any Defect or deficiency not specified in Annex-I of this Schedule-E, the Authority's Engineer may, in conformity with Good Industry Practice, specify the permissible limit of deviation or deterioration with reference to the Specifications and Standards, and any deviation or deterioration beyond the permissible limit shall be repaired or rectified by the Contractor within the time limit specified by the Authority's Engineer.

4. Extension of time limit

Notwithstanding anything to the contrary specified in this Schedule-E, if the nature and extent of any Defect or deficiency justifies more time for its repair or rectification than the time specified herein, the Contractor shall be entitled to additional time in conformity with Good Industry Practice. Such additional time shall be determined by the Authority's Engineer and conveyed to the Contractor and the Authority with reasons thereof;

5. Emergency repairs/restoration

Notwithstanding anything to the contrary contained in this Schedule-E, if any Defect, deficiency or deterioration in the Project Highway poses a hazard to safety or risk of damage to property, the Contractor shall promptly take all reasonable measures for eliminating or minimizing such danger.

6. Daily inspection by the Contractor

The Contractor shall, through its engineer, undertake a daily visual inspection of the Project Highway and maintain a record thereof in a register to be kept in such form and manner as the Authority's Engineer may specify. Such record shall be kept in safe custody of the Contractor and shall be open to inspection by the Authority and the Authority's Engineer at any time during office hours.

7. Pre-monsoon inspection / post-monsoon inspection

The Contractor shall carry out a detailed pre-monsoon inspection of all bridges, culverts and drainage system before [1st June] every year in accordance with the guidelines contained in IRC: SP:35. Report of this inspection together with details of proposed maintenance works as required on the basis of this inspection shall be sent to the Authority's Engineer before the [10th June] every year. The Contractor shall complete the required repairs before the onset of the monsoon and send to the Authority's Engineer a compliance report. Post monsoon inspection shall be done by the [30th September] and the inspection report together with details of any damages observed and proposed action to remedy the same shall be sent to the Authority's Engineer.

8. Repairs on account of natural calamities

All damages occurring to the Project Highway on account of torrential rains, floods, earthquake or other natural disasters shall be undertaken by the Contractor at its own cost and/or out of the proceeds of insurance.



**Annex - I
(Schedule-E)**

Repair/rectification of Defects and deficiencies

The Contractor shall repair and rectify the defects and deficiencies specified in this Annex-I of Schedule-E within the time limit set forth in the table below.

Table -1: Maintenance Criteria for Pavements:

| Asset Type | Performance Parameter | Level of Service (LOS) | | Frequency of Inspection | Tools/Equipment | Standards and References for Inspection and Data Analysis | Time limit for Rectification/Repair | Maintenance Specifications |
|---|--------------------------|------------------------|--|-------------------------|---|---|-------------------------------------|-----------------------------|
| | | Desirable | Acceptable | | | | | |
| Flexible Pavement (Pavement of MCW, Service Road, approaches | Potholes | Nil | < 0.1 % of area and subject to limit of 10 mm in depth | Daily | Length Measurement Unit like Scale, Tape, odometer etc. | IRC 82: 2015 and Distress Identification Manual for Long Term Pavement Performance Program, FHWA 2003 (http://www.tfhrcc.com/pavement/ltrp/reports/03031/) | 24-48 hours | MORT&H Specification 3004.2 |
| S of Grade structure, approaches of connecting roads, slip roads, lay byes etc. as applicable) | Cracking | Nil | < 5 % subject to limit of 0.5 sqm for any 50m length | Daily | | | 7-15 days | MORT&H Specification 3004.3 |
| | Rutting | Nil | < 5 mm | Daily | Straight Edge | | 15-30 days | MORT&H Specification 3004.2 |
| | Corrugations and Shoving | Nil | < 0.1 % of area | Daily | Length Measurement Unit like | | 2-7 days | IRC:82-2015 |

Restoration/Rehabilitation of Churachandpur-Tipaimukh road NH-02 (Old NH-150) from Km 9.00 to Km 70.00 (Total Length = 61.00 Km) in the State of Manipur in FY 2025-26 on EPC mode



| Asset Type | Performance Parameter | Level of Service (LOS) | | Frequency of Inspection | Tools/Equipment | Standards and References for Inspection and Data Analysis | Time limit for Rectification/Repair | Maintenance Specifications |
|--|-----------------------------|------------------------|---|-------------------------|---------------------------|---|-------------------------------------|---------------------------------|
| | | Desirable | Acceptable | | | | | |
| S of Grade structure, approaches of connecting roads, slip roads, lay byes etc. as applicable) | Bleeding | Nil | < 1 % area | Daily | Scale, Tape odometer etc. | | 3-7 days | MORT&H Specification 3004.4 |
| | Ravelling / Stripping | Nil | < 1 % area | Daily | | | 7-15 days | IRC:82-2015 read with IRC SP 81 |
| | Edge Deformation / Breaking | Nil | < 1 m for any 100m section and width < 0.1m at any location, restricted to 30cm from the edge | Daily | | | 7-15 days | IRC:82-2015 |

| | | | | | | | |
|------------|--|------------------------|--|--|--|--|--|
| Asset Type | | Level of Service (LOS) | | | | | |
|------------|--|------------------------|--|--|--|--|--|

Restoration/Rehabilitation of Churachandpur-Tipaimukh road NH-02 (Old NH-150) from Km 9.00 to Km 70.00 (Total Length = 61.00 Km) in the State of Manipur in FY 2025-26 on EPC mode



| | Performance Parameter | Desirable | Acceptable | Frequency of Inspection | Tools/Equipment | Standards and References for Inspection and Data Analysis | Time limit for Rectification/Repair | Maintenance Specifications |
|--|----------------------------|------------|------------|-------------------------|---|---|-------------------------------------|----------------------------|
| | Roughness | 2000 mm/km | 2400 mm/km | Bi-Annually | Class I Profilometer SCRIM (Sideway force Coefficient Routine Investigation Machine or equipment) | Class I Profilometer: ASTM E950 (98): 2004 - Standard Test Method for measuring Longitudinal Profile of Travelled Surfaces with Accelerometer Established Inertial Profiling Reference ASTM E1656-94:2000- Standard Guide for Classification of Automatic Pavement Condition Survey Equipment | 180 days | IRC:82-2015 |
| | Skid Number | 60SN | 50SN | Bi-Annually | | | 180 days | BS: 7941-1: 2006 |
| | Pavement Condition Index | 3 | 2.1 | Bi-Annually | | | 180 days | IRC:82-2015 |
| | Other Pavement Distresses | | | Bi-Annually | | | 2-7 days | IRC:82-2015 |
| | Deflection /Remaining Life | | | Annually | Falling Weight Deflectometer | IRC 115:2014 | 180 days | IRC:115-2014 |
| Rigid Pavement (Pavement of MCW, Service Road, Grade structure, | Roughness BI | 2200mm/km | 2400mm/km | Bi-Annually | Class I Profilometer | ASTME950(98) :2004 and ASTM E1656-94:2000 | 180 days | IRC:SP:83-2008 |

Restoration/Rehabilitation of Churachandpur-Tipaimukh road NH-02 (Old NH-150) from Km 9.00 to Km 70.00 (Total Length = 61.00 Km) in the State of Manipur in FY 2025-26 on EPC mode



| Asset Type | Performance Parameter | Level of Service (LOS) | | Frequency of Inspection | Tools/Equipment | Standards and References for Inspection and Data Analysis | Time limit for Rectification/Repair | Maintenance Specifications |
|--|----------------------------|--|--|-------------------------|--|---|-------------------------------------|----------------------------|
| | | Desirable | Acceptable | | | | | |
| Approaches of connecting roads, slip roads, lay byes etc. as applicable) | Skid | Skid Resistance no. at different speed of vehicles | | Bi-Annually | SCRIM (Sideway-force | IRC:SP:83-2008 | 180 days | IRC:SP:83-2008 |
| | | Minimum SN | Traffic Speed (Km/h) | | Coefficient Routine Investigation Machine or equivalent) | | | |
| | | 36 | 50 | | | | | |
| | | 33 | 65 | | | | | |
| | | 32 | 80 | | | | | |
| | | 31 | 95 | | | | | |
| | | 31 | 110 | | | | | |
| Embankment/ Slopes | Edge drop at shoulders | Nil | 40mm | Daily | Length Measurement Unit like Scale, Tape, odometer etc. | IRC | 7-15 days | MORT&H Specification 408.4 |
| | Slope of camber/cross fall | Nil | <20% variation in prescribed slope camber / cross fall | Daily | | | 7-15 days | MORT&H Specification 408.4 |
| | Embankment Slopes | Nil | <15% variation in prescribe | Daily | | | 7-15 days | MORT&H Specification 408.4 |

Restoration/Rehabilitation of Churachandpur-Tipaimukh road NH-02 (Old NH-150) from Km 9.00 to Km 70.00 (Total Length = 61.00 Km) in the State of Manipur in FY 2025-26 on EPC mode



| Asset Type | Performance Parameter | Level of Service (LOS) | | Frequency of Inspection | Tools/Equipment | Standards and References for Inspection and Data Analysis | Time limit for Rectification/Repair | Maintenance Specifications |
|------------|----------------------------|------------------------|------------|-------------------------------------|-----------------|---|-------------------------------------|----------------------------|
| | | Desirable | Acceptable | | | | | |
| | | | Side slope | | | | | |
| | Embankment Protection | Nil | Nil | Daily | NA | | 7-15 days | MORT&H Specification |
| | Rain Cuts/Gullies in slope | Nil | Nil | Daily Specially During Rainy Season | NA | | 7-15 days | MORT&H Specification |

In addition to the above performance criterion, the contractor shall strictly maintain the rigid pavements as per requirements in the following table

Table -2: Maintenance Criteria for Rigid Pavements:

| S.No. | Type of Distress | Measured Parameter | Degree of Severity | Assessment Rating | Repair Action | |
|----------|--|--|--------------------|--|---|--|
| | | | | | For the case $d < D/2$ | For the case $d > D/2$ |
| CRACKING | | | | | | |
| 1 | Single Discrete Cracks Not intersecting with any joint | w= width of crack L= length of crack d= depth of crack D= depth of slab | 0 | Nil, not discernible | No Action | Not applicable |
| | | | 1 | w< 0.2mm.hair cracks | | |
| | | | 2 | w= 0.2 -0.5 mm, discernible from slow-moving car | Seal without delay | Seal, and stitch if L >1m. Within 7 days |
| | | | 3 | w= 0.5 -1.5 mm, discernible from fast-moving car | | |
| | | | 4 | w= 1.5-3.0 mm | Seal, and stitch if L > 1m. Within 7 days | Staple or Dowel Bar Retrofit, FDR for affected portion. Within 15 days |
| | | | 5 | w > 3 mm | | |



| S.No. | Type of Distress | Measured Parameter | Degree of Severity | Assessment Rating | Repair Action | |
|-------|--|--|--------------------|---|---|--|
| | | | | | For the case $d < D/2$ | For the case $d > D/2$ |
| 2 | Single Transverse (or Diagonal) Crack intersecting with one or more joints | w= width of crack L= length of crack d= depth of crack D= depth of slab | 0 | Nil, not discernible | No Action | |
| | | | 1 | w< 0.2mm.hair cracks | Route and seal with epoxy Within 7 days | Staple or Dowel Bar Retrofit. Within 15 days |
| | | | 2 | w= 0.2 -0.5 mm, discernible from slow-moving car | | |
| | | | 3 | w= 0.5 - 3.0 mm, discernible from fast-moving car | Route and seal and stitch, if L >1m. Within 7 days | |
| | | | 4 | w= 3.0 - 6.0 mm | Dowel Bar Retrofit. Within 15 days | Full Depth Repair Dismantle and reconstruct affected. Portion with norms and specifications - See Para 5.5 &9.2 Within 15 days |
| | | | 5 | w > 6 mm, usually associated with spalling, and/or slab rocking under traffic | Not Applicable, as it may be full depth | |
| 3 | Single Longitudinal Crack intersecting with one or more joints | w= width of crack L= length of crack d= depth of crack D= depth of slab | 0 | Nil, Not discernible | No, Action | |
| | | | 1 | w= 0.5 mm, discernible from slow-moving vehicle | Seal with epoxy, if L > 1m. Within 7 days | Staple or Dowel Bar Retrofit. Within 15 days |
| | | | 2 | w= 0.5 - 3.0 mm, discernible from fast vehicle | Route seal and stitch, if L > 1m. Within 15 days | - |



| S.No. | Type of Distress | Measured Parameter | Degree of Severity | Assessment Rating | Repair Action | |
|-------|---|--------------------|--------------------|--|---|---|
| | | | | | For the case $d < D/2$ | For the case $d > D/2$ |
| | | | 3 | w= 3.0 - 6.0 mm | Staple, if L> 1m. Within 15 days | Partial Depth Repair with stapling. Within15 days |
| | | | 4 | w= 6.0 - 12.0 mm, usually associated with spalling | Not Applicable, as it may be full depth | |
| | | | 5 | w > 12 mm, usually associated with spalling, and/or slab rocking under traffic | | |
| 4 | Multiple Crack intersecting with one or more joints | w= width of crack | 0 | Nil, Not discernible | No, Action | - |
| | | | 1 | w < 0.2 mm, hair cracks | Seal and stitch if L > 1m. Within 15 days | |
| | | | 2 | w= 0.2 - 0.5 mm, discernible from slow vehicle | Full depth repair within 15 days | Dismantle, Reinstatement subbase, Reconstruct whole slab as per specifications within 30 days |
| | | | 3 | w= 0.5 - 3.0 mm, discernible from fast vehicle | | |
| | | | 4 | w= 3.0 - 6.0 mm panel broken into 2 or 3 pieces | | |
| | | | 5 | w > 6 mm and /or panel broken into more than 4 pieces | | |



| S.No. | Type of Distress | Measured Parameter | Degree of Severity | Assessment Rating | Repair Action | |
|-------|--|--|--------------------|---|---|--|
| | | | | | For the case $d < D/2$ | For the case $d > D/2$ |
| 5 | Corner Break | w= width of crack L= length of crack | 0 | Nil, not discernible | No Action | - |
| | | | 1 | w < 0.5mm, only 1 corner broken | Seal with low viscosity epoxy to secure broken parts Within 7 days | Seal with epoxy seal with epoxy Within 7 days |
| | | | 2 | w < 1.5mm, L < 0.6m, only one corner broken | | |
| | | | 3 | w < 1.5mm, L < 0.6m, two corners broken | Partial Depth (Refer Figure 8.3 of IRC:83-2008) Within 15 days | Full depth repair |
| | | | 4 | w > 1.5mm, L > 0.6m or three corners broken | | |
| | | | 5 | Three or four corners broken | | Reinstate sub-base and reconstruct the slab as per norms and specifications Within 30 days |
| 6 | Punchout (Applicable to Continuous Reinforced Concrete Pavement (CRCP) only) | w= width of crack L= length (m/m ²) | 0 | Nil, Not discernible | | No, Action |
| | | | 1 | w < 0.5 mm, L < 3m / m ² | Not Applicable, as it may be full depth | Seal with low viscosity epoxy to secure broken parts. |
| | | | 2 | either w > 0.5 mm or L < 3m /m ² | | |
| | | | 3 | w > 1.5mm and L < 3m /m ² | | Full depth repair Cutout and replace damaged area taking care not to damage reinforcement. Within 30 days |
| | | | 4 | w > 3mm, L < 3m /m ² and deformation | | |
| | | | 5 | w > 3mm, L < 3m /m ² and deformation | | |



| S.No. | Type of Distress | Measured Parameter | Degree of Severity | Assessment Rating | Repair Action | |
|-----------------|-------------------------------------|---|--------------------|----------------------------------|--|-----------------------------|
| | | | | | For the case $d < D/2$ | For the case $d > D/2$ |
| Surface Defects | | | | | | |
| 7 | Ravelling or Honeycomb type surface | $r = \frac{\text{area damaged surface}}{\text{total surface of slab}} (\%)$ $h = \text{maximum depth of damage}$ | 0 | Nil, not discernible | Short Term No action. | Long Term Not Applicable |
| | | | 1 | $r < 2 \%$ | Local repair of area damaged and liable to be damaged. | |
| | | | 2 | $r = 2 - 10 \%$ | Within 15 days | |
| | | | 3 | $r = 10 - 25 \%$ | Bonded Inlay, 2 or 3 slabs if affecting. | |
| | | | 4 | $r = 25 - 50 \%$ | Within 30 days | |
| | | | 5 | $r > 50\%$ and $h > 25\text{mm}$ | Reconstruct slabs, 4 or more slabs if affecting. Within 30 days | |



| S.No. | Type of Distress | Measured Parameter | Degree of Severity | Assessment Rating | Repair Action | |
|-----------------|------------------|--|--------------------|----------------------------------|--|------------------------|
| | | | | | For the case $d < D/2$ | For the case $d > D/2$ |
| Surface Defects | | | | | | |
| 8 | Scalling | $r = \frac{\text{damaged surface}}{\text{total surface of slab}} (\%)$ $h = \text{maximum depth of damage}$ | 0 | Nil, not discernible | Short Term | Long Term |
| | | | | | No action. | Not Applicable |
| | | | 1 | $r < 2 \%$ | Local repair of area damaged and liable to be damaged. | |
| | | | 2 | $r = 2 - 10 \%$ | Within 7 days | |
| | | | 3 | $r = 10 - 20 \%$ | Bonded Inlay Within 15 days | |
| | | | 4 | $r = 20 - 30 \%$ | | |
| | | | 5 | $r > 30\%$ and $h > 25\text{mm}$ | Reconstruct slabs Within 30 days | |



| S.No. | Type of Distress | Measured Parameter | Degree of Severity | Assessment Rating | Repair Action | |
|-------|---|--|--------------------|--|---|------------------------|
| | | | | | For the case $d < D/2$ | For the case $d > D/2$ |
| 9 | Polished Surface /Glazing | t = texture depth, sand patch test | 0 | | No action. Monitor rate of deterioration Diamond Grinding if affecting 50% or more slabs in a continuous stretch of minimum 5 km. Within 30 days | Not Applicable |
| | | | 1 | $t > 1 \text{ mm}$ | | |
| | | | 2 | $t = 1 - 0.6 \text{ mm}$ | | |
| | | | 3 | $t = 0.6 - 0.3 \text{ mm}$ | | |
| | | | 4 | $t = 0.3 - 0.1 \text{ mm}$ | | |
| | | | 5 | $t < 0.1 \text{ mm}$ | | |
| 10 | Popout (Small Hole), Pothole Refer Para 8.4 | n = number/m ² d = diameter h = maximum depth | 0 | $d < 50 \text{ mm}; h < 25 \text{ mm} ; n < 1 \text{ per } 5 \text{ m}^2$ | No action | |
| | | | 1 | $d = 50 - 100 \text{ mm}; h < 50 \text{ mm}; n < 1 \text{ per } 5 \text{ m}^2$ | Partial depth repair 65 mm deep. Within 15 days | Not Applicable |
| | | | 2 | $d = 50 - 100 \text{ mm}; h > 50 \text{ mm}; n < 1 \text{ per } 5 \text{ m}^2$ | | |
| | | | 3 | $d = 100 - 300 \text{ mm}; h < 100 \text{ mm}; n < 1 \text{ per } 5 \text{ m}^2$ | Partial depth repair 110 mm i.e. 10mm more that the depth of the hole. Within 30 days | |
| | | | 4 | $d = 10 - 300 \text{ mm}; h > 100 \text{ mm}; n < 1 \text{ per } 5 \text{ m}^2$ | | |
| | | | 5 | $d > 300 \text{ mm}; h > 100 \text{ mm} ; n > 1 \text{ per } 5 \text{ m}^2$ | Full depth repair. Within 30 days | |



| S.No. | Type of Distress | Measured Parameter | Degree of Severity | Assessment Rating | Repair Action | |
|-----------------------|--------------------|---|--------------------|--|---|-----------------------------|
| | | | | | For the case $d < D/2$ | For the case $d > D/2$ |
| Joints Defects | | | | | | |
| 11 | Joint Seal Defects | loss or damage L = Length as % total joint length | 0 | Difficult to discern | Short Term No action | Long Term Not Applicable |
| | | | 1 | Discernible, $L < 25\%$ but of little immediate consequence with regard to ingress of water or trapping incompressible material. | Clean joint, inspect later. | |
| | | | 3 | Notable. $L > 25\%$ insufficient protection against ingress of water and trapping incompressible material. | Clean and reapply sealant in selected locations. Within 7 days | |
| | | | 5 | Severe; $w > 3$ mm negligible protection against ingress of water and trapping incompressible material. | Clean, widen and reseal the joint. Within 7 days | |
| 12 | Spalling of Joints | w = width on either side of the joint L = length of spalled portion (as % joint length) | 0 | Nil, not discernible | No action. | Not Applicable |
| | | | 1 | $w < 10$ mm | Apply low viscosity epoxy resin / mortar in cracked portion. | |
| | | | 2 | $w = 10 - 20$ mm, $L < 25\%$ | Within 7 days | |



| S.No. | Type of Distress | Measured Parameter | Degree of Severity | Assessment Rating | Repair Action | |
|----------------|--|----------------------------------|--------------------|---------------------------------------|--|----------------------------------|
| | | | | | For the case $d < D/2$ | For the case $d > D/2$ |
| Joints Defects | | | | | | |
| | | | 3 | $w = 20 - 40 \text{ mm}$, $L > 25\%$ | Partial Depth Repair. Within 15 days | Not Applicable |
| | | | 4 | $w = 40 - 80 \text{ mm}$, $L > 25\%$ | 30 – 50 mm deep, $h = w + 20 \%$ of w , within 30 days | |
| | | | 5 | $w > 80 \text{ mm}$, and $L > 25\%$ | 50 – 100 mm deep repair. $H = w + 20\%$ of w . Within 30 days | |
| 13 | Faulting (or Stepping) in Cracks or Joints | $f = \text{difference of level}$ | 0 | not discernible, $< 1 \text{ mm}$ | No action. | No action |
| | | | 1 | $f < 3 \text{ mm}$ | | |
| | | | 2 | $f = 3 - 6 \text{ mm}$ | Determine cause and observe, take action for diamond grinding | Replace the slab as appropriate. |
| | | | 3 | $f = 6 - 12 \text{ mm}$ | Diamond Grinding | Within 30 days |
| | | | 4 | $f = 12 - 18 \text{ mm}$ | Raise sunken slab | Replace the slab as appropriate. |
| | | | 5 | $f > 18 \text{ mm}$ | Strengthen subgrade and sub – base by grouting and raising sunken slab | Within 30 days |



| S.No. | Type of Distress | Measured Parameter | Degree of Severity | Assessment Rating | Repair Action | |
|----------------|--------------------|--|--------------------|--|--|------------------------|
| | | | | | For the case $d < D/2$ | For the case $d > D/2$ |
| Joints Defects | | | | | | |
| 14 | Blowup or Buckling | h = vertical displacement from normal profile | 0 | Nil, not discernible | Short Term | Long Term |
| | | | 1 | $h < 6 \text{ mm}$ | No action | |
| | | | 2 | $h = 6 - 12 \text{ mm}$ | | |
| | | | 3 | $h = 12 - 25 \text{ mm}$ | Install Signs to Warn Traffic Within 7 days | |
| | | | 4 | $h > 25 \text{ mm}$ | Full Depth Repair. Within 30 days | |
| | | | 5 | shattered slab, ie 4 or more pieces | Replace broken slabs. Within 30 days | |
| 15 | Depression | h = negative vertical displacement from normal profile L = length | 0 | Not discernible, $h < 5 \text{ mm}$ | No action. | Not applicable |
| | | | 1 | $h = 5 - 15 \text{ mm}$ | | |
| | | | 2 | $h = 15 - 30 \text{ mm}$, Nos $< 20\%$ joints | Install Signs to Warn Traffic Within 7 days | |
| | | | 3 | $h = 30 - 50 \text{ mm}$ | Strengthen subgrade. Reinstate pavement at normal level if $L < 20 \text{ m}$. Within 30 days | |
| | | | 4 | $h > 50 \text{ mm}$ or $> 20 \%$ joints | | |
| | | | 5 | $h > 100 \text{ mm}$ | | |



| S.No. | Type of Distress | Measured Parameter | Degree of Severity | Assessment Rating | Repair Action | |
|-----------------------|------------------|---|--------------------|---------------------------------------|--|---|
| | | | | | For the case $d < D/2$ | For the case $d > D/2$ |
| Joints Defects | | | | | | |
| | | | | | Short Term | Long Term |
| 16 | Heave | h = positive vertical displacement from normal profile. L = length | 0 | Not discernible, $h < 5$ mm | No action | scrabble |
| | | | 1 | $h = 5 - 15$ mm | Follow up | |
| | | | 2 | $h = 15 - 30$ mm, Nos $< 20\%$ joints | Install Signs to Warn Traffic | |
| | | | 3 | $h = 30 - 50$ mm | Within 7 days | |
| | | | 4 | $h > 50$ mm or $> 20\%$ joints | Stabilise subgrade. | |
| | | | 5 | $h > 100$ mm | Reinstate pavement at normal level if length < 20 m. Within 30 days | |
| | | | 5 | $f > 18$ mm | Strengthen subgrade and sub - base by grouting and raising sunken slab | |
| 17 | Bump | h = vertical displacement from normal profile. | 0 | $h < 4$ mm | No action | Construction Limit for new Construction |
| | | | 1 | $h = 4 - 7$ mm | Grind, in case of new construction Within 7 days | |
| | | | 3 | $h = 7 - 15$ mm | Grind, in case of on going maintenance Within 15 days | |
| | | | 5 | $h > 15$ mm | Full Depth Repair. Within 30 days | |



| S.No. | Type of Distress | Measured Parameter | Degree of Severity | Assessment Rating | Repair Action | |
|----------------|--------------------------|---|--------------------|-------------------------------|---|--|
| | | | | | For the case d < D/2 | For the case d > D/2 |
| Joints Defects | | | | | | |
| | | | | | Short Term | Long Term |
| 18 | Lane to Shoulder Dropoff | f = difference of level | 0 | Nil, Not discernible, < 3 mm | No action | |
| | | | 1 | f = 3 - 10 mm | Spot repair of shoulder Within 7 days | |
| | | | 2 | f = 10 - 25 mm | | |
| | | | 3 | f = 25 - 50 mm | Fill up shoulder Within 7 days | For any 100 m stretch Reconstruct shoulder, if affecting 25% or more of stretch. Within 30 days |
| | | | 4 | f = 50 - 75 mm | | |
| | | | 5 | f > 75 mm | | |
| Drainage | | | | | | |
| 19 | Pumping | quantity of fines and water expelled through open joints and cracks Nos | 0 | not discernible | No Action | |
| | | | 1 to 2 | slight/ occasional Nos < 10% | Repair cracks and joints without delay. | Inspect and repair sub-drainage at distressed sections and upstream. |
| | | | 3 to 4 | Appreciable/ Frequent 10- 25% | Lift or jack slab within 30 days | |
| | | | Nos/100m stretch | 5 | abundant, crack development > 25% | Repair distressed pavement sections. Strengthen subgrade and subbase. Replace slab. Within 30 days |



| S.No. | Type of Distress | Measured Parameter | Degree of Severity | Assessment Rating | Repair Action | |
|-------|------------------|--|--------------------|--|---|--|
| | | | | | For the case $d < D/2$ | For the case $d > D/2$ |
| 20 | Ponding | Ponding on slabs due to blockage of drains | 0-2 | not discernible problem | No Action | |
| | | | 3 to 4 | Blockage observed in drains, but water flowing | Clean drains etc within 7days follow up | Action required to stop water damaging foundation within 30 days |
| | | | 5 | Ponding, accumulation of water observed | -do- | |

Table -3: Maintenance Criteria for Safety Related Items and Other Furniture Items:



| Asset Type | Performance Parameter | Level of Service (LOS) | | | Frequency of Measurement | Testing Method | Recommended Remedial measures | Time limit for Rectification | Specifications and Standards |
|------------------|-------------------------------------|--|--------------------------------------|----------------------------------|--------------------------|--|---|--|------------------------------|
| Highway | Availability of Safe Sight Distance | As per IRC SP :84-2014, a minimum of safe stopping sight distance shall be available throughout. | | | Monthly | Manual Measurements with Odometer along with video/ image backup | Removal of obstruction within 24 hours, in case of sight line affected by temporary objects such as trees, temporary encroachments. In case of permanent structure or design deficiency: Removal of obstruction/improvement of deficiency at the earliest Speed Restriction boards and suitable traffic calming measures such as transverse bar marking, blinkers, etc. shall be applied during the period of rectification. | | IRC:SP 84-2014 |
| | | Design Speed, kmph | Desirable Minimum Sight Distance (m) | Safe Stopping Sight Distance (m) | | | | | |
| | | 100 | 360 | 180 | | | | | |
| | | 80 | 260 | 130 | | | | | |
| | | | | | | | | | |
| Pavement Marking | Wear | <70% of marking remaining | | | Bi-Annually | Visual Assessment as per Annexure-F of IRC:35-2015 | Re - painting | Cat-1 Defect - within 24 hours Cat-2 Defect - within 2 months | IRC:35-2015 |



| Asset Type | Performance Parameter | Level of Service (LOS) | Frequency of Measurement | Testing Method | Recommended Remedial measures | Time limit for Rectification | Specifications and Standards |
|------------|-----------------------|---|---|----------------------------------|-------------------------------|--|------------------------------|
| | Day time Visibility | During expected life Service Time Cement Road - 130mcd/m ² /lux Bituminous Road - 100mcd/m ² /lux | Monthly | As per Annexure-D of IRC:35-2015 | Re - painting | Cat-1 Defect - within 24 hours Cat-2 Defect - within 2 months | IRC:35-2015 |
| | Night Time Visibility | Initial and Minimum Performance for Dry Retro reflectivity during night time: | | As per Annexure-E of IRC:35-2015 | Re - painting | Cat-1 Defect - within 24 hours Cat-2 Defect - within 2 months | IRC:35-2015 |
| | | Design Speed | (RL) Retro Reflectivity (mcd/m ² /lux) | | | | |
| | | | Initial (7 days) | | | | |
| | | | Minimum Threshold level (TL) & warranty period required up to 2 years | | | | |
| | | Up to 65 | 200 | | | | |
| | | 65 - 100 | 250 | | | | |
| | | Above 100 | 350 | | | | |
| | | Initial and Minimum Performance for Night Visibility under wet condition (Retro reflectivity): | | | | | |



| Asset Type | Performance Parameter | Level of Service (LOS) | Frequency of Measurement | Testing Method | Recommended Remedial measures | Time limit for Rectification | Specifications and Standards |
|------------|-----------------------|---|--------------------------|----------------------------------|---|--|------------------------------|
| | | Initial 7 days Retro reflectivity: 100 mcd/m ² /lux Minimum Threshold Level: 50 mcd/m ² /lux | | | | | |
| | Skid Resistance | Initial and Minimum performance for Skid Resistance: Initial (7days): 55BPN Min. Threshold: 44BPN *Note: shall be considered under urban/city traffic condition encompassing the locations like pedestrian crossings, bus bay, bus stop, cycle track intersection delineation, transverse bar markings etc | Bi-Annually | As per Annexure-G of IRC:35-2015 | | Within 24 hours | IRC:35-2015 |
| Road Signs | Shape and Position | Shape and Position as per IRC:67-2012. Signboard should be clearly visible for the design speed of the section. | Daily | Visual with video/image backup | Improvement of shape, in case if shape is damaged. Relocation as per requirement | 48 hours in case of Mandatory Signs, Cautionary and Informatory Signs (Single and Dual post signs) 15 Days in case of Gantry/Cantilever Sign boards | IRC:67-2012 |



| Asset Type | Performance Parameter | Level of Service (LOS) | Frequency of Measurement | Testing Method | Recommended Remedial measures | Time limit for Rectification | Specifications and Standards |
|-----------------------------|--|--|--------------------------|---|-------------------------------|--|------------------------------|
| | Retro reflectivity | As per specification in IRC:67-2012 | Bi-Annually | Testing of each signboard using Retro Reflectivity Measuring Device. In accordance with ASTM D 4956-09. | Change of signboard | 48 hours in case of Mandatory Signs, Cautionary and Informatory Signs (Single and Dual post signs) 1 Month in case of Gantry/Cantilever Sign boards | IRC:67-2012 |
| Kerb | Kerb Height | As per IRC 86:1983 depending upon type of Kerb | Bi-Annually | Use of distance measuring tape | Raising Kerb height | Within 1 Month | RC 86:1983 |
| | Kerb Painting | <u>Functionality</u> : Functioning of Kerb painting as intended | Daily | Visual with video/image K backup | Kerb Repainting | Within 7-days | RC 35:2015 |
| Other Road Furniture | Reflective Pavement Markers (Road Studs) | Numbers and Functionality as per specifications in IRC:SP:84-2014 and IRC:35-2015, unless specified in Schedule-B. | Daily | Counting | New Installation | Within 2 months | IRC:SP:84-2014, IRC:35-2015 |
| | Pedestrian Guardrail | <u>Functionality</u> : Functioning of guardrail as intended | Daily | Visual with video/image backup | Rectification | Within 15 days | IRC:SP:84-2014 |
| | Traffic Safety Barriers | <u>Functionality</u> : Functioning of Safety Barriers as intended | Daily | Visual with video/image backup | Rectification | Within 7 days | IRC:SP:84-2014, IRC:119-2015 |



| Asset Type | Performance Parameter | Level of Service (LOS) | Frequency of Measurement | Testing Method | Recommended Remedial measures | Time limit for Rectification | Specifications and Standards |
|-------------------------|-----------------------------|--|--------------------------|--|--------------------------------|------------------------------|------------------------------|
| | End Treatment of | <u>Functionality:</u> Functioning of End Treatment as intended | Daily | Visual with video/image backup | Rectification | Within 7 days | IRC:SP:84-2014, |
| | Traffic Safety Barriers | | | backup | | | IRC:119-2015 |
| | Attenuators | <u>Functionality:</u> Functioning of Attenuators as intended | Daily | Visual with video/image backup | Rectification | Within 7 days | IRC:SP:2014, IRC:119-2015 |
| | Guard Posts and Delineators | <u>Functionality:</u> Functioning of Guard Posts and Delineators as intended | Daily | Visual with video/image backup | Rectification | Within 15 days | IRC: 79 - 1981 |
| | Overhead Sign Structure | Overhead sign structure shall be structurally adequate | Daily | Visual with video/image backup | Rectification | Within 15 days | IRC:67-2012 |
| | Traffic Blinkers | <u>Functionality:</u> Functioning of Traffic Blinkers as intended | Daily | Visual with video/image backup | Rectification | Within 7 days | IRC:SP:84-2014 |
| Highway Lighting System | Highway Lights | Illumination: Minimum 40 Lux illumination on the road surface | Daily | The illumination level shall be measured with luxmeter | Improvement in Lighting System | 24 hours | IRC:SP:84-2014 |
| | | No major failure in the lighting system | Daily | - | Rectification of failure | 24 hours | IRC:SP:84-2014 |
| | | No minor failure in the lighting system | Monthly | - | Rectification of failure | 8 hours | IRC:SP:84-2014 |

Restoration/Rehabilitation of Churachandpur-Tipaimukh road NH-02 (Old NH-150) from Km 9.00 to Km 70.00 (Total Length = 61.00 Km) in the State of Manipur in FY 2025-26 on EPC mode



| Asset Type | Performance Parameter | Level of Service (LOS) | Frequency of Measurement | Testing Method | Recommended Remedial measures | Time limit for Rectification | Specifications and Standards |
|--|--|---|--------------------------|--|---|------------------------------|------------------------------|
| | Toll Plaza Canopy Lights | Minimum 40 Lux illumination on the road surface | Daily | The illumination level shall be measured with luxmeter | Improvement in Lighting System | 24 hours | IRC:SP:84-2014 |
| | | No major/minor failure in the lighting system | Daily | - | Rectification failure | 8 hours | IRC:SP:84-2014 |
| Trees and Plantation including median plantation | Obstruction in a minimum head-room of 5.5 m above carriageway or obstruction in visibility of road signs | No obstruction due to trees | Monthly | Visual with video/image backup | Removal of trees | Immediate | IRC:SP:84-2014 |
| | Deterioration in health of trees and bushes | Health of plantation shall be as per requirement of specifications & instructions issued by Authority from time to time | Daily | Visual with video/image backup | Timely watering and treatment. Or Replacement of Trees and Bushes | Within 90 days | IRC:SP:84-2014 |
| | Vegetation affecting sight line and road structures | Sight line shall be free from obstruction by vegetation | Daily | Visual with video/image backup | Removal of Trees | Immediate | IRC:SP 84-2014 |

Restoration/Rehabilitation of Churachandpur-Tipaimukh road NH-02 (Old NH-150) from Km 9.00 to Km 70.00 (Total Length = 61.00 Km) in the State of Manipur in FY 2025-26 on EPC mode



| Asset Type | Performance Parameter | Level of Service (LOS) | Frequency of Measurement | Testing Method | Recommended Remedial measures | Time limit for Rectification | Specifications and Standards |
|---|--|------------------------|--------------------------|----------------|-------------------------------|------------------------------|------------------------------|
| Rest Areas | Cleaning of toilets | - | Daily | - | - | Every 4 hours | |
| | Defects in electrical, water and sanitary installations | - | Daily | - | Rectification | 24 hours | |
| Other Project Facilities and Approach roads | Damage or deterioration in Approach Roads, pedestrian facilities, truck lay- bys, bus-bays, bus-shelters, cattle crossings, Traffic Aid Posts, Medical Aid Posts and other works | | Daily | - | Rectification | 15days | IRC:SP 84-2014 |



| Asset Type | Performance Parameter | Level of Service (LOS) | Frequency of Measurement | Testing Method | Recommended Remedial measures | Time limit for Rectification | Specifications and Standards |
|------------------------|---|---|---|--|--|---|---|
| Pipe/Box/slab culverts | Free waterway/unobstructed flow section | 85% of culvert normal flow area to be available. | 2 times in a year (before and after rainy season) | Inspection by Bridge Engineer as per IRC SP: 35-1990 and recording of depth of silting and area of | Cleaning silt up soils and debris in culvert barrel after rainy season, removal of bushes and vegetation, U/s of barrel, under barrel and D/s of barrel before rainy season. | 15 days before onset of monsoon and within 30 days after end of rainy season. | IRC 5-2015, IRC SP:40- 1993 and IRC SP:13-2004 |
| | Leak-proof expansion joints if any | No leakage through expansion joints | Bi-Annually | Physical inspection of expansion joints as per IRC SP: 35-1990 if any, for leakage strains on | Fixing with sealant suitably | 30 days or before onset of rains whichever comes earlier | IRC SP:40-1993 and IRC SP:69-2011 |
| | Structurally sound | Spalling of concrete not more than 0.25 sqm | Bi-Annually | Detailed inspection of all components of culvert as per IRC SP:35-1990 and recording the defects | Repairs to spalling, cracking, delamination, rusting shall be followed as per IRC:SP:40-1993 | 15 days | IRC SP:40-1993 and MORTH Specifications clause 2800 |
| | | Delamination of concrete not more than 0.25 sq.m. | | | | | |
| | | Cracks wider than 0.3 mm not more than 1m aggregate | | | | | |



| Asset Type | Performance Parameter | Level of Service (LOS) | Frequency of Measurement | Testing Method | Recommended Remedial measures | Time limit for Rectification | Specifications and Standards |
|--|---|--|---|--|---|---|--|
| | Protection work in good condition | Damaged of rough stone apron or bank revetment not more than 3 sqm, damage to solid apron (concrete apron) not more than 1 sqm | 2 times in a year (before and after rainy season) | Condition survey as per IRC SP:35-1990 | Repairs to damaged aprons and pitching | 30 days after defect observation or 2 weeks before onset of rainy season whichever is earlier | IRC: SP 40-1993 and IRC:SP: 13-2004. |
| Bridges including ROBS Flyover etc. as applicable | Riding quality or user comfort | No pothole in wearing coat on bridge deck | Daily | Visual inspections per IRCSP:35-1990 | Repairs to BC or wearing coat | 15 days | MORTH Specification 2811 |
| Bridge - Super Structure | Bumps | No bump at expansion joint | Daily | Visual inspections per IRCSP:35-1990 | Repairs to BC or either side of expansion joints, profile correction course on approach slab in case of settlement to approach embankment | 15 days | MORTH Specification 3004.2 & 2811 |
| | User safety (condition of crash barrier and guard rail) | No damaged or missing stretch of crash barrier or pedestrian hand railing | Daily | Visual inspections and detailed condition survey as per IRC SP:35-1990 | Repairs and replacement of safety barriers as the case may be | 3 days | IRC: 5-1998 IRC:SP: 84-2004. And IRC SP: 40-1993 |



| Asset Type | Performance Parameter | Level of Service (LOS) | Frequency of Measurement | Testing Method | Recommended Remedial measures | Time limit for Rectification | Specifications and Standards |
|------------|--|--------------------------------|---|--|--|------------------------------|--|
| | Rusted reinforcement | Not more than 0.25 sq.m. | Bi- Annually | Detailed condition survey as per IRC SP: 35-1990 Using Mobile Bridge Inspection Unit | All the corroded reinforcement shall need to be thoroughly cleaned from rusting and applied with anti- corrosive coating before carrying out the repair to affected concrete portion with epoxy mortar / concrete. | 15 days | IRC:SP: 40-1993. And MORTH Specification 1600. |
| | Spalling of concrete | Not more than 0.50 sq.m. | | | | | |
| | Delamination | Not more than 0.50 sq.m. | | | | | |
| | Cracks wider than 0.30 mm | Not more than 1m total length. | Bi- Annually | Detailed condition survey as per IRC SP: 35-1990 Using Mobile Bridge Inspection Unit | Grouting with epoxy mortar, investigation causes for cracks development and carry out necessary rehabilitation. | 48 hours | IRC:SP: 40-1993. And MORTH Specification 2800. |
| | Rain seepage through deck slab | Leakage- nil | Quarterly | Detailed condition survey as per IRC SP: 35-1990 Using Mobile Bridge Inspection Unit | Grouting with slab at leakage areas, waterproofing, repairs to drainage spouts. | 1months | MORTH Specification 2600 & 2700. |
| | Deflection due to permanent loads and live loads | Within design limits. | Once in every 10 years for spans more than 40 m | Load test method | Carry out major rehabilitation works on bridge to retain original design loads capacity. | 6months | IRC:SP: 51-1999. |



| Asset Type | Performance Parameter | Level of Service (LOS) | Frequency of Measurement | Testing Method | Recommended Remedial measures | Time limit for Rectification | Specifications and Standards |
|------------|--|---|---|--|---|------------------------------|---|
| | Vibrations in bridge deck due to moving trucks | Frequency of vibrations shall not be more than 5 Hz. | Once in every 5 years for spans more than 30m and every 10 years for spans between 15 to 30m. | Laser displacement sensors or laser vibro-meters | Strengthening of super structure | 4 months | AASHTOLRFD Specification |
| | Leakage in Expansion Joints | No damage to elastomeric sealant compound in strip expansion joint, no leakage of rain water through expansion joint in case of buried and asphalt plug and copper strip joint. | Bi- Annually | Detailed condition survey as per IRC SP: 35-1990 Using Mobile Bridge Inspection Unit | Replace of seal in expansion joint | 15 days | MORTH Specification 2600 and IRC SP: 40-1993. |
| | Debris and dust in strip seal expansion joint | No dust or debris in expansion joint gap. | Monthly | Detailed condition survey as per IRC SP: 35-1990 Using Mobile Bridge Inspection Unit | Cleaning of expansion joint gaps thoroughly | 3 days | MORTH Specification 2600 and IRC SP: 40-1993. |



| Asset Type | Performance Parameter | Level of Service (LOS) | Frequency of Measurement | Testing Method | Recommended Remedial measures | Time limit for Rectification | Specifications and Standards |
|----------------------|--|---|--------------------------|--|--|------------------------------|--|
| | Drainage spouts | No down take pipe missing/broken below soffit of the deck slab. No silt, debris, clogging of drainage spout collection chamber. | Monthly | Detailed condition survey as per IRC SP: 35-1990 Using Mobile Bridge Inspection Unit | Cleaning of drainage spouts thoroughly. Replacement of missing/broken down take pipes with a minimum pipe extension of 500mm below soffit of slab. Providing sealant around the drainage spout if any leakages observed. | 3 days | MORTH Specification 2700 |
| Bridge sub structure | Cracks/spalling of concrete / rusted steel | No cracks of spalling of concrete and rusted steel | Bi-Annually | Detailed condition survey as per IRC SP: 35-1990 using Mobile Bridge Inspection Unit | All the corroded reinforcement shall need to be thoroughly cleaned from rusting and applied with anti-corrosive coating before carrying out repairs to substructure by grouting/guniting and micro concreting depending on type of defect noticed. | 30 days | IRC:SP: 40-1993. And MORTH Specification 2800. |
| | Bearings | Delamination of bearing reinforcement not more than 5%, cracking or | Bi-Annually | Detailed condition survey as per IRC SP: 35-1990 using Mobile Bridge Inspection Unit | In case of failure of even one bearing on any pier/abutment, all the bearings on that pier/abutment shall be replaced, in order to | 3 months | MORTH Specification 2810 and IRC SP: 40-199. |



| | | tearing of rubber not more | | | get uniform load transfer on to bearings. | | |
|---------------------------|------------------------------------|---|---|--|---|---|---|
| Asset Type | Performance Parameter | Level of Service (LOS) | Frequency of Measurement | Testing Method | Recommended Remedial measures | Time limit for Rectification | Specifications and Standards |
| | | than 2 locations per side, no rupture of reinforcement or rubber. | | | | | |
| Bridge Foundations | Scouring around foundations | Scouring shall not be lower than maximum scour level from the bridge | Bi-Annually | Condition survey as per IRC SP: 35-1990 using Mobile Bridge Inspection Unit. In case of doubt, use Underwater camera for inspection of deep wells in major Rivers. | Suitable protection works around pier/ abutment | 1 months | IRC:SP: 40-1993. IRC: 83-2014 MORTH Specification 2500. |
| | Protection works in good condition | Damaged of rough stone apron or bank revetment not more than 3 sq.m. damage to apron (concrete apron) not more than 1 sq.m. | 2 times in a year (before and after rainy season) | Condition survey as per IRC SP: 35-1990 | Repairs to damaged aprons and pitching. | 30 days after defect observation or 2 weeks before onset of rainy season whichever is earlier | MORTH Specification 2810 and IRC SP: 40-199. |

Restoration/Rehabilitation of Churachandpur-Tipaimukh road NH-02 (Old NH-150) from Km 9.00 to Km 70.00 (Total Length = 61.00 Km) in the State of Manipur in FY 2025-26 on EPC mode



Note: Any Structure during the entire contract period which is found that does not complies with all requirements of this Table will be prepared, rehabilitated or even reconstructed under the scope of the contractor.

Table 4: Maintenance Criteria for Structures and Culverts:

Table 5: Maintenance Criteria for Hill Roads

In addition to above, for hill roads the following provisions for maintenance is also to done.

| Hill Roads | | |
|------------|--|------------------------|
| (i) | Damage to Retaining wall / Breast wall | 7 (Seven) days |
| (ii) | Landslids requiring clearance | 12 (Twelve) hours |
| (iii) | Snow requiring clearance | 24 (Twenty-Four) hours |

Note: For all tables 1 to 5 above, latest BIS & IRC standard (even those not indicated herewith) along with MoRTH specifications shall be binding for all maintenance activities.

A. Flexible Pavement

| | Nature of Defect or deficiency | Time limit for repair/rectification |
|---|---|--|
| (b) Granular earth shoulders, sides lopes, drains and culvert | | |
| (i) | Variation by more than 1 % in the prescribed slope of camber/cross fall (shall not be less than the camber on the main carriageway) | 7 (Seven) days |
| (ii) | Edge drop at shoulders exceeding 40 mm | 7 (Seven) days |
| (iii) | Variation by more than 15% in the prescribed side (embankment) slopes | 30 (Thirty) days |
| (iv) | Rain cuts/gullies in slope | 7 (Seven) days |
| (v) | Damage to or silting of culverts and side drains | 7 (Seven) days |
| (vi) | Desilting of drains in urban/semi-urban areas | 24 (Twenty-Four) days |
| (vii) | Railing, parapets, crash barriers | 7(seven) days (Restore immediately if causing safety hazard) |
| (c) Road side furniture including road sign and pavement marking | | |
| (i) | Damage to shape or position, poor visibility or loss of retro-reflectivity | 48 (forty-eight) hours |
| (ii) | Painting of km stone, railing, parapets, crash barriers | As and when required /Once every year |
| (iii) | Damaged/missing signs road requiring replacement | 7 (Seven) days |
| (iv) | Damaged to road mark ups | 7 (Seven) days |
| (d) Road lighting | | |
| (i) | Any major failure of the system | 24 (Twenty-Four) days |
| (ii) | Faults and minor failures | 8 (eight) hours |
| (e) Trees and plantation | | |

| | Nature of Defect or deficiency | Time limit for repair/rectification |
|---------------------------|---|-------------------------------------|
| (i) | Obstruction in a minimum head- room of 5 m above carriageway or obstruction in visibility of road signs | 24 (Twenty Four) days |
| (ii) | Removal of fallen trees from carriageway | 4 (Four) hours |
| (iii) | Deterioration in health of trees and bushes | Timely watering and treatment |
| (iv) | Trees and bushes requiring replacement | 30 (thirty) days |
| (v) | Removal of vegetation affecting sight line and road structures | 15 (fifteen) days |
| (f) Rest area | | |
| (i) | Cleaning of toilets | Every 4 (four) hours |
| (ii) | Defects in electrical, water and sanitary installations | 24 (Twenty Four) days |
| (g) [Toll Plaza] | | |
| (h) | Other Project Facilities and Approach roads | |
| (i) | Damage in approach roads, pedestrian facilities, truck lay- byes, bus-bays, bus-shelters, cattle crossing,[Traffic Aid Posts, Medical Aid Posts], and service roads | 15 (fifteen) days |
| (ii) | Damaged vehicles or debris on the road | 4 (four) hours |
| (iii) | Malfunctioning of the mobile crane | 4 (four) hours |
| Bridges | | |
| (a) Superstructure | | |
| (i) | Any damage, cracks, spalling/ scaling Temporary measures | Within 48 (forty eight) hours |

| | | |
|------------------------|--------------------|--|
| | Permanent measures | Within 15 (fifteen) days or as specified by the Authority's Engineer |
| (b) Foundations | | |

| | Nature of Defect or deficiency | Time limit for repair/rectification |
|--|--|--|
| (i) | Scouring and / or cavitation | 15 (fifteen) days |
| (c) Pipers, abutment, return walls and wing walls | | |
| (i) | Cracks and damages including settlement and tilting, spalling, scaling | 30 (thirty) days |
| (d) Bearings (metallic) of bridges | | |
| (i) | Deformation, damages, tilting or shifting of bearings | 15 (fifteen) days Greasing of metallic bearings once in a year |
| (e) Joints | | |
| (i) | Malfunctioning of joints | 15 (fifteen) days |
| (f) Other items | | |
| (i) | Deforming of pads in elastomeric bearings | 7 (seven) days |
| (ii) | Gathering of dirt in bearings and joints; or clogging of spouts, weep holes and vent - holes | 3 (three) days |
| (iii) | Damage or deterioration in kerbs, parapets, handrails and crash barriers | 3 (three) days (immediately within 24 hours if posing danger to safety) |
| (iv) | Rain-cuts or erosion of banks of the side slopes of approaches | 7 (seven) days |
| (v) | Damaged to wearing coat | 15 (fifteen) days |

| | | |
|-----------------------|---|-------------------|
| (vi) | Damage or deterioration in approach slabs, pitching apron, toes, floor or guide bunds | 30 (thirty) days |
| (vii) | Growth of vegetation affecting the structure or obstructing the waterway | 15 (fifteen) days |
| (g) Hill Roads | | |
| (i) | Damage to retaining wall/breast wall | 7 (seven) days |
| (ii) | Landslides requiring clearance | 12 (twelve) hours |

| | | |
|-------|---------------------------------------|--|
| | Nature of Defect or deficiency | Time limit for repair/rectification |
| (iii) | Snow requiring clearance | 24 (twenty-four) hours |

[Note: Where necessary, the Authority may modify the time limit for repair/rectification, or add to the nature of Defect or deficiency before issuing the bidding document, with the approval of the competent authority.]

Schedule-F

(See Clause 4.1 (vii)(a))

APPLICABLE PERMITS

1. Applicable Permits

The Contractor shall obtain, as required under the Applicable Laws, the following Applicable Permits:

- (a) Permission of the State Government for extraction of boulders from quarry;
- (b) Permission of Village Panchayat and Pollution Control Board for installation of crushers;
- (c) License for use of explosives;
- (d) Permission of the State Government for drawing water from river/reservoir;
- (e) License from inspector of factories or other competent Authority for setting up batching plant;
- (f) Clearance of Pollution Control Board for setting up batching plant;
- (g) Clearance of Village Panchayats and Pollution Control Board for setting up asphalt plant;
- (h) Permission of Village Panchayats and State Government for borrow earth; and
- (i) Any other permits, clearances or approvals required under Applicable Laws.
- (j) Royalty permits as applicable under the state govt. rules.

- 1.2 Applicable permits, as required, relating to environmental protection and conservation shall have been produced by the Authority in accordance with the provisions of this Agreement

Schedule-G
(See Clause 7.1.1, 7.5.3 and 19.2)
FORM OF BANK GUARANTEE
Annex-I
(See Clause 7.1.1)
PERFORMANCE SECURITY

The Executive Director,
National Highway & Highway Development Corporation Ltd.
RO-Imphal, 2nd Floor, Transit Hostel, Officers' Club, Lamphel, Manipur - 795004

WHEREAS:

- (A) _____ [name and address of contractor] (hereinafter called "the Contractor") and [NHIDCL], ("the Authority") have entered into an agreement (the "Agreement") for " [Write here the name of project] ", subject to and in accordance with the provisions of the Agreement.
- (B) The Agreement requires the Contractor to furnish a Performance Security for due and faithful performance of its obligations, under and in accordance with the Agreement, during the Construction Period and Defects Liability Period (as defined in the Agreement) in a sum of Rs. Crore (Rupees Crore) (the "**Guarantee Amount**").
- (C) We, through our branch at (the "**Bank**") have agreed to furnish this bank guarantee (hereinafter called the "**Guarantee**") by way of Performance Security.

NOW, THEREFORE, the Bank hereby, unconditionally and irrevocably, guarantees and affirms as follows:

1. The Bank hereby unconditionally and irrevocably guarantees the due and faithful performance of the Contractor's obligations during Construction Period and Defects Liability Period under and in accordance with the Agreement, and agrees and undertakes to pay to the Authority, upon its mere first written demand, and without any demur, reservation, recourse, contest or protest, and without any reference to the Contractor, such sum or sums up to an aggregate sum of the guarantee amount as the Authority shall claim, without the Authority being required to prove or to show grounds or reasons for its demand and/or for the sum specified therein.
2. A letter from the Authority, under the hand of an officer not below the rank of General Manager in the NHIDCL that the Contractor has committed default in the due and faithful performance of all or any of its obligations under and in accordance with the

Agreement shall be conclusive, final and binding on the Bank. The Bank further agrees that the Authority shall be the sole judge as to whether the Contractor is in default in due and faithful performance of its obligations during and under the Agreement and its decision that the Contractor is in default shall be final, and binding on the Bank, notwithstanding any difference between the Authority and the Contractor, or any dispute between them pending before any court, tribunal, arbitrators or any other Authority or body, or by the discharge of the Contractor for any reason whatsoever.

3. In order to give effect to this Guarantee, the Authority shall be entitled to act as if the Bank were the principal debtor and any change in the constitution of the Contractor and/or the Bank, whether by their absorption with any other body or corporation or otherwise, shall not in any way or manner affect the liability or obligation of the Bank under this Guarantee.
4. It shall not be necessary, and the Bank hereby waives any necessity, for the Authority to proceed against the Contractor before presenting to the Bank its demand under this Guarantee.
5. The Authority shall have the liberty, without affecting in any manner the liability of the Bank under this Guarantee, to vary at any time, the terms and conditions of the Agreement or to extend the time or period for the compliance with, fulfillment and/or performance of all or any of the obligations of the Contractor contained in the Agreement or to postpone for any time, and from time to time, any of the rights and powers exercisable by the Authority against the Contractor, and either to enforce or forbear from enforcing any of the terms and conditions contained in the Agreement and/or the securities available to the Authority, and the Bank shall not be released from its liability and obligation under these presents by any exercise by the Authority of the liberty with reference to the matters aforesaid or by reason of time being given to the Contractor or any other forbearance, indulgence, act or omission on the part of the Authority or of any other matter or thing whatsoever which under any law relating to sureties and guarantors would but for this provision have the effect of releasing the Bank from its liability and obligation under this Guarantee and the Bank hereby waives all of its rights under any such law.
6. This Guarantee is in addition to and not in substitution of any other guarantee or security now or which may hereafter be held by the Authority in respect of or relating to the Agreement or for the fulfillment, compliance and/or performance of all or any of the obligations of the Contractor under the Agreement.
7. Notwithstanding anything contained hereinbefore, the liability of the Bank under this Guarantee is restricted to the Guarantee amount and this Guarantee will remain in force for the period specified in paragraph 8 below and unless a demand or claim in writing is made by the Authority on the Bank under this Guarantee all rights of the

Authority under this Guarantee shall be forfeited and the Bank shall be relieved from its liabilities hereunder.

8. The Guarantee shall cease to be in force and effect on ****\$¹. Unless a demand or claim under this Guarantee is made in writing before expiry of the Guarantee, the Bank shall be discharged from its liabilities hereunder.
9. The Bank undertakes not to revoke this Guarantee during its currency, except with the previous express consent of the Authority in writing, and declares and warrants that it has the power to issue this Guarantee and the undersigned has full powers to do so on behalf of the Bank.
10. Any notice by way of request, demand or otherwise hereunder may be sent by post addressed to the Bank at its above referred branch, which shall be deemed to have been duly authorized to receive such notice and to effect payment thereof forthwith, and if sent by post it shall be deemed to have been given at the time when it ought to have been delivered in due course of post and in proving such notice, when given by post, it shall be sufficient to prove that the envelope containing the notice was posted and a certificate signed by an officer of the Authority that the envelope was so posted shall be conclusive.
11. This Guarantee shall come into force with immediate effect and shall remain in force and effect for up to the date specified in Para 8 above or until it is released earlier by the Authority pursuant to the provisions of the Agreement.
12. This guarantee shall also be operable at our..... Branch at New Delhi, from whom, confirmation regarding the issue of this guarantee or extension/ renewal thereof shall be made available on demand. In the contingency of this guarantee being invoked and payment thereunder claimed, the said branch shall accept such invocation letter and make payment of amounts so demanded under the said invocation.
13. Intimation regarding issuance of this Bank Guarantee shall be sent to Authority's Bank through SFMS gateway as per the details below:

| S.No. | Particulars | Details |
|-------|------------------------------|--|
| 1 | Name of Beneficiary | NHIDCL, RO-Imphal, Establishment Account |
| 2 | Beneficiary Bank Account No. | 79513210000015 |
| 3 | Beneficiary Bank IFSC | CNRB0017951 |
| 4 | Beneficiary Bank Branch Name | Canara Bank, RIMS Road, Imphal |

⁵ Insert date being 2 (two) years from the date of issuance of this Guarantee (in accordance with Clause 7.2 of the Agreement).

| | | |
|---|--------------------------|---|
| 5 | Beneficiary Bank Address | Canara Bank (erstwhile Syndicate Bank), RIMS Road, Imphal |
|---|--------------------------|---|

14. This Guarantee is subject to the Uniform Rules for Demand Guarantees (URDG) 2010 Revision, ICC Publication no. 758, except that the supporting statement under Article 15 (a) is hereby excluded.

Signed and sealed this day of 20..... at

SIGNED, SEALED AND DELIVERED

For and on behalf of the Bank by:

(Signature)

(Name)

(Designation)

(Code Number)

(Address)

NOTES:

- (i) The bank guarantee should contain the name, designation and code number of the officer(s) signing the guarantee.
- (ii) The address, telephone number and other details of the head office of the Bank as well as of issuing branch should be mentioned on the covering letter of issuing branch.

Annex-II
(Schedule-G)
(See Clause 7.5.3)
Form for Guarantee for Withdrawal of Retention Money

The Executive Director,
National Highway & Highway Development Corporation Ltd.
RO-Imphal, 2nd Floor, Transit Hostel, Officers' Club, Lamphel, Manipur – 795004

WHEREAS:

[Name and address of contractor] (hereinafter called “**the Contractor**”) has executed an agreement (hereinafter called the “**Agreement**”) with the [NHIDCL], (hereinafter called “**the Authority**”) for the “[Write here the name of project]”, subject to and in accordance with the provisions of the Agreement.

- (A) In accordance with the Clause 7.5.3 of the Agreement, the Contractor may withdraw the retention money (hereinafter called “**Retention Money**”) after furnishing to the Authority a bank guarantee for an amount equal to the proposed withdrawal.
- (B) We, through our branch at (the “**Bank**”) have agreed to furnish this bank guarantee (hereinafter called the “**Guarantee**”) for the amount of Rs.Cr. (Rs..... in words) (the “**Guarantee Amount**”).

NOW, THEREFORE, the Bank hereby, unconditionally and irrevocably, guarantees and affirms as follows:

1. The Bank hereby unconditionally and irrevocably undertakes to pay to the Authority, upon its mere first written demand, and without any demur, reservation, recourse, contest or protest, and without any reference to the Contractor, such sum or sums up to an aggregate sum of the Guarantee Amount as the Authority shall claim, without the Authority being required to prove or to show grounds or reasons for its demand and/or for the sum specified therein.
2. A letter from the Authority, under the hand of an officer not below the rank of General Manager in the NHIDCL that the Contractor has committed default in the due and faithful performance of all or any of its obligations under and in accordance with the Agreement shall be conclusive, final and binding on the Bank. The Bank further agrees that the Authority shall be the sole judge as to whether the Contractor is in default in due and faithful performance of its obligations during and under the Agreement and its decision that the Contractor is in default shall be final, and binding on the Bank, notwithstanding any difference between the Authority and the Contractor, or any dispute between them pending before any court, tribunal, arbitrators or any other Authority or body, or by the discharge of the Contractor for any reason whatsoever.

3. In order to give effect to this Guarantee, the Authority shall be entitled to act as if the Bank were the principal debtor and any change in the constitution of the Contractor and/or the Bank, whether by their absorption with any other body or corporation or otherwise, shall not in any way or manner affect the liability or obligation of the Bank under this Guarantee.
4. It shall not be necessary, and the Bank hereby waives any necessity, for the Authority to proceed against the Contractor before presenting to the Bank its demand under this Guarantee.
5. The Authority shall have the liberty, without affecting in any manner the liability of the Bank under this Guarantee, to vary at any time, the terms and conditions of the Retention Money and any of the rights and powers exercisable by the Authority against the Contractor, and either to enforce or forbear from enforcing any of the terms and conditions contained in the Agreement and/or the securities available to the Authority, and the Bank shall not be released from its liability and obligation under these presents by any exercise by the Authority of the liberty with reference to the matters aforesaid or by reason of time being given to the Contractor or any other forbearance, indulgence, act or omission on the part of the Authority or of any other matter or thing whatsoever which under any law relating to sureties and guarantors would but for this provision have the effect of releasing the Bank from its liability and obligation under this Guarantee and the Bank hereby waives all of its rights under any such law.
6. This Guarantee is in addition to and not in substitution of any other guarantee or security now or which may hereafter be held by the Authority in respect of or relating to the Retention Money.
7. Notwithstanding anything contained hereinbefore, the liability of the Bank under this Guarantee is restricted to the Guarantee amount and this Guarantee will remain in force for the period specified in paragraph 8 below and unless a demand or claim in writing is made by the Authority on the Bank under this Guarantee all rights of the Authority under this Guarantee shall be forfeited and the Bank shall be relieved from its liabilities hereunder.
8. The Guarantee shall cease to be in force and effect 90 (ninety) days after the date of the Completion Certificate specified in Clause 12.4 of the Agreement.
9. The Bank undertakes not to revoke this Guarantee during its currency, except with the previous express consent of the Authority in writing, and declares and warrants that it has the power to issue this Guarantee and the undersigned has full powers to do so on behalf of the Bank.

10. Any notice by way of request, demand or otherwise hereunder may be sent by post addressed to the Bank at its above referred branch, which shall be deemed to have been duly authorized to receive such notice and to effect payment thereof forthwith, and if sent by post it shall be deemed to have been given at the time when it ought to have been delivered in due course of post and in proving such notice, when given by post, it shall be sufficient to prove that the envelope containing the notice was posted and a certificate signed by an officer of the Authority that the envelope was so posted shall be conclusive.
11. This Guarantee shall come into force with immediate effect and shall remain in force and effect for up to the date specified in para 8 above or until it is released earlier by the Authority pursuant to the provisions of the Agreement.
12. This guarantee shall also be operable at our..... Branch at New Delhi, from whom, confirmation regarding the issue of this guarantee or extension/ renewal thereof shall be made available on demand. In the contingency of this guarantee being invoked and payment there under claimed, the said branch shall accept such invocation letter and make payment of amounts so demanded under the said invocation.
13. Intimation regarding issuance of this Bank Guarantee shall be sent to Authority's Bank through SFMS gateway as per the details below:

| S.No. | Particulars | Details |
|-------|------------------------------|--|
| 1 | Name of Beneficiary | NHIDCL, RO-Imphal, Establishment Account |
| 2 | Beneficiary Bank Account No. | 79513210000015 |
| 3 | Beneficiary Bank IFSC | CNRB0017951 |
| 4 | Beneficiary Bank Branch Name | Canara Bank, RIMS Road, Imphal |
| 5 | Beneficiary Bank Address | RIMS Road, Imphal |

14. This Guarantee is subject to the Uniform Rules for Demand Guarantees (URDG) 2010 Revision, ICC Publication no. 758, except that the supporting statement under Article 15 (a) is hereby excluded

Signed and sealed this day of 20..... at

SIGNED, SEALED AND DELIVERED

For and on behalf of the Bank by:

(Signature)

(Name)

(Designation)

(Code Number)

(Address)

NOTES:

- (i) The bank guarantee should contain the name, designation and code number of the officer(s) signing the guarantee.
- (ii) The address, telephone number and other details of the head office of the Bank as well as of issuing branch should be mentioned on the covering letter of issuing branch.

Annex-III
(Schedule-G)
(See Clause 19.2)
Form for Guarantee for Advance Payment

The Executive Director,

National Highway & Highway Development Corporation Ltd.

RO-Imphal, 2nd Floor, Transit Hostel, Officers' Club, Lamphel, Manipur - 795004

WHEREAS:

[name and address of contractor] (hereinafter called "**the Contractor**") has executed an agreement (hereinafter called the "Agreement") with the [NHIDCL], (hereinafter called "**the Authority**") for the "[Write here the name of project]" subject to and in accordance with the provisions of the Agreement.

- (A) In accordance with the Clause 19.2 of the Agreement, the Authority shall make to the Contractor an interest bearing (@ Bank Rate) advance payment (hereinafter called "**Advance Payment**") equal to 10% (ten per cent) of the contract price; and that the Advance Payment shall be made in two installments subject to the Contractor furnishing an irrevocable and unconditional guarantee by a scheduled bank for an amount equivalent to 110% (one hundred and ten percent) of such installment to remain effective till the complete and full repayment of the installment of the Advance Payment as security for compliance with its obligations in accordance with the Agreement. The amount of {first/second} installment of the Advance Payment is Rs. ----- cr. (Rupees ----- crore) and the amount of this Guarantee is Rs. ----- cr. (Rupees ----- crore) (the "**Guarantee Amount**") ^{\$2}.
- (B) We,through our branch at (the "**Bank**") have agreed to furnish this bank guarantee (hereinafter called the "**Guarantee**") for the Guarantee Amount.

NOW, THEREFORE, the Bank hereby, unconditionally and irrevocably, **guarantees** and affirms as follows:

1. The Bank hereby unconditionally and irrevocably guarantees the due and faithful repayment on time of the aforesaid installment of the Advance Payment under and in accordance with the Agreement, and agrees and undertakes to pay to the Authority, upon its mere first written demand, and without any demur, reservation, recourse, contest or protest, and without any reference to the Contractor, such sum or sums up to an aggregate sum of the guarantee amount as the Authority shall claim, without the

^{\$2}The Guarantee Amount should be equivalent to 110% of the value of the applicable installment.

Authority being required to prove or to show grounds or reasons for its demand and/or for the sum specified therein.

2. A letter from the Authority, under the hand of an officer not below the rank of General Manager in the NHIDCL, that the Contractor has committed default in the due and faithful performance of all or any of its obligations for the repayment of the installment of the Advance Payment under and in accordance with the Agreement shall be conclusive, final and binding on the Bank. The Bank further agrees that the Authority shall be the sole judge as to whether the Contractor is in default in due and faithful performance of its obligations during and under the Agreement and its decision that the Contractor is in default shall be final, and binding on the Bank, notwithstanding any difference between the Authority and the Contractor, or any dispute between them pending before any court, tribunal, arbitrators or any other Authority or body, or by the discharge of the Contractor for any reason whatsoever
3. In order to give effect to this Guarantee, the Authority shall be entitled to act as if the Bank were the principal debtor and any change in the constitution of the Contractor and/or the Bank, whether by their absorption with any other body or corporation or otherwise, shall not in any way or manner affect the liability or obligation of the Bank under this Guarantee.
4. It shall not be necessary, and the Bank hereby waives any necessity, for the Authority to proceed against the Contractor before presenting to the Bank its demand under this Guarantee.
5. The Authority shall have the liberty, without affecting in any manner the liability of the Bank under this Guarantee, to vary at any time, the terms and conditions of the Advance Payment or to extend the time or period of its repayment or to postpone for any time, and from time to time, any of the rights and powers exercisable by the Authority against the Contractor, and either to enforce or forbear from enforcing any of the terms and conditions contained in the Agreement and/or the securities available to the Authority, and the Bank shall not be released from its liability and obligation under these presents by any exercise by the Authority of the liberty with reference to the matters aforesaid or by reason of time being given to the Contractor or any other forbearance, indulgence, act or omission on the part of the Authority or of any other matter or thing whatsoever which under any law relating to sureties and guarantors would but for this provision have the effect of releasing the Bank from its liability and obligation under this Guarantee and the Bank hereby waives all of its rights under any such law.
6. This Guarantee is in addition to and not in substitution of any other guarantee or security now or which may hereafter be held by the Authority in respect of or relating to the Advance Payment.

7. Notwithstanding anything contained hereinbefore, the liability of the Bank under this Guarantee is restricted to the Guarantee amount and this Guarantee will remain in force for the period specified in paragraph 8 below and unless a demand or claim in writing is made by the Authority on the Bank under this Guarantee all rights of the Authority under this Guarantee shall be forfeited and the Bank shall be relieved from its liabilities hereunder.
8. The guarantee shall cease to be in force and effect on ****.^{\$3} Unless a demand or claim under this Guarantee is made in writing on or before the aforesaid date, the Bank shall be discharged from its liabilities hereunder.
9. The Bank undertakes not to revoke this Guarantee during its currency, except with the previous express consent of the Authority in writing, and declares and warrants that it has the power to issue this Guarantee and the undersigned has full powers to do so on behalf of the Bank.
10. Any notice by way of request, demand or otherwise hereunder may be sent by post addressed to the Bank at its above referred branch, which shall be deemed to have been duly authorized to receive such notice and to effect payment thereof forthwith, and if sent by post it shall be deemed to have been given at the time when it ought to have been delivered in due course of post and in proving such notice, when given by post, it shall be sufficient to prove that the envelope containing the notice was posted and a certificate signed by an officer of the Authority that the envelope was so posted shall be conclusive.
11. This Guarantee shall come into force with immediate effect and shall remain in force and effect for up to the date specified in Para 8 above or until it is released earlier by the Authority pursuant to the provisions of the Agreement.
12. This guarantee shall also be operable at our..... Branch at New Delhi, from whom, confirmation regarding the issue of this guarantee or extension/ renewal thereof shall be made available on demand. In the contingency of this guarantee being invoked and payment thereunder claimed, the said branch shall accept such invocation letter and make payment of amounts so demanded under the said invocation.
13. Intimation regarding issuance of this Bank Guarantee shall be sent to Authority's Bank through SFMS gateway as per the details below:

| S.No. | Particulars | Details |
|-------|---------------------|--|
| 1 | Name of Beneficiary | NHIDCL, RO-Imphal, Establishment Account |

^{\$3}Insert a date being 90 (ninety) days after the end of one year from the date of payment of the Advance payment to the Contractor (in accordance with Clause 19.2 of the Agreement).

| | | |
|---|------------------------------|--------------------------------|
| 2 | Beneficiary Bank Account No. | 79513210000015 |
| 3 | Beneficiary Bank IFSC | CNRB0017951 |
| 4 | Beneficiary Bank Branch Name | CANARA Bank, RIMS Road, Imphal |
| 5 | Beneficiary Bank Address | RIMS Road, Imphal |

14. This Guarantee is subject to the Uniform Rules for Demand Guarantees (URDG) 2010 Revision, ICC Publication no. 758, except that the supporting statement under Article 15 (a) is hereby excluded.

Signed and sealed this day of 20..... at

SIGNED, SEALED AND DELIVERED

For and on behalf of the Bank by:

(Signature)

(Name)

(Designation)

(Code Number)

(Address)

Annex-IV

(Schedule - G)

(See Clause 7.1)

Form of Insurance Surety Bond

[Performance Security/Additional Performance Security]

The Executive Director,

National Highway & Highway Development Corporation Ltd.

RO-Imphal, 2nd Floor, Transit Hostel, Officers' Club, Lamphel, Manipur – 795004

WHEREAS:

- (A) [name and address of contractor] (hereinafter called the “**Contractor**”) and [name and address of the authority], (hereinafter called the “**Authority**”) have entered into an agreement (hereinafter called the “**Agreement**”) for the “***** EPC Mode” subject to and in accordance with the provisions of the Agreement
- (B) The Agreement requires the Contractor to furnish a Performance Security for due and faithful performance of its obligations, under and in accordance with the Agreement, during the {Construction Period/ Defects Liability Period and Maintenance Period} (as defined in the Agreement) in a sum of Rs.....cr.(Rupees crore) (the “**Surety Bond Amount**”).
- (C) We, through our branch at (the “**Surety Insurer**”) have agreed to furnish this bank guarantee (*hereinafter called the “**Surety Bond**”*) by way of Performance Security.

NOW, THEREFORE, the **Surety Insurer** hereby, unconditionally and irrevocably, guarantees and affirms as follows:

1. The **Surety Insurer** hereby unconditionally and irrevocably guarantees the due and faithful performance of the Contractor’s obligations during the {Construction Period/ Defects Liability Period and Maintenance Period} under and in accordance with the Agreement, and agrees and undertakes to pay to the Authority, upon its mere first written demand, and without any demur, reservation, recourse, contest or protest, and without any reference to the Contractor, such sum or sums up to an aggregate sum of the **Surety Bond** Amount as the Authority shall claim, without the Authority being required to prove or to show grounds or reasons for its demand and/or for the sum specified therein.

2. A letter from the Authority, under the hand of an officer not below the rank of [General Manager in the National Highways Infrastructure Development Corporation Limited], that the Contractor has committed default in the due and faithful performance of all or any of its obligations under and in accordance with the Agreement shall be conclusive, final and binding on the **Surety Insurer**. The **Surety Insurer** further agrees that the Authority shall be the sole judge as to whether the Contractor is in default in due and faithful performance of its obligations during and under the Agreement and its decision that the Contractor is in default shall be final and binding on the **Surety Insurer**, notwithstanding any differences between the Authority and the Contractor, or any dispute between them pending before any court, tribunal, arbitrators or any other authority or body, or by the discharge of the Contractor for any reason whatsoever.
3. In order to give effect to this **Surety Bond**, the Authority shall be entitled to act as if the **Surety Insurer** were the principal debtor and any change in the constitution of the Contractor and/or the **Surety Insurer**, whether by their absorption with any other body or corporation or otherwise, shall not in any way or manner affect the liability or obligation of the **Surety Insurer** under this **Surety Bond**.
4. It shall not be necessary, and the **Surety Insurer** hereby waives any necessity, for the Authority to proceed against the Contractor before presenting to the Bank its demand under this **Surety Bond**.
5. The Authority shall have the liberty, without affecting in any manner the liability of the **Surety Insurer** under this **Surety Bond**, to vary at any time, the terms and conditions of the Agreement or to extend the time or period for the compliance with, fulfilment and/ or performance of all or any of the obligations of the Contractor contained in the Agreement or to postpone for any time, and from time to time, any of the rights and powers exercisable by the Authority against the Contractor, and either to enforce or forbear from enforcing any of the terms and conditions contained in the Agreement and/or the securities available to the Authority, and the **Surety Insurer** shall not be released from its liability and obligation under these presents by any exercise by the Authority of the liberty with reference to the matters aforesaid or by reason of time being given to the Contractor or any other forbearance, indulgence, act or omission on the part of the Authority or of any other matter or thing whatsoever which under any law relating to sureties and guarantors would but for this provision have the effect of releasing the **Surety Insurer** from its liability and obligation under this **Surety Bond** and the **Surety Insurer** hereby waives all of its rights under any such law.
6. This **Surety Bond** is in addition to and not in substitution of any other **Surety Bond** or security now or which may hereafter be held by the Authority in respect of or relating to the Agreement or for the fulfilment, compliance and/or performance of all or any of the obligations of the Contractor under the Agreement.

7. Notwithstanding anything contained hereinbefore, the liability of the **Surety Insurer** under this **Surety Bond** is restricted to the **Surety Bond** Amount and this **Surety Bond** will remain in force for the period specified in paragraph 8 below and unless a demand or claim in writing is made by the Authority on the **Surety Insurer** under this **Surety Bond** all rights of the Authority under this **Surety Bond** shall be forfeited and the Surety Insurer shall be relieved from its liabilities hereunder.
8. The **Surety Bond** shall cease to be in force and effect on ****\$. Unless a demand or claim under this **Surety Bond** is made in writing before expiry of the **Surety Bond**, the **Surety Insurer** shall be discharged from its liabilities hereunder.
9. The **Surety Insurer** undertakes not to revoke this **Surety Bond** during its currency, except with the previous express consent of the Authority in writing, and declares and warrants that it has the power to issue this **Surety Bond** and the undersigned has full powers to do so on behalf of the **Surety Insurer**.
10. Any notice by way of request, demand or otherwise hereunder may be sent by post addressed to the **Surety Insurer** at its above referred branch, which shall be deemed to have been duly authorized to receive such notice and to effect payment thereof forthwith, and if sent by post it shall be deemed to have been given at the time when it ought to have been delivered in due course of post and in proving such notice, when given by post, it shall be sufficient to prove that the envelope containing the notice was posted and a certificate signed by an officer of the Authority that the envelope was so posted shall be conclusive.
11. This **Surety Bond** shall come into force with immediate effect and shall remain in force and effect for up to the date specified in paragraph 8 above or until it is released earlier by the Authority pursuant to the provisions of the Agreement.
12. This **Surety Bond** is subject to the Uniform Rules for Demand Guarantees (URDG) 2010 Revision, ICC Publication No. 758, except that the supporting statement under Article 15(a) is hereby excluded.
13. This **Surety Bond** shall also be operatable at our Branch at New Delhi, from whom confirmation regarding the issue of this **Surety Bond** or extension / renewal thereof shall be made available on demand. In the contingency of this Surety Bond being invoked and payment thereunder claimed, the said branch shall accept such invocation letter and make payment of amounts so demanded under the said invocation.
14. The Insurance Surety Bond shall be verified from the branch concerned/ specific portal created for this purpose.

Signed and sealed this day of, 20..... at

SIGNED, SEALED AND DELIVERED

For and on behalf of the Bank by:
(Signature)

(Name)

(Designation)

(Code Number)

(Address)

NOTES:

- (i) The Surety Bond should contain the name, designation and code number of the officer(s) signing the Surety Bond.
- (ii) The address, telephone number and other details of the head office of the Bank as well as of issuing branch should be mentioned on the covering letter of issuing branch.

Schedule-H

(See Clauses 10.1 (iv) and 19.3)

1 Contract Price Weightages

- 1.1 The Contract Price for this Agreement is Rs.
- 1.2 Proportions of the Contract Price for different stages of Construction of the Project Highway shall be as specified below:

| Item | Weightage in percentage to the Contract Price | Stage for Payment | Percentage weightage |
|---|---|--|----------------------|
| 1 | 2 | 3 | 4 |
| I. Road works including culverts, widening and repair of culverts | 83.92% | A-Widening and strengthening of existing road | |
| | | (1) Earthwork up to top of the embankment incl. construction of earthen shoulders | [Nil] |
| | | (2) Sub-Grade | 6.98% |
| | | (3) Sub-Base Course | [Nil] |
| | | (4) Non bituminous Base Course | 0.60% |
| | | (5) Bituminous Base Course | [Nil] |
| | | (6) Wearing Coat | 71.01% |
| | | (7) Widening and repair of culverts | [Nil] |
| | | B.1-Reconstruction/ New realignment/ bypass (Flexible pavement) | |
| | | (1) Earthwork up to top of the embankment incl. dismantling of existing pavement & construction of earthen shoulders | 0.07% |
| | | (2) Sub-Grade | 2.30% |
| | | (3) Sub-Base Course | 2.44% |
| | | (4) Non bituminous Base Course | 3.31% |
| | | (5) Bituminous Base Course | 7.07% |
| | | (6) Wearing Coat | 5.96% |
| | | B.2-Reconstruction/ realignment/ bypass/Geometric Improvement (Rigid Pavement) | |
| | | (1) Earthwork up to top of the embankment | [Nil] |
| | | (2) Sub-Grade | [Nil] |
| | | (3) Sub-Base Course | [Nil] |
| | | (4) Dry Lean Concrete (DLC) Course | [Nil] |
| | | (5) Pavement Quality Concrete (PQC) Course | [Nil] |
| | | C.1-Reconstruction/ New Service Road (Flexible Pavement) | |
| | | (1) Earthwork up to top of the embankment | [Nil] |
| | | (2) Sub-Grade | [Nil] |
| | | (3) Sub-Base Course | [Nil] |
| | | (4) Non bituminous Base Course | [Nil] |

| Item | Weightage in percentage to the Contract Price | Stage for Payment | Percentage weightage |
|---|---|--|----------------------|
| 1 | 2 | 3 | 4 |
| | | (5) Bituminous Base Course | [Nil] |
| | | (6) Wearing Coat | [Nil] |
| | | C.2-Reconstruction/ New Service Road (Rigid Pavement) | |
| | | (1) Earthwork up to top of the embankment | [Nil] |
| | | (2) Sub-Grade | [Nil] |
| | | (3) Sub-Base Course | [Nil] |
| | | (4) Dry Lean Concrete (DLC) Course | [Nil] |
| | | (5) Pavement Quality Concrete (PQC) Course | [Nil] |
| | | D-Reconstruction and New culverts on existing road, realignment, bypasses: | |
| | | Culverts (length < 6m) | 0.26% |
| II. Minor Bridges/ Underpasses/ Overpasses | 0.00% | A.1-Widening and repairs of Minor Bridges (length > 6m and < 60m) | |
| | | Minor Bridges | |
| | | (1) Foundation: On completion of the foundation work of abutments and piers | [Nil] |
| | | (2) Sub-structure: On completion of abutments and piers with abutment/ pier cap. | [Nil] |
| | | (3) Super-structure: On completion of the super-structure in all respects including wearing coat, bearings, expansion joints, handrails, crash barriers, road signs and markings, tests on completion etc. complete in all respect. | [Nil] |
| | | (4) Approaches: On completion of approaches including wing walls/ return walls, Retaining walls, stone pitching, protection works for floor, embankment slope, etc. complete in all respect and fit for use. | [Nil] |
| | | A.2-New construction of Minor Bridges (length > 6m and < 60m) | |
| | | (1) Foundation: On completion of the foundation work of abutments and piers | [Nil] |
| | | (2) Sub-structure: On completion of abutments and piers with abutment/ pier cap. | [Nil] |
| | | (3) Super-structure: On completion of the super-structure upto deck slab including bearings. | [Nil] |
| | | (4) Miscellaneous Works: On completion of wearing coat, expansion joint, crash barrier, railings, protection works and any | [Nil] |

| Item | Weightage in percentage to the Contract Price | Stage for Payment | Percentage weightage |
|---|---|--|----------------------|
| 1 | 2 | 3 | 4 |
| | | remaining work associated to bridge including tests on bridge. | |
| | | (5) Approaches: On completion of approaches including wing walls/ return walls, Retaining walls, stone pitching, protection works for floor, embankment slope etc. complete in all respect and fit for use. | [Nil] |
| | | (6) Guide Bunds and River Training Works: On completion of Guide Bunds and river Training Works complete in all respect. | [Nil] |
| | | B.1-Widening and repairs of Underpasses/Overpasses | |
| | | Underpasses/ Overpasses | [Nil] |
| | | B.2 - New Underpasses/Overpasses | |
| | | (1) Foundation: On completion of the foundation work of abutments and piers | [Nil] |
| | | (2) Sub-structure: On completion of abutments and piers with abutment/ pier cap | [Nil] |
| | | (3) Super-structure: On completion of the super-structure upto deck slab including bearing | [Nil] |
| | | (4) Miscellaneous Works: On completion of wearing coat, expansion joint, crash barrier, railings and any remaining work associated to bridge including tests on bridge | [Nil] |
| | | (5) Approaches: On completion of approaches including Wing walls/ Return walls, Retaining walls/ Reinforced Earth walls, stone pitching, protection works complete in all respect and fit for use. | [Nil] |
| III. Major Bridge (length > 60 m) works and ROB/RUB/elevated sections/flyovers including viaducts, if any | 0.00% | A.1-Widening and repairs of existing major bridges | |
| | | (1) Foundation: | [Nil] |
| | | i) Pile Foundation | |
| | | ii) Open Foundation | |
| | | (2) Sub-structure | [Nil] |
| | | (3) Super-structure (including bearings.) | [Nil] |
| | | (4) Wearing Coat including expansion joints | [Nil] |
| | | (5) Miscellaneous Items like hand rails, crash barrier, road markings etc. | [Nil] |
| | | (6) Wing walls/return walls | [Nil] |
| | | (7) Guide bunds, river training works etc. | [Nil] |
| | | (8) Approaches (including Retaining walls, stone pitching and protection works for floor, embankment slope etc.) | [Nil] |

| Item | Weightage in percentage to the Contract Price | Stage for Payment | Percentage weightage |
|------|---|--|----------------------|
| 1 | 2 | 3 | 4 |
| | | A.2-New major bridges | |
| | | (1) Foundation | [Nil] |
| | | (i) Well Foundation | |
| | | (ii) Pile Foundation | |
| | | (iii) Open Foundation | |
| | | (2) Sub-Structure | [Nil] |
| | | (3) Super-structure (including bearings) | [Nil] |
| | | (4) Wearing Coat including expansion joints | [Nil] |
| | | (5) Miscellaneous Items (like hand rails, crash barriers, road markings etc.) | [Nil] |
| | | (6) Wing walls/return walls | [Nil] |
| | | (7) Guide Bunds, River Training works etc. | [Nil] |
| | | (8) Approaches (including Retaining walls, stone pitching and protection works for floor, embankment slope, etc.) | [Nil] |
| | | B.1-Widening and repairs of | |
| | | (a) ROB | |
| | | (b) RUB | |
| | | (1) Foundation: | [Nil] |
| | | (i) Pile Foundation | |
| | | (ii) Open Foundation | |
| | | (2) Sub-structure | [Nil] |
| | | (3) Super-structure (including bearings.) | [Nil] |
| | | (4) Wearing Coat: (a) in case of ROB-wearing coat including expansion joints complete in all respects as specified and (b) in case of RUB- rigid pavement under RUB including drainage facility complete in all respects as specified. | [Nil] |
| | | (5) Miscellaneous Items like hand rails, crash barrier, road markings etc. | [Nil] |
| | | (6) Wing walls/return walls | [Nil] |
| | | (7) Approaches (including Retaining walls, stone pitching and protection works) | [Nil] |
| | | B.2-New ROB / RUB | |
| | | (a) ROB | |
| | | (b) RUB | |
| | | (1) Foundation | [Nil] |
| | | (i) Well Foundation | |
| | | (ii) Pile Foundation | |
| | | (iii) Open Foundation | |
| | | (2) Sub-structure | [Nil] |
| | | (3) Super-structure (including bearings) | [Nil] |
| | | (4) Wearing Coat: (a) in case of ROB-wearing coat including expansion joints complete in all respects as specified and (b) in case of RUB- rigid pavement under RUB | [Nil] |

| Item | Weightage in percentage to the Contract Price | Stage for Payment | Percentage weightage |
|------------------------|---|---|----------------------|
| 1 | 2 | 3 | 4 |
| | | including drainage facility complete in all respects as specified. | |
| | | (5) Miscellaneous Items like hand rails, crash barriers, road markings etc. | [Nil] |
| | | (6) Wing walls/return walls | [Nil] |
| | | 7) Approaches (including Retaining walls/Reinforced Earth wall, stone pitching and protection works) | [Nil] |
| | | C.1-Widening and repairs of Elevated section / Flyover / Grade Separators | |
| | | (1) Foundation | [Nil] |
| | | (i) Pile Foundation | |
| | | (ii) Open Foundation | |
| | | (2) Sub-structure | [Nil] |
| | | (3) Superstructure (including bearing) | [Nil] |
| | | (4) wearing coat including expansion joint | [Nil] |
| | | (5) Miscellaneous items (like hand rails, crash barriers, road markings etc.) | [Nil] |
| | | (6) wing walls/return walls | [Nil] |
| | | (7) Approaches (including Retaining walls/Reinforced Earth wall, stone pitching and protection works) | [Nil] |
| | | C.2-New Elevated section/Flyover/Grade Separators | |
| | | (1) Foundation | [Nil] |
| | | (i) Well Foundation | |
| | | (ii) Pile Foundation | |
| | | (iii) Open Foundation | |
| | | (2) Sub-structure | [Nil] |
| | | (3) Super-structure (including bearing) | [Nil] |
| | | (4) Wearing coat including expansion joint | [Nil] |
| | | (5) Miscellaneous items (like hand rails, crash barriers, road markings etc.) | [Nil] |
| | | (6) wing walls/return walls | [Nil] |
| | | (7) Approaches (including Retaining walls/Reinforced Earth wall, stone pitching and protection works) | [Nil] |
| IV. Other works | 16.08% | (i) Toll plaza | [Nil] |
| | | (ii) Road side drains | |
| | | Road side drain Clearance | 9.79% |
| | | (iii) Other Clearance | |
| | | (a) Landslide Clearance | 3.49% |
| | | (b) C & G (Jungle Clearance | 8.56% |
| | | (iii) Road signs, markings, km stones safety Devices etc. | [Nil] |
| | | (iv) Overhead gantry mounted signs | [Nil] |
| | | (v) Project facilities | [Nil] |

| Item | Weightage in percentage to the Contract Price | Stage for Payment | Percentage weightage |
|------|---|---|----------------------|
| 1 | 2 | 3 | 4 |
| | | (a) Bus Bays/Junctions (b) Truck lay-byes (c) Passenger Shelter/Rest areas (d) Street Lights (e) Junction (f) Chequered Raised Platform cum footpath (g) Speed Table/Raised Pedestrian Crossing | |
| | | (vi) Road side plantation | [Nil] |
| | | (vii) Protection works | |
| | | (a) Gabion Protection wall | 78.17% |
| | | (b) MBCB/RCC Crash Barrier | [Nil] |
| | | (c) RCC Parapet Wall | [Nil] |
| | | (viii) Safety and traffic management during construction | [Nil] |

1.3 Procedure of estimating the value of work done.

1.3.1 Road Works- Procedure for estimating the value of road work done shall be as follows:

Table 1.3.1

| Stage of Payment | Percentage -weightage | Payment Procedure |
|---|-----------------------|---|
| A-Widening and strengthening of existing road | | |
| (1) Earthwork up to top of the embankment incl. construction of earthen shoulders | [Nil] | Unit of measurement is linear length. Payment of each stage shall be made on pro rata basis on completion of a stage in a length of not less than 10 (ten) percent of total length or 500m, whichever is less. |
| (2) Sub-Grade | 6.98% | |
| (3) Sub-Base Course | [Nil] | |
| (4) Non bituminous Base Course | 0.60% | |
| (5) Bituminous Base Course | [Nil] | |
| (6) Wearing Coat | 71.01% | |
| (7) Widening and repair of culverts | [Nil] | Cost of completed culverts shall be determined on pro rata basis with respect to the total no. of culverts. The payment shall be made on the completion of at least one culverts. 75% of the cost will be payable on completion of box/abutments and slab/pipe and head wall. Remaining 25% will become payable on completion of protection works |

| Stage of Payment | Percentage -weightage | Payment Procedure |
|--|-----------------------|---|
| | | including return/wing wall and any other work associated with culverts. |
| B.1-Reconstruction/ New realignment/ bypass (Flexible pavement) | | |
| (1) Earthwork up to top of the embankment incl. dismantling of existing pavement & construction of earthen shoulders | 0.07% | Unit of measurement is linear length. Payment of each stage shall be made on pro rata basis on completion of a stage in full length or 500 m length, whichever is less. |
| (2) Sub-Grade | 2.30% | |
| (3) Sub-Base Course | 2.44% | |
| (4) Non bituminous Base Course | 3.31% | |
| (5) Bituminous Base Course | 7.07% | |
| (6) Wearing Coat | 5.96% | |
| B.3-Reconstruction/ realignment/ bypass/Geometric Improvement (Rigid Pavement) | | |
| (1) Earthwork up to top of the embankment | [Nil] | Unit of measurement is linear length. Payment of each stage shall be made on pro rata basis on completion of a stage in full length or 500 m length, whichever is less. |
| (2) Sub-Grade | [Nil] | |
| (3) Sub-Base Course | [Nil] | |
| (4) Dry Lean Concrete (DLC) Course | [Nil] | |
| (5) Pavement Quality Concrete (PQC) Course | [Nil] | |
| C.1-Reconstruction/ New Service Road (Flexible Pavement) | | |
| (1) Earthwork up to top of the embankment | [Nil] | Unit of measurement is linear length. Payment of each stage shall be made on pro rata basis on completion of a stage in full length or 500 m length, whichever is less. |
| (2) Sub-Grade | [Nil] | |
| (3) Sub-Base Course | [Nil] | |
| (4) Non bituminous Base Course | [Nil] | |
| (5) Bituminous Base Course | [Nil] | |
| (6) Wearing Coat | [Nil] | |
| C.2-Reconstruction/ New Service Road (Rigid Pavement) | | |
| (1) Earthwork up to top of the embankment | [Nil] | Unit of measurement is linear length. Payment of each stage shall be made on pro rata basis on completion of a stage in full length or 500 m length, whichever is less. |
| (2) Sub-Grade | [Nil] | |
| (3) Sub-Base Course | [Nil] | |
| (4) Dry Lean Concrete (DLC) Course | [Nil] | |
| (5) Pavement Quality Concrete (PQC) Course | [Nil] | |
| D-Reconstruction and New culverts on existing road, realignment, bypasses: | | |
| Culverts (length < 6m) | 0.26% | Cost of completed culverts shall be determined on pro rata basis with respect to the total no. of culverts. The payment shall be made on the |

| Stage of Payment | Percentage -weightage | Payment Procedure |
|------------------|-----------------------|--|
| | | completion of at least one culverts. 75% of the cost will be payable on completion of box/abutments and slab/pipe and head wall. Remaining 25% will become payable on completion of protection works including return/wing wall and any other work associated with culverts. |

@ For example, if the total length of bituminous work to be done is 100 km, the cost per km of bituminous work shall be determined as follows:

$$\text{Cost per km} = P \times \text{weightage for road work} \times \text{weightage for bituminous work} \times (1/L)$$

Where P= Contract Price

L = Total length in km

Similarly, the rates per km for other stages shall be worked out accordingly.

Note: The length affected due to law-and-order problems or litigation during execution due to which the Contractor is unable to execute the work, may be deducted from the total project length for payment purposes. The total length calculated here is only for payment purposes and will not affect and referred in other clauses of the Contract Agreement.

1.3.2 Minor Bridges and Underpasses/Overpasses - Procedure for estimating the value of Minor bridge and Underpasses/Overpasses shall be as stated in table 1.3.2:

Table 1.3.2

| Stage of Payment | Percentage -weightage | Payment Procedure |
|--|-----------------------|--|
| A.1-Widening and repairs of Minor Bridges (length > 6m and < 60m) (i) Foundation: On completion of the foundation work of abutments and piers | [Nil] | Cost of each minor bridge shall be determined on pro rata basis with respect to the total linear length (m) of the minor bridges. (i) Foundation: Payment against foundation shall be made on pro-rata basis on completion of a stage i.e completion of atleast two foundations of each bridge. In case where load testing is specified for foundation, the trigger of first payment shall include load testing also. |

| Stage of Payment | Percentage-weightage | Payment Procedure |
|--|----------------------|--|
| (ii) Sub-structure: On completion of abutments and piers with abutment/ pier cap. | [Nil] | (ii) Sub-structure: Payment shall be made on pro-rata basis on completion of stage i.e. completion of atleast one sub-structure upto abutment/ pier cap level of each bridge. |
| (iii) Super-structure: On completion of the super-structure in all respects including wearing coat, bearings, expansion joints, handrails, crash barriers, road signs and markings, tests on completion etc. complete in all respect. | [Nil] | (iii) Super-structure: Payment shall be made on pro-rata basis on completion of a stage i.e., completion of super-structure of at least one span in all respects as specified in the column of "Stage of Payment" in this sub-clause. |
| (iv) Approaches: On completion of approaches including wing walls/ return walls, Retaining walls, stone pitching, protection works for floor, embankment slope, etc. complete in all respect and fit for use. | [Nil] | (iv) Approaches: Payment shall be made on pro-rata basis on completion of a stage i.e. completion of approaches including wing walls/ return walls, retaining walls, stone pitching in all respect as specified in the column of "Stage of Payment" in this sub-clause for each bridge. |
| A.2-New of Minor Bridges (length > 6m and < 60m) (i) Foundation: On completion of the foundation work of abutments and piers | [Nil] | Cost of each minor bridge shall be determined on pro rata basis with respect to the total linear length (m) of the minor bridges. (i) Foundation: Payment against foundation shall be made on pro-rata basis on completion of a stage i.e completion of atleast two foundations of each bridge. In case where load testing is specified for foundation, the trigger of first payment shall include load testing also. |
| (ii) Sub-structure: On completion of abutments and piers with abutment/ pier cap. | [Nil] | (ii) Sub – structure: Payment shall be made on pro-rata basis on completion of stage i.e. completion of atleast one sub-structure upto abutment/ pier cap level of each bridge. |
| (iii) Super-structure: On completion of the super-structure upto deck slab including bearings. | [Nil] | (iii) Super-structure: Payment shall be made on pro-rata basis on completion of a stage i.e., completion of super-structure of at least one span in all respects as specified in the column of "Stage of Payment" in this sub-clause. |

| Stage of Payment | Percentage-weightage | Payment Procedure |
|--|----------------------|---|
| | | If pre-cast girders/ segments are used, interim payments shall be made at 75% of the cost of that element, as derived from MoRTH Data Book, applicable SOR of State PWD on Base Date with tender discount/premium applied thereon. |
| (iv) Miscellaneous Works: On completion of wearing coat, expansion joint, crash barrier, railings, protection works and any remaining work associated to bridge including tests on bridge. | [Nil] | (iv) Miscellaneous Works: Payment shall be made on pro-rata basis on completion of a stage i.e. completion of wearing coat, expansion joint, crash barrier, railing, protection works, drainage and any other remaining work associated to bridge including tests on bridge for each bridge. |
| (v) Approaches: On completion of approaches including wing walls/ return walls, Retaining walls, stone pitching, protection works for floor, embankment slope etc. complete in all respect and fit for use. | [Nil] | (v) Approaches: Payment shall be made on pro-rata basis on completion of a stage i.e. completion of approaches including wing walls/ return walls, retaining walls, stone pitching in all respect as specified in the column of "Stage of Payment" in this sub-clause for each bridge. |
| (vi) Guide Bunds and River Training Works: On completion of Guide Bunds and river Training Works complete in all respect. | [Nil] | (vi) Guide Bunds and River Training Works: Payment shall be made on pro-rata basis on completion of a stage i.e. completion of Guide Bunds and River training Works in all respects as specified for each bridge. |
| B.1-Widening and repairs of Underpasses/Overpasses | [Nil] | Cost of each underpass/overpass shall be determined on pro rata basis with respect to the total linear length of the underpasses/overpasses. Payment shall be made on the completion of widening & repair works of a underpass/overpass. |
| B.2-New Underpasses/Overpasses (i) Foundation: On completion of the foundation work of abutments and piers | [Nil] | Cost of each underpass/overpass shall be determined on pro rata basis with respect to the total linear length of the underpasses/overpasses. (i) Foundation: Payment against foundation shall be made on pro-rata basis on completion of a stage i.e. completion of foundation(s) of each underpass/overpass. |

| Stage of Payment | Percentage-weightage | Payment Procedure |
|---|----------------------|---|
| | | In case where load testing is specified for foundation, the trigger of first payment shall include load testing also. |
| (ii) Sub-structure: On completion of abutments and piers with abutment/ pier cap | [Nil] | (ii) Sub-structure: Payment shall be made on pro-rata basis on completion of stage i.e. completion of atleast one sub-structure upto abutment/ pier cap level of each bridge. |
| (iii) Super-structure: On completion of the super-structure upto deck slab including bearing | [Nil] | (iii) Super-structure: Payment shall be made on pro-rata basis on completion of a stage i.e., completion of super-structure of at least one span upto deck slab including bearing as specified in the column of "Stage of Payment" in this sub-clause: If pre-cast girders/ segments are used, interim payments shall be made at 75% of the cost of that element, as derived from MoRTH Data Book, applicable SOR of State PWD on Base Date with tender discount/premium applied thereon. |
| (iv) Miscellaneous Works: On completion of wearing coat, expansion joint, crash barrier, railings and any remaining work associated to bridge including tests on bridge | [Nil] | (iv) Miscellaneous Works: Payment shall be made on pro-rata basis on completion of a stage i.e. completion of wearing coat, expansion joint, crash barrier, railing, protection works and any other remaining work associated to bridge including tests on bridge for each bridge. |
| (v) Approaches: On completion of approaches including Wing walls/ Return walls, Retaining walls/ Reinforced Earth walls, stone pitching, protection works complete in all respect and fit for use. | [Nil] | (v) Approaches: Payment shall be made on pro-rata basis on completion of a stage i.e. completion of approaches including wing wall/ return wall, retaining walls, Reinforced Earth walls, stone pitching, protection works complete in all respect for each bridge. |

1.3. Major Bridge works, ROB/RUB and Structures - Procedure for estimating the value of Major Bridge works, ROB/RUB and Structures shall be as stated in table 1.3.3:

Table 1.3.3

| Stage of Payment | Percentage -weightage | Payment Procedure |
|---|-----------------------|---|
| A.1-Widening and repairs of existing major bridges (1) Foundation: | [Nil] | <p>Cost of each Major Bridge shall be determined on pro rata basis with respect to the total linear length (m) of the Major Bridges.</p> <p>(1) Foundation: Payment against foundation shall be made on pro-rata basis on completion of a stage i.e. completion of atleast one foundation of each of the major Bridge as specified hereinunder.</p> |
| (i) Pile Foundation (a) Piling - On completion of pile upto bottom of pile cap. (b) Pile Cap – On completion of pile cap. | | <p>(i) Pile Foundation</p> <p>(a) Piling: Payment of 70% shall be made on completion of piling upto bottom of pile cap for each pile on prorata basis.</p> <p>(b) Pile Cap: Payment of 30% on pro-rata basis shall be made on completion of pile cap.</p> <p>In case where load testing is required for foundation, the trigger of first payment shall include load testing also where specified.</p> |
| (ii) Open Foundation | | <p>(ii) Open Foundation: Payment shall be made on completion of a stage i.e. on completion of atleast one foundation.</p> |
| (2) Sub-structure | [Nil] | <p>(2) Sub-Structure: Payment against Sub-structure shall be made on pro-rata basis on completion of a stage i.e. completion of atleast one sub-structure of abutments /piers upto abutment/pier cap level of each of the major bridge.</p> |
| (3) Super-structure (including bearings.) | [Nil] | <p>(3) Super-structure: Payment shall be made on pro-rata basis on completion of a stage i.e. completion of superstructure upto deck slab including bearings of</p> |

| Stage of Payment | Percentage -weightage | Payment Procedure |
|---|-----------------------|---|
| | | at least one span as specified here in under: If pre-cast RCC/PSC/Steel girders/ segments are used, interim payments shall be made at 75% of the cost of that element, as derived from MoRTH Data Book, applicable SOR of State PWD on Base Date with tender discount/premium applied thereon. |
| (4) Wearing Coat including expansion joints | [Nil] | (4) Wearing Coat: Payment shall be made on completion of wearing coat including expansion joints complete in all respects as specified for each major bridge. |
| (5) Miscellaneous Items like hand rails, crash barrier, road markings etc. | [Nil] | (5) Miscellaneous: Payments shall be made on completion of all miscellaneous works like hand rails, crash barriers, road markings etc. complete in all respects as specified for each major bridge. |
| (6) Wing walls/return walls | [Nil] | (6) Wing walls/return walls: Payments shall be made on completion of all Wing walls/return walls complete in all respects as specified for each major bridge. |
| (7) Guide bunds, river training works etc. | [Nil] | (7) Guide bunds, river training works: Payments shall be made on completion of all Guide bunds, river training works etc complete in all respects as specified for each major bridge. |
| (8) Approaches (including Retaining walls, stone pitching and protection works for floor, embankment slope etc.) | [Nil] | (8) Approaches: Payments shall be made on completion of both approaches including stone pitching, protection works, etc. complete in all respects as specified for each major bridge. |
| A.2-New major bridges (1) Foundation | [Nil] | Cost of each Major Bridge shall be determined on pro rata basis with respect to the total linear length (m) of the Major Bridge. (1) Foundation: Payment against foundation shall be made on pro-rata basis on completion of a |

| Stage of Payment | Percentage -weightage | Payment Procedure |
|---|-----------------------|--|
| | | stage i.e. completion of atleast one foundation of each of the major Bridge as specified here in under: |
| <p>(i) Well Foundation</p> <p>(a) On completion of Cutting Edge + Well Curb</p> <p>(b) Wellsteining: On completion of well steining upto bottom of well cap.</p> <p>(c) On completion of bottom plug + top plug (if provisioned as per design) + well cap</p> | | <p>(i) Well Foundation</p> <p>(a) Cutting Edge + Well Curb: Payment of 10% shall be made on completion of a stage i.e. completion of cutting edge + well curb.</p> <p>(b) Wellsteining: Payment of 65% shall be made on completion of well steining upto bottom of well cap. The payment stage shall be further sub-divided on pro-rata basis i.e. (i) on completion upto 10 m and (ii) on completion of each subsequent 5 m or part thereof.</p> <p>(c) Bottom plug + top plug (if provisioned as per design) + well cap: Payment of 25% shall be made on completion of a stage i.e. completion of bottom plug, back fill, top plug and well cap.</p> |
| <p>(ii) Pile Foundation</p> <p>(a) Piling - On completion of pile upto bottom of pile cap.</p> <p>(b) Pile Cap – On completion of pile cap.</p> | | <p>(ii) Pile Foundation</p> <p>(a) Piling: Payment of 70% shall be made on completion of piling upto bottom of pile cap for each pile on prorata basis.</p> <p>(b) Pile Cap: Payment of 30% on pro-rata basis shall be made on completion of pile cap.</p> <p>In case where load testing is required for foundation, the trigger of first payment shall include load testing also where specified.</p> |
| (iii) Open Foundation | | (iii) Open Foundation: Payment shall be made on completion of a stage i.e. on completion of atleast one foundation. |
| (2) Sub-Structure | [Nil] | (2) Sub-Structure: Payment against Sub-structure shall be made on pro-rata basis on completion of a stage i.e. completion of atleast one |

| Stage of Payment | Percentage -weightage | Payment Procedure |
|--|-----------------------|---|
| | | sub-structure of abutments/piers upto abutment/pier cap level of each of the major bridge. |
| (3) Super-structure (including bearings) | [Nil] | <p>(3) Super-structure:</p> <p>Payment shall be made on pro-rata basis on completion of a stage i.e. completion of superstructure upto deck slab including bearings of at least one span as specified here in under:</p> <p>If pre-cast girders/ segments are used, interim payments shall be made at 75% of the cost of that element, as derived from MoRTH Data Book, applicable SOR of State PWD on Base Date with tender discount/premium applied thereon. (For cable stayed bridge and suspension cable bridge, detailed payment stage may be included on case-to-case basis)</p> |
| (4) Wearing Coat including expansion joints | [Nil] | (4) Wearing Coat: Payment shall be made on completion of wearing coat including expansion joints complete in all respects as specified for each major bridge. |
| (5) Miscellaneous Items (like hand rails, crash barriers, road markings etc.) | [Nil] | (5) Miscellaneous: Payments shall be made on completion of all miscellaneous works like hand rails, crash barriers, road markings etc. complete in all respects as specified for each major bridge. |
| (6) Wing walls/return walls | [Nil] | (6) Wing walls/return walls: Payments shall be made on completion of all wing walls/return walls complete in all respects as specified for each major bridge. |
| (7) Guide Bunds, River Training works etc. | [Nil] | (7) Guide Bunds, River Training works: Payments shall be made on completion of all guide bunds, river training works etc. complete in all respects as specified for each major bridge. |
| (8) Approaches (including Retaining walls, stone pitching and protection | [Nil] | (8) Approaches: Payments shall be made on completion of both approaches including stone |

| Stage of Payment | Percentage-weightage | Payment Procedure |
|---|----------------------|--|
| works for floor, embankment slope, etc.) | | pitching, protection works, etc. complete in all respects as specified for each major bridge. |
| B.1-Widening and repairs of (a) ROB (b) RUB (1) Foundation: | [Nil] | Cost of each ROB/RUB shall be determined on pro rata basis with respect to the total linear length (m) of the ROB/RUBs. (1) Foundation: Payment against foundation shall be made on pro-rata basis on completion of a stage i.e. completion of atleast one foundation of each of the ROB/RUB as specified here in under. |
| (i) Pile Foundation (a) Piling - On completion of pile upto bottom of pile cap. (b) Pile Cap – On completion of pile cap. | | (i) Pile Foundation (a) Piling: Payment of 70% shall be made on completion of piling upto bottom of pile cap for each pile on prorata basis. (b) Pile Cap: Payment of 30% on pro-rata basis shall be made on completion of pile cap. In case where load testing is required for foundation, the trigger of first payment shall include load testing also where specified. |
| (ii) Open Foundation | | (ii) Open Foundation: Payment shall be made on completion of a stage i.e. on completion of atleast one foundation. |
| (2) Sub-structure | [Nil] | (2) Sub-Structure: Payment against Sub-structure shall be made on pro-rata basis on completion of a stage i.e. completion of atleast one sub-structure of abutments/piers upto abutment/pier cap level of each of the ROB/RUB. |
| (3) Super-structure (including bearings.) | [Nil] | (3) Super-structure: Payment shall be made on pro-rata basis on completion of a stage i.e. completion of superstructure upto deck slab including bearings of at least one span as specified here in under: If pre-cast girders/ segments are |

| Stage of Payment | Percentage -weightage | Payment Procedure |
|--|-----------------------|--|
| | | used, interim payments shall be made at 75% of the cost of that element, as derived from MoRTH Data Book, applicable SOR of State PWD on Base Date with tender discount/premium applied thereon. |
| (4) Wearing Coat: (a) in case of ROB- wearing coat including expansion joints complete in all respects as specified and (b) in case of RUB- rigid pavement under RUB including drainage facility complete in all respects as specified. | [Nil] | (4) Wearing Coat: Payment shall be made on completion of (a) in case of ROB-wearing coat including expansion joints complete in all respects as specified for each of the ROB and (b) in case of RUB-rigid pavement under RUB including drainage facility complete in all respects as specified for each of the RUB. |
| (5) Miscellaneous Items like hand rails, crash barrier, road markings etc. | [Nil] | (5) Miscellaneous: Payments shall be made on completion of all miscellaneous works like hand rails, crash barriers, road markings etc. complete in all respects as specified for each of the ROB/RUB. |
| (6) Wing walls/return walls | [Nil] | (6) Wing walls/return walls: Payments shall be made on completion of all wing walls/return walls complete in all respects as specified for each of the ROB/RUB. |
| (7) Approaches (including Retaining walls, stone pitching and protection works) | [Nil] | (7) Approaches: Payments shall be made on completion of both approaches including stone pitching, protection works, etc. complete in all respects as specified for each of the ROB/RUB. |
| B.2-New (a) ROB (b) RUB (1) Foundation | [Nil] | Cost of each ROB/RUB shall be determined on pro rata basis with respect to the total linear length (m) of the ROB/RUBs. (1) Foundation: Payment against foundation shall be made on pro-rata basis on completion of a stage i.e. completion of atleast one foundation of each of the ROB/RUB as specified here in under: |
| (i) Well Foundation (a) On completion of Cutting Edge + Well Curb. | | (i) Well Foundation (a) Cutting Edge + Well Curb: Payment of 10% shall be made on |

| Stage of Payment | Percentage-weightage | Payment Procedure |
|---|----------------------|---|
| <p>(b) Well steining: On completion of well steining upto bottom of well cap.</p> <p>(c) On completion of bottom plug + top plug (if provisioned as per design) + well cap.</p> | | <p>completion of a stage i.e. completion of cutting edge + well curb.</p> <p>(b) Wellsteining: Payment of 65% shall be made on completion of well steining upto bottom of well cap. The payment stage shall be further sub-divided on pro-rata basis i.e. (i) on completion upto 10 m and (ii) on completion of each subsequent 5 m or part thereof.</p> <p>(c) Bottom plug + top plug (if provisioned as per design) + well cap: Payment of 25% shall be made on completion of a stage i.e. completion of bottom plug, back fill, top plug and well cap.</p> |
| <p>(ii) Pile Foundation</p> <p>(a) Piling - On completion of pile upto bottom of pile cap.</p> <p>(b) Pile Cap – On completion of pile cap.</p> | | <p>(ii) Pile Foundation</p> <p>(a) Piling: Payment of 70% shall be made on completion of piling upto bottom of pile cap for each pile on prorata basis.</p> <p>(b) Pile Cap: Payment of 30% on pro-rata basis shall be made on completion of pile cap.</p> <p>In case where load testing is required for foundation, the trigger of first payment shall include load testing also where specified.</p> |
| <p>(iii) Open Foundation</p> | | <p>(iii) Open Foundation: Payment shall be made on completion of a stage i.e. on completion of atleast one foundation.</p> |
| <p>(2) Sub-Structure</p> | [Nil] | <p>(2) Sub-Structure: Payment against Sub-structure shall be made on pro-rata basis on completion of a stage i.e. completion of atleast one sub-structure of abutments/piers upto abutment/pier cap level of each of the ROB/RUB.</p> |
| <p>(3) Super-structure (including bearings)</p> | [Nil] | <p>(3) Super-structure:</p> <p>Payment shall be made on pro-rata basis on completion of a</p> |

| Stage of Payment | Percentage -weightage | Payment Procedure |
|--|-----------------------|--|
| | | <p>stage i.e. completion of superstructure upto deck slab including bearings of at least one span as specified herein under:</p> <p>If pre-cast girders/ segments are used, interim payments shall be made at 75% of the cost of that element, as derived from MoRTH Data Book, applicable SOR of State PWD on Base Date with tender discount/premium applied thereon.</p> |
| (4) Wearing Coat including expansion joints in case of ROB. In case of RUB, rigid pavement under RUB including drainage facility complete in all respects as specified. | [Nil] | (4) Wearing Coat: Payment shall be made on completion of (a) in case of ROB-wearing coat including expansion joints complete in all respects as specified for each of the ROB and (b) in case of RUB-rigid pavement under RUB including drainage facility complete in all respects as specified for each of the RUB. |
| (5) Miscellaneous Items like hand rails, crash barriers, road markings etc. | [Nil] | (5) Miscellaneous: Payments shall be made on completion of all miscellaneous works like hand rails, crash barriers, road markings etc. complete in all respects as specified for each of the ROB/RUB. |
| (6) Wing walls/return walls | [Nil] | (6) Wing walls/return walls: Payments shall be made on completion of all wing walls/return walls complete in all respects as specified for each of the ROB/RUB. |
| (7) Approaches (including Retaining walls/Reinforced Earth wall, stone pitching and protection works) | [Nil] | <p>(7) Approaches: Payments shall be made on completion of both approaches including stone pitching, protection works, etc. complete in all respects as specified for each of the ROB/RUB.</p> <p>If reinforced soil wall is used with facia panel/blocks, interim payment shall be made @75% of the Cost of that element as derived from MoRTH data Book. Applicable SOR of State PWD on Base Date with tender discount/premium applied thereon. Cost of each structure shall be determined on pro rata basis with</p> |

| Stage of Payment | Percentage -weightage | Payment Procedure |
|---|-----------------------|--|
| | | respect to the total linear length (m) of the structures. |
| C.1-Widening and repairs of Elevated section / Flyover / Grade Separators (1) Foundation | [Nil] | (1) Foundation: Payment against foundation shall be made on pro-rata basis on completion of a stage i.e. completion of atleast one foundation of each of the structure as specified here in under: |
| (i) Pile Foundation (a) Piling - On completion of pile upto bottom of pile cap. (b) Pile Cap – On completion of pile cap. | | (i) Pile Foundation (a) Piling: Payment of 70% shall be made on completion of piling upto bottom of pile cap for each pile on prorata basis. (b) Pile Cap: Payment of 30% on pro-rata basis shall be made on completion of pile cap. In case where load testing is required for foundation, the trigger of first payment shall include load testing also where specified. |
| (ii) Open Foundation | | (ii) Open Foundation: Payment shall be made on completion of a stage i.e. on completion of atleast one foundation. |
| (2) Sub-structure | [Nil] | (2) Sub-Structure: Payment against Sub-structure shall be made on pro-rata basis on completion of a stage i.e. completion of atleast one sub-structure of abutments/piers upto abutment/pier cap level of each of the structure. |
| (3) Superstructure (including bearing) | [Nil] | (3) Super-structure: Payment shall be made on pro-rata basis on completion of a stage i.e. completion of superstructure upto deck slab including bearings of at least one span as specified herein under: If pre-cast girders/ segments are used, interim payments shall be made at 75% of the cost of that element, as derived from MoRTH Data Book, applicable SOR of State PWD on Base |

| Stage of Payment | Percentage -weightage | Payment Procedure |
|--|-----------------------|---|
| | | Date with tender discount/premium applied thereon. |
| (4) Wearing coat including expansion joint | [Nil] | (4) Wearing Coat: Payment shall be made on completion of wearing coat including expansion joints complete in all respects as specified for each of the structure. |
| (5) Miscellaneous items (like hand rails, crash barriers, road markings etc.) | [Nil] | (5) Miscellaneous: Payments shall be made on completion of all miscellaneous works like hand rails, crash barriers, road markings etc. complete in all respects as specified for each of the structure. |
| (6) Wing walls/return walls | [Nil] | (6) Wing walls/return walls: Payments shall be made on completion of all wing walls/return walls complete in all respects as specified for each of the structure. |
| (7) Approaches (including Retaining walls/Reinforced Earth wall, stone pitching and protection works) | [Nil] | (7) Approaches: Payments shall be made on completion of both approaches including stone pitching, protection works, etc. complete in all respects as specified for each of the structure. |
| C.2-New Elevated section/Flyover/Grade Separators (1) Foundation | [Nil] | Cost of each structure shall be determined on pro rata basis with respect to the total linear length (m) of the structures. (1) Foundation: Payment against foundation shall be made on pro-rata basis on completion of a stage i.e. completion of atleast one foundation of each of the structure as specified here in under: |
| (i) Well Foundation (a) On completion of Cutting Edge + Well Curb. (b) Wellsteining: On completion of well steining upto bottom of well cap. (c) On completion of bottom plug + top plug (if provisioned as per design) + well cap. | | (i) Well Foundation (a) Cutting Edge + Well Curb: Payment of 10% shall be made on completion of a stage i.e. completion of cutting edge + well curb. (b) Wellsteining: Payment of 65% shall be made on completion of well steining upto bottom of well cap. The payment stage shall be further sub-divided on pro-rata basis i.e. (i) on completion upto 10 m and (ii) on |

| Stage of Payment | Percentage -weightage | Payment Procedure |
|--|-----------------------|---|
| | | completion of each subsequent 5 m or part thereof. (c) Bottom plug + top plug (if provisioned as per design) + well cap: Payment of 25% shall be made on completion of a stage i.e. completion of bottom plug, back fill, top plug and well cap. |
| (ii) Pile Foundation (a) Piling - On completion of pile upto bottom of pile cap. (b) Pile Cap – On completion of pile cap. | | (ii) Pile Foundation (a) Piling: Payment of 70% shall be made on completion of piling upto bottom of pile cap for each pile on prorata basis. (b) Pile Cap: Payment of 30% on pro-rata basis shall be made on completion of pile cap. In case where load testing is required for foundation, the trigger of first payment shall include load testing also where specified. |
| (iii) Open Foundation | | (iii) Open Foundation: Payment shall be made on completion of a stage i.e. on completion of atleast one foundation. |
| (2) Sub-structure | [Nil] | (2) Sub-Structure: Payment against Sub-structure shall be made on pro-rata basis on completion of a stage i.e. completion of atleast one sub-structure of abutments/piers upto abutment/pier cap level of each of the structure. |
| (3) Super-structure (including bearing) | [Nil] | (3) Super-structure: Payment shall be made on pro-rata basis on completion of a stage i.e. completion of superstructure upto deck slab including bearings of at least one span as specified herein under: If pre-cast girders/ segments are used, interim payments shall be made at 75% of the cost of that element, as derived from MoRTH Data Book, applicable |

| Stage of Payment | Percentage -weightage | Payment Procedure |
|--|-----------------------|---|
| | | SOR of State PWD on Base Date with tender discount/premium applied thereon. |
| (4) Wearing coat including expansion joint | [Nil] | (4) Wearing Coat: Payment shall be made on completion of wearing coat including expansion joints complete in all respects as specified for each of the structure. |
| (5) Miscellaneous items (like hand rails, crash barriers, road markings etc.) | [Nil] | (5) Miscellaneous: Payments shall be made on completion of all miscellaneous works like hand rails, crash barriers, road markings etc. complete in all respects as specified for each of the structure. |
| (6) Wing walls/return walls | [Nil] | (6) Wing walls/return walls: Payments shall be made on completion of all wing walls/return walls complete in all respects as specified for each of the structure. |
| (7) Approaches (including Retaining walls/Reinforced Earth wall, stone pitching and protection works) | [Nil] | (7) Approaches: Payments shall be made on completion of both approaches including stone pitching, protection works, etc. complete in all respects as specified here in under: If reinforced soil wall is used with facia panel/blocks, interim payment shall be made @75% of the Cost of that element as derived from MoRTH data Book. Applicable SOR of State PWD on Base Date with tender discount/premium applied thereon. |

1.3.4 Other works.

Procedure for estimating the value of other works done shall be as stated in table 1.3.4.

Table 1.3.4

| Stage of Payment | Percentage -weightage | Payment Procedure |
|------------------|-----------------------|--|
| (i) Toll plaza | [Nil] | Unit of measurement is each completed toll plaza. Payment for each toll plaza shall be made on pro-rata basis with respect to the total of all toll plazas as specified here in under: |

| Stage of Payment | Percentage-weightage | Payment Procedure |
|---|----------------------|---|
| (a) DLC (LHS) | | (a) DLC (LHS): Payment of 12.5% on pro-rata basis shall be made on completion of a stage i.e., completion of DLC on LHS. |
| (b) DLC (RHS) | | (b) DLC (RHS): Payment of 12.5% on pro-rata basis shall be made on completion of a stage i.e., completion of DLC on LHS. |
| (c) PQC (LHS) | | (a) PQC (LHS): Payment of 25% on pro-rata basis shall be made on completion of a stage i.e., completion of DLC on LHS. |
| (d) PQC (RHS) | | (b) PQC (RHS): Payment of 25% on pro-rata basis shall be made on completion of a stage i.e., completion of DLC on LHS. |
| (e) Admin Building | | (e) Admin Building: Payment of 10% on pro-rata basis shall be made on completion of a stage i.e. completion of Admin Building and miscellaneous works. |
| (f) Toll Booth, canopy, safety items and all other associated works | | (f) Toll Booth, canopy, safety items and all other associated works: Payment of 15% on pro-rata basis shall be made on completion of a stage i.e. completion of Toll Booth, canopy, safety items and all other associated works. |
| (ii) Road side drains | | |
| (a) Hill side chocked drain clearance | 9.79% | (a) Drains: Unit of measurement is linear length in metre. Payment shall be made on pro rata basis on completion of a stage in a length of not less than 100 m on one side. |
| (b) Cover Slabs | | (b) Cover slabs: Unit of measurement is linear length in metre. Payment shall be made on pro rata basis on completion of a stage in a length of not less than 100 m on one side. |
| (iii) Road signs, markings, km stones, safety devices etc. | [Nil] | Unit of measurement is linear length in km. Payment shall be made on pro-rata basis on completion of a stage in a length of not less than one km on both sides. |
| (iv) Overhead gantry mounted signs | [Nil] | Unit of measurement is each number. Payment shall be made on |

| Stage of Payment | Percentage -weightage | Payment Procedure |
|--|-----------------------|---|
| | | pro-rata basis on completion of each overhead gantry mounted sign. |
| (v) Project facilities (a) Bus Bays/Junctions (b) Truck lay-byes (c) Passenger Shelter / Rest areas (d) Street Lights (e) Junctions (f) Chequered Raised Platform cum footpath (g) Speed Table/Raised Pedestrian Crossing | [Nil] | Unit of measurement is each number. Payment shall be made on pro-rata basis for completed facilities. |
| (vi) Road side jungle clearance (C&G) | 8.56% | Unit of measurement is linear length in km. Payment shall be made on pro-rata basis on completion of one km. |
| (vii) Protection works | | |
| (a) Gabion wall | 78.17% | Unit of measurement is linear length. Payment against items shall be made on pro rata basis on completion of a stage in a length of not less than 10% (ten per cent) of the total length/ volume and 100 m whichever is less. |
| (b) Landslide clearance | 3.49% | |
| (viii) Safety and traffic management during construction | [Nil] | Payment shall be made on pro-rata basis every six months. |

Note:

- (1) (a) In order to maintain cash flow in the project, the Authority shall also make interim monthly payments to the Contractor for the work done during the month for which the corresponding stage, as mentioned in Schedule-H, has not been achieved. Such work shall be measured, in a length, number or area as specified in corresponding stage of Schedule-H and valued in accordance with the proportion of the weightage of Contract Price assigned to that stage in Schedule-H. '90% of value of such work shall be paid as an 'Interim Monthly Payment' under clause 19.3 (i) of Contract Agreement.
- (b) For Pre cast/ pre-fabricated elements to be used in permanent works, interim payments to be made @ 75% of cost of that element (to be derived from MoRT&H data book) as per schedule H.
- (c) Upon completion of the defined 'stage', a reconciliation of the interim payments shall be carried out, and any balance amount shall be paid. For the avoidance of doubt, it is clarified that the interim monthly payments are made solely to maintain cash flow in the project. In the event of termination of the project, under

Clause 23.1, 23.2 or 23.3, as the case may be, such interim payments shall be dealt with as per Clause 23.5 (i) (b) of the Contract Agreement.

Schedule - I

(See Clause 10.2 (iv))

1. Drawings

Drawings In compliance of the obligations set forth in Clause 10.2 of this Agreement, the Contractor shall furnish to the Authority's Engineer, free of cost, all Drawings listed in Annex-I of this Schedule-I.

2. Additional Drawings: -

If the Authority's Engineer determines that for discharging its duties and functions under this Agreement, it requires any drawings other than those listed in Annex-I, it may by notice require the Contractor to prepare and furnish such drawings forthwith. Upon receiving a requisition to this effect, the Contractor shall promptly prepare and furnish such drawings to the Authority's Engineer, as if such drawings formed part of Annex-I of this Schedule-I.

Annex – I
(Schedule - I)

List of Drawings

[Note: The Contractor is required to furnish drawings as per standard Manual & specifications under Clause 10.2.]

1. A minimum list of the drawings of the various components/elements of the project highway and project facility required to be submitted by the Contractor is given below:

- (a) Drawing of horizontal alignment, vertical profile and detailed cross sections;
- (b) Drawings of cross drainage works, i.e. Bridges/Culverts/Flyovers and Other Structures;
- (c) Drawings for River Training works;
- (d) Drawings of interchanges, major intersections and underpasses;
- (e) Drawing of control center;
- (f) Drawings of road furniture items including traffic signage, marking, safety barriers, etc;
- (g) Drawings of traffic diversions plans and traffic control measures;
- (h) Drawings of road drainage measures;
- (i) Drawings of typical details slope protection measures;
- (j) Drawings of landscaping and horticulture;
- (k) Drawings of pedestrian crossing;
- (l) Drawings of street lighting;
- (m) General Arrangement showing Base Camp and Administrative Block;
- (n) Any other drawings as per instruction of Authority's Engineer.

Schedule - J

(See Clause 10.3 (ii))

Project Completion Schedule

1. Project Completion Schedule

During Construction period, the Contractor shall comply with the requirements set forth in this Schedule-J for each of the Project Milestones and the **Scheduled Completion Date**. Within 15 (fifteen) days of the date of each Project Milestone, the Contractor shall notify the Authority of such compliance along with necessary particulars thereof.

2. Project Milestone-I

(i) Project Milestone-I shall occur on the date falling on the **[35% of the Scheduled Construction Period]** day from the Appointed Date (the “**Project Milestone- I**”).

(ii) Prior to the occurrence of Project Milestone-I, the Contractor shall have commenced construction of the Project Highway and submitted to the Authority duly and validly prepared Stage Payment Statements for an amount not less than 10% (ten per cent) of the Contract Price.

3. Project Milestone-II

(i) Project Milestone-II shall occur on the date falling on the **[60% of the Scheduled Construction Period]** day from the Appointed Date (the “**Project Milestone- II**”).

(ii) Prior to the occurrence of Project Milestone-II, the Contractor shall have continued with construction of the Project Highway and submitted to the Authority duly and validly prepared Stage Payment Statements for an amount not less than 35% (thirty-five per cent) of the Contract Price and should have started construction of all culvert/bridges

4. Project Milestone-III

(i) Project Milestone-III shall occur on the date falling on the **[85% of the Scheduled Construction Period]** day from the Appointed Date (the “**Project Milestone- III**”).

(ii) Prior to the occurrence of Project Milestone-III, the Contractor shall have continued with construction of the Project Highway and submitted to the Authority duly and validly prepared Stage Payment Statements for an amount not less than 70% (seventy per cent) of the Contract Price and should have started construction of all project facilities.

5. Scheduled Completion Date

- (i) The Scheduled Completion Date shall occur on the [Scheduled Construction Period] day from the Appointed Date.
- (ii) On or before the Scheduled Completion Date, the Contractor shall have completed construction in accordance with this Agreement.

6. Extension of time

Upon extension of any or all of the aforesaid Project Milestones or the Scheduled Completion Date, as the case may be, under and in accordance with the provisions of this Agreement, the Project Completion Schedule shall be deemed to have been amended accordingly.

Schedule-K

(See Clause 12.1.2)
Tests on Completion

1. Schedule for Tests

(i) The Contractor shall, no later than 30 (thirty) days prior to the likely completion of construction, notify the Authority's Engineer and the Authority of its intent to subject the Project Highway to Tests, and no later than 10 (ten) days prior to the actual date of Tests, furnish to the Authority's Engineer and the Authority detailed inventory and particulars of all works and equipment forming part of Works.

(ii) The Contractor shall notify the Authority's Engineer of its readiness to subject the Project Highway to Tests at any time after 10 (ten) days from the date of such notice, and upon receipt of such notice, the Authority's Engineer shall, in consultation with the Contractor, determine the date and time for each Test and notify the same to the Authority who may designate its representative to witness the Tests. The Authority's Engineer shall thereupon conduct the Tests itself or cause any of the Tests to be conducted in accordance with Article 12 and this Schedule K.

2. Tests

(i) Visual and physical test: The Authority's Engineer shall conduct a visual and physical check of construction to determine that all works and equipment forming part thereof conform to the provisions of this Agreement. The physical tests shall include all the tests specified in IRC code, manual and MORTH specifications for the road and Bridge works, 5th revision, 2013.

(ii) Riding quality test: Riding quality of each lane of the carriageway shall be checked with the help of a calibrated bump integrator and the maximum permissible roughness for purposes of this Test shall be [2,000 (two thousand)] mm for each kilometer.

(iii) Tests for bridges: All major and minor bridges shall be subjected to the rebound hammer and ultrasonic pulse velocity tests, to be conducted in accordance with the procedure described in Special Report No. 17: 1996 of the IRC Highway Research Board on Nondestructive Testing Techniques, at two spots in every span, to be chosen at random by the Authority's Engineer. Bridges with a span of 15 (fifteen) meters or more shall also be subjected to load testing.

(iv) Other tests: The Authority's Engineer may require the Contractor to carry out or cause to be carried additional tests, in accordance with Good Industry Practice, for determining the compliance of the Project Highway with Specifications and Standards.

(v) Environmental audit: The Authority's Engineer shall carry out a check to determine conformity of the Project Highway with the environmental requirements set forth in Applicable Laws and Applicable Permits.

(vi) Safety Audit: The Authority's Engineer shall carry out or cause to be carried out, a safety audit to determine conformity of the Project Highway with the safety requirements and Good Industry Practice.

3. Agency for conducting Tests

All Tests set forth in this Schedule-K shall be conducted by the Authority's Engineer or such other agency or person as it may specify in consultation with the Authority.

4. Completion Certificate

Upon successful completion of Tests, the Authority's Engineer shall issue the Completion Certificate in accordance with the provisions of Article 12.

5. The Authority Engineer will carry out tests with following equipment at his own cost in the presence of contractor's representative.

| Sr. No. | Key metrics of Asset | Equipment to be used | Frequency of condition survey |
|---------|-----------------------------|-------------------------------------|---|
| 1 | Surface defects of pavement | Network Vehicle (NSV) Survey | At least twice a year (As per survey months defined for the state basis rainy season) |
| 2 | Roughness of pavement | Network Vehicle (NSV) Survey | At least twice a year (As per survey months defined for the state basis rainy season) |
| 3 | Strength of pavement | Falling Weight Deflectometer (FWD) | At least once a year |
| 4 | Bridges | Mobile Bridge Inspection Unit (MBU) | At least twice a year (As per survey months defined for the state basis rainy season) |
| 5 | Road signs | Retro-reflectometer | At least twice a year (As per survey months defined for the state basis rainy season) |

The first testing with the help of NSV shall be conducted at the time of issue of Completion Certificate.

Schedule-L
(See Clause 12.2)

COMPLETION CERTIFICATE

1. I,(Name of the Authority's Engineer), acting as Authority's Engineer, under and in accordance with the Agreement dated(the "**Agreement**"), for construction of the "*Restoration/Rehabilitation of Churachandpur-Tipaimukh road NH-02 (Old NH-150) from Km 9.00 to Km 70.00 (Total Length = 61.00 Km) in the State of Manipur in FY 2025-26 on EPC mode*", through (Name of Contractor), hereby certify that the Tests in accordance with Article 12 of the Agreement have been successfully undertaken to determine compliance of the Project Highway with the provisions of the Agreement, and I am satisfied that the Project Highway can be safely and reliably placed in service of the Users thereof.
2. It is certified that, in terms of the aforesaid Agreement, all works forming part of Project Highway have been completed, and the Project Highway is hereby declared fit for entry into operation on this the.....day of..... 20.....

SIGNED, SEALED AND DELIVERED

For and on behalf of
The Authority's Engineer by:

(Signature)
(Name)
(Designation)
(Address)

Schedule-M

(See Clauses 14.6., 15.2 and 19.7)

PAYMENT REDUCTION FOR NON-COMPLIANCE

1. Payment reduction for non-compliance with the Maintenance Requirements

- 1.1 Monthly lump sum payments for maintenance shall be reduced in the case of non-compliance with the Maintenance Requirements set forth in Schedule-E.
- 1.2 Any deduction made on account of non-compliance with the maintenance Requirements shall not be paid even after compliance subsequently. The deduction shall continue to be made every month until compliance is done.
- 1.3 The Authority's Engineer shall calculate the amount of payment reduction on the basis of weightage in percentage assigned to non-conforming items as given in Paragraph 2.

2. Percentage reductions in lump sum payments

- 2.1 The following percentages shall govern the payment reduction:

| S. No. | Item/Defect/Deficiency | Percentage |
|------------|--|------------|
| (a) | Carriageway/Pavement | |
| (i) | Potholes, cracks, other surface defects | 15% |
| (ii) | Repairs of Edges, Rutting | 5% |
| (b) | Road, Embankment, Cuttings, Shoulders | |
| (i) | Edge drop, inadequate crossfall, undulations, settlement, potholes, ponding, obstructions | 10% |
| (ii) | Deficient slopes, raincuts, disturbed pitching, vegetation growth, pruning of trees | 5% |
| (c) | Bridges and Culverts | |
| (i) | Desilting, cleaning, vegetation growth, damaged pitching, flooring, parapets, wearing course, footpaths, any damage to foundations | 20% |
| (ii) | Any Defects in superstructures, bearings and sub-structures | 10% |
| (iii) | Painting, repairs/replacement kerbs, railings, parapets, guideposts/crash barriers | 5% |
| (d) | Roadside Drains | |
| (i) | Cleaning and repair of drains | 5% |

| | | |
|------------|--|-----|
| (e) | Road Furniture | |
| (i) | Cleaning, painting, replacement of road signs, delineators, road markings, 200 m/km/5th km stones | 5% |
| (f) | Miscellaneous Items | |
| (i) | Removal of dead animals, broken down/accident vehicles, fallen trees, road blockades or malfunctioning of mobile crane | 10% |
| (ii) | Any other Defects in accordance with paragraph 1. | 5% |
| (g) | Defects in Other Project Facilities | 5% |

2.2 The amount to be deducted from monthly lump-sum payment for non-compliance of particular item shall be calculated as under:

$$R = P/100 \times M \times L1/L$$

Where: P = Percentage of particular item//Defect/deficiency for deduction

M = Monthly lump-sum payment in accordance with the para 1.2 of this Schedule

L1 = Non-complying length

L = Total length of the road,

R = Reduction (the amount to be deducted for noncompliance for a particular item/Defect/deficiency)

The total amount of reduction shall be arrived at by summation of reductions for such items/Defects/deficiency or non compliance.

For any Defect in a part of one kilometer, the non-conforming length shall be taken as one kilometer.

Schedule-N

(See Clause 18.1.1)

SELECTION OF AUTHORITY'S ENGINEER

1 Selection of Authority's Engineer

- (i) The provisions of the Model Request for Proposal for Selection of Technical Consultants, issued by the Ministry of Finance in May 2009, or any substitute thereof shall apply for selection of an experienced firm to discharge the functions and duties of an Authority's Engineer.
- (ii) In the event of termination of the Technical Consultants appointed in accordance with the provisions of Paragraph 1.1, the Authority shall appoint another firm of Technical Consultants forthwith and may engage a government-owned entity in accordance with the provisions of Paragraph 3 of this Schedule-N.

2 Terms of Reference

The Terms of Reference for the Authority's Engineer (the "TOR") shall substantially conform with Annex 1 to this Schedule N.

3 Appointment of Government entity as Authority's Engineer

Notwithstanding anything to the contrary contained in this Schedule, the Authority may in its discretion appoint a government-owned entity as the Authority's Engineer; provided that such entity shall be a body corporate having as one of its primary functions the provision of consulting, advisory and supervisory services for engineering projects; provided further that a government-owned entity which is owned or controlled by the Authority shall not be eligible for appointment as Authority's Engineer.

Annex – I
(Schedule - N)

TERMS OF REFERENCE FOR AUTHORITY’S ENGINEER

1. Scope

- (i) These Terms of Reference (the “**TOR**”) for the Authority’s Engineer are being specified pursuant to the EPC Agreement dated..... (the “**Agreement**”), which has been entered into between the Ministry of Road Transport and Highways (the “**Authority**”) and (the “**Contractor**”) for “**Restoration/Rehabilitation of Churachandpur-Tipaimukh road NH-02 (Old NH-150) from Km 9.00 to Km 70.00 (Total Length = 61.00 Km) in the State of Manipur in FY 2025-26 on EPC mode**”, and a copy of which is annexed hereto and marked as Annex-A to form part of this TOR.
- (ii) The TOR shall apply to construction and maintenance of the Project Highway.

2. Definitions and interpretation

- (i) The words and expressions beginning with or in capital letters and not defined herein but defined in the Agreement shall have, unless repugnant to the context, the meaning respectively assigned to them in the Agreement.
- (ii) References to Articles, Clauses and Schedules in this TOR shall, except where the context otherwise requires, be deemed to be references to the Articles, Clauses and Schedules of the Agreement, and references to Paragraphs shall be deemed to be references to Paragraphs of this TOR.
- (iii) The rules of interpretation stated in Clauses 1.2, 1.3 and 1.4 of the Agreement shall apply, *mutatis mutandis*, to this TOR.

3. General

- (i) The Authority’s Engineer shall discharge its duties in a fair, impartial and efficient manner, consistent with the highest standards of professional integrity and Good Industry Practice.
- (ii) The Authority’s Engineer shall perform the duties and exercise the authority in accordance with the provisions of this Agreement, but subject to obtaining prior written approval of the Authority before determining:
 - (a) any Time extension;
 - (b) any additional cost to be paid by the Authority to the Contractor;
 - (c) the Termination Payment; or
 - (d) Issuance of Completion Certificate or
 - (e) any other matter which is not specified in (a), (b) (c) or (d) above and which creates a financial liability on either party.
- (iii) The Authority’s Engineer shall submit regular periodic reports, at least once every month, to the Authority in respect of its duties and functions under this Agreement. Such reports shall be submitted by the Authority’s Engineer within 10 (ten) days of the beginning of every month.

- (iv) The Authority's Engineer shall inform the Contractor of any delegation of its duties and responsibilities to its suitably qualified and experienced personnel; provided, however, that it shall not delegate the authority to refer any matter for the Authority's prior approval in accordance with the provisions of Clause 18.2.
- (v) The Authority's Engineer shall aid and advise the Authority on any proposal for Change of Scope under Article 13.
- (vi) In the event of any disagreement between the Parties regarding the meaning, scope and nature of Good Industry Practice, as set forth in any provision of the Agreement, the Authority's Engineer shall specify such meaning, scope and nature by issuing a reasoned written statement relying on good industry practice and authentic literature.

4. Construction Period

- (i) During the Construction Period, the Authority's Engineer shall review and approve the Drawings furnished by the Contractor along with supporting data, including the geo-technical and hydrological investigations, characteristics of materials from borrow areas and quarry sites, topographical surveys, and the recommendations of the Safety Consultant in accordance with the provisions of Clause 10.1 (vi). The Authority's Engineer shall complete such review and approval and send its observations to the Authority and the Contractor within 15 (fifteen) days of receipt of such Drawings; provided, however that in case of a Major Bridge or Structure, the aforesaid period of 15 (fifteen) days may be extended upto 30 (thirty) days. In particular, such comments shall specify the conformity or otherwise of such Drawings with the Scope of the Project and Specifications and Standards.
- (ii) The Authority's Engineer shall review and approve any revised Drawings sent to it by the Contractor and furnish its comments within 10 (ten) days of receiving such Drawings.
- (iii) The Authority's Engineer shall review and approve the Quality Assurance Plan submitted by the Contractor and shall convey its comments to the Contractor within a period of 21 (twenty one) days stating the modifications, if any, required thereto.
- (iv) The Authority's Engineer shall complete the review and approve of the methodology proposed to be adopted by the Contractor for executing the Works, and convey its comments to the Contractor within a period of 10 (ten) days from the date of receipt of the proposed methodology from the Contractor.
- (v) The Authority's Engineer shall grant written approval to the Contractor, where necessary, for interruption and diversion of the flow of traffic in the existing lane(s) of the Project Highway for purposes of maintenance during the Construction Period in accordance with the provisions of Clause 10.4.
- (vi) The Authority's Engineer shall review the monthly progress report furnished by the Contractor and send its comments thereon to the Authority and the Contractor within 7 (seven) days of receipt of such report.

- (vii) The Authority's Engineer shall inspect the Construction Works and the Project Highway and shall submit a monthly Inspection Report bringing out the results of inspections and the remedial action taken by the Contractor in respect of Defects or deficiencies. In particular, the Authority's Engineer shall include in its Inspection Report, the compliance of the recommendations made by the Safety Consultant.
- (viii) The Authority's Engineer shall conduct the pre-construction review of manufacturer's test reports and standard samples of manufactured Materials, and such other Materials as the Authority's Engineer may require.
- (ix) For determining that the Works conform to Specifications and Standards, the Authority's Engineer shall require the Contractor to carry out, or cause to be carried out, tests at such time and frequency and in such manner as specified in the Agreement and in accordance with Good Industry Practice for quality assurance. For purposes of this Paragraph 4 (ix), the tests specified in the IRC Special Publication-11 (Handbook of Quality Control for Construction of Roads and Runways) and the Specifications for Road and Bridge Works issued by MORTH (the "Quality Control Manuals") or any modification/substitution thereof shall be deemed to be tests conforming to Good Industry Practice for quality assurance.
- (x) The Authority's Engineer shall test check 100 (hundred) percent of the quantity or number of tests prescribed for each category or type of test for quality control by the Contractor.
- (xi) The timing of tests referred to in Paragraph 4 (ix), and the criteria for acceptance/ rejection of their results shall be determined by the Authority's Engineer in accordance with the Quality Control Manuals. The tests shall be undertaken on a random sample basis and shall be in addition to, and independent of, the tests that may be carried out by the Contractor for its own quality assurance in accordance with Good Industry Practice.
- (xii) In the event that results of any tests conducted under Clause 11.10 establish any Defects or deficiencies in the Works, the Authority's Engineer shall require the Contractor to carry out remedial measures.
- (xiii) The Authority's Engineer may instruct the Contractor to execute any work which is urgently required for the safety of the Project Highway, whether because of an accident, unforeseeable event or otherwise; provided that in case of any work required on account of a Force Majeure Event, the provisions of Clause 21.6 shall apply.
- (xiv) In the event that the Contractor fails to achieve any of the Project Milestones, the Authority's Engineer shall undertake a review of the progress of construction and identify potential delays, if any. If the Authority's Engineer shall determine that completion of the Project Highway is not feasible within the time specified in the Agreement, it shall require the Contractor to indicate within 15 (fifteen) days the steps proposed to be taken to expedite progress, and the period within which the Project Completion Date shall be achieved. Upon receipt of a report from the Contractor, the Authority's Engineer shall review the same and send its comments to the Authority and the Contractor forthwith.

- (xv) The Authority's Engineer shall obtain from the Contractor a copy of all the Contractor's quality control records and documents before the Completion Certificate is issued pursuant to Clause 12.2.
- (xvi) Authority's Engineer may recommend to the Authority suspension of the whole or part of the Works if the work threatens the safety of the Users and pedestrians. After the Contractor has carried out remedial measure, the Authority's Engineer shall inspect such remedial measures forthwith and make a report to the Authority recommending whether or not the suspension hereunder may be revoked.
- (xvii) In the event that the Contractor carries out any remedial measures to secure the safety of suspended works and Users, and requires the Authority's Engineer to inspect such works, the Authority's Engineer shall inspect the suspended works within 3 (three) days of receiving such notice, and make a report to the Authority forthwith, recommending whether or not such suspension may be revoked by the Authority.
- (xviii) The Authority's Engineer shall carry out, or cause to be carried out, all the Tests specified in Schedule-K and issue a Completion Certificate, as the case may be. For carrying out its functions under this Paragraph 4 (xviii) and all matters incidental thereto, the Authority's Engineer shall act under and in accordance with the provisions of Article 12 and Schedule-K.

5. Maintenance Period

- (i) The Authority's Engineer shall aid and advise the Contractor in the preparation of its monthly Maintenance Programme and for this purpose carry out a joint monthly inspection with the Contractor.
- (ii) The Authority's Engineer shall undertake regular inspections, at least once every month, to evaluate compliance with the Maintenance Requirements and submit a Maintenance Inspection Report to the Authority and the Contractor.
- (iii) The Authority's Engineer shall specify the tests, if any, that the Contractor shall carry out, or cause to be carried out, for the purpose of determining that the Project Highway is in conformity with the Maintenance Requirements. It shall monitor and review the results of such tests and the remedial measures, if any, taken by the Contractor in this behalf.
- (iv) In respect of any defect or deficiency referred to in Paragraph 3 of Schedule- E, the Authority's Engineer shall, in conformity with Good Industry Practice, specify the permissible limit of deviation or deterioration with reference to the Specifications and Standards and shall also specify the time limit for repair or rectification of any deviation or deterioration beyond the permissible limit.
- (v) The Authority's Engineer shall examine the request of the Contractor for closure of any lane(s) of the Project Highway for undertaking maintenance/repair thereof, and shall grant permission with such modifications, as it may deem necessary, within 5 (five) days of receiving a request from the Contractor. Upon expiry of the permitted period of closure, the Authority's Engineer shall monitor the reopening of such lane(s), and in case of delay, determine the Damages payable by the Contractor to the Authority under Clause 14.5.

6. Determination of costs and time

- (i) The Authority's Engineer shall determine the costs, and/or their reasonableness, that are required to be determined by it under the Agreement.
- (ii) The Authority's Engineer shall determine the period of Time Extension that is required to be determined by it under the Agreement.
- (iii) The Authority's Engineer shall consult each Party in every case of determination in accordance with the provisions of Clause 18.5.

7. Payments

- (i) The Authority's Engineer shall withhold payments for the affected works for which the Contractor fails to revise and resubmit the Drawings to the Authority's Engineer in accordance with the provisions of Clause 10.2.4 (d).
- (ii) Authority's Engineer shall -
 - (a) within 10 (ten) days of receipt of the Stage Payment Statement from the Contractor pursuant to Clause 19.4, determine the amount due to the Contractor and recommend the release of 90 (ninety) percent of the amount so determined as part payment, pending issue of the Interim Payment Certificate; and
 - (b) within 15 (fifteen) days of the receipt of the Stage Payment Statement referred to in Clause 19.4, deliver to the Authority and the Contractor an Interim Payment Certificate certifying the amount due and payable to the Contractor, after adjustments in accordance with the provisions of Clause 19.10.
 - (iii) The Authority's Engineer shall, within 15 (fifteen) days of receipt of the Monthly Maintenance Statement from the Contractor pursuant to Clause 19.6, verify the Contractor's monthly statement and certify the amount to be paid to the Contractor in accordance with the provisions of the Agreement.
 - (iv) The Authority's Engineer shall certify final payment within 30 (thirty) days of the receipt of the final payment statement of Maintenance in accordance with the provisions of Clause 19.16.

8. Other duties and functions

The Authority's Engineer shall perform all other duties and functions as specified in the Agreement.

9. Miscellaneous

- (i) A copy of all communications, comments, instructions, Drawings or Documents sent by the Authority's Engineer to the Contractor pursuant to this TOR, and a copy of all the test results with comments of the Authority's Engineer thereon, shall be furnished by the Authority's Engineer to the Authority forthwith.

- (ii) The Authority's Engineer shall retain at least one copy each of all Drawings and Documents received by it, including 'as-built' Drawings, and keep them in its safe custody.
- (iii) Within 90 (ninety) days of the Project Completion Date, the Authority's Engineer shall obtain a complete set of as-built Drawings, in 2 (two) hard copies and in micro film form or in such other medium as may be acceptable to the Authority, reflecting the Project Highway as actually designed, engineered and constructed, including an as-built survey illustrating the layout of the Project Highway and setback lines, if any, of the buildings and structures forming part of Project Facilities; and shall hand them over to the Authority against receipt thereof.
- (iv) The Authority's Engineer, if called upon by the Authority or the Contractor or both, shall mediate and assist the Parties in arriving at an amicable settlement of any Dispute between the Parties.
- (v) The Authority's Engineer shall inform the Authority and the Contractor of any event of Contractor's Default within one week of its occurrence.

SCHEDULE - O

(See Clauses 19.4.1, 19.6.1, and 19.8.1)

Forms of Payment Statements

1. Stage Payment Statement for Works

The Stage Payment Statement for Works shall state:

- (a) The estimated amount for the Works executed in accordance with Clause 19.3.1 subsequent to the last claim;
- (b) Amounts reflecting adjustments in price for the aforesaid claim;
- (c) The estimated amount of each Change of Scope Order executed subsequent to the last claim;
- (d) Amounts reflecting adjustment in price, if any, for (c) above in accordance with the provisions of Clause 13.2.3 (a);
- (e) Total of (a), (b), (c) and (d) above;
- (f) Deductions:
 - (i) Any amount to be deducted in accordance with the provisions of the Agreement except taxes;
 - (ii) Any amount towards deduction of taxes; and
 - (iii) Total of (i) and (ii) above.
- (g) Net claim: (e) – (f) (iii);
- (h) The amounts received by the Contractor upto the last claim:
 - (i) For the Works executed (excluding Change of Scope orders);
 - (ii) For Change of Scope Orders, and
 - (iii) Taxes deducted

2. Monthly Maintenance Payment Statement

The monthly Statement for Maintenance Payment shall state:

- (a) the monthly payment admissible in accordance with the provisions of the agreement;
- (b) the deductions for maintenance work not done;
- (c) net payment for maintenance due, (a) minus (b);
- (d) amounts reflecting adjustments in price under Clause 19.12; and
- (e) amount towards deduction of taxes

3. Contractor's claim for Damages

Note: The Contractor shall submit its claims in a form acceptable to the Authority.

Schedule-P

(See Clause 20.1)

INSURANCE

1. Insurance during Construction Period

- (i) The Contractor shall effect and maintain at its own cost, from the Appointed Date till the date of issue of the last Completion Certificate, the following insurances for any loss or damage occurring on account of Non Political Event of Force Majeure, malicious act, accidental damage, explosion, fire and terrorism:
 - (a) Insurance of Works, Plant and Materials and an additional sum of [15 (fifteen)] per cent of such replacement cost to cover any additional costs of and incidental to the rectification of loss or damage including professional fees and the cost of demolishing and removing any part of the Works and of removing debris of whatsoever nature; and
 - (b) Insurance for the Contractor's equipment and Documents brought onto the Site by the Contractor, for a sum sufficient to provide for their replacement at the Site.
- (ii) The insurance under paragraph 1.1 (a) and (b) above shall cover the authority and the Contractor against all loss or damage from whatsoever cause arising under paragraph 1.1 other than risks which are not insurable at commercial terms.

2. Insurance for Contractor's Defects Liability

The Contractor shall effect and maintain insurance cover for the works from the date of issue of the Completion Certificate until the end of the Defects Liability Period for any loss or damage for which the Contractor is liable and arises from a cause occurring prior to the issue of Completion Certificate. The Contractor shall also maintain other insurances for maximum sums as may be required under the Applicable Laws and in accordance with Good Industry Practice.

3. Insurance against injury to persons and damage to property

- (i) The Contractor shall insure against each Party's liability for any loss, damage, death or bodily injury which may occur to any physical property (except things insured under Paragraph 1 and 2 of this Schedule or to any person (except persons insured under Clause 20.9), which may arise out of the Contractor's performance of this Agreement. This insurance shall be for a limit per occurrence of not less than the amount stated below with no limit on the number of occurrences. The insurance cover shall be not less than: Rs. 2.0 Crore.
- (ii) The insurance shall be extended to cover liability for all loss and damage to the Authority's property arising out of the Contractor's performance of this Agreement excluding:
 - (a) the Authority's right to have the construction works executed on, over, under, in or through any land, and to occupy this land for the Works; and

- (b) Damage which is and unavoidable result of the Contractor's obligations to execute the Works.

4. Insurance to be in joint names

The insurance under paragraphs 1 to 3 above shall be in the joint names of the Contractor and the Authority.

SCHEDULE-Q **(See Clause 14.10)**

Tests on Completion of Maintenance Period

1. Riding Quality test:

Riding quality test: Riding quality of each lane of the carriageway shall be checked with the help of a calibrated bump integrator and the maximum permissible roughness for purposes of this Test shall be 2,500 (two thousand five hundred) mm for each kilometer.

2. Visual and physical test:

The Authority's Engineer shall conduct a visual and physical check of construction to determine that all works and equipment forming part thereof conform to the provisions of this Agreement. The physical tests shall include measurement of cracking, rutting, stripping and potholes and shall be as per the requirement of maintenance mentioned in Schedule-E.

SCHEDULE-R
(See Clause 14.10)

Taking Over Certificate

I, (Name and designation of the Authority's representative) under and in accordance with the Agreement dated (the "Agreement"), for ***"Restoration/Rehabilitation of Churachandpur-Tipaimukh road NH-02 (Old NH-150) from Km 9.00 to Km 70.00 (Total Length = 61.00 Km) in the State of Manipur in FY 2025-26 on EPC mode"*** (Name of Contractor), hereby certify that the Tests on completion of Maintenance Period in accordance with Article 14 of the Agreement have been successfully undertaken to determine compliance of the Project Highway with the provisions of the Agreement and I hereby certify that the Authority has Taken over the Project Highway from the Contractor on this day

SIGNED, SEALED AND DELIVERED

(Signature)

(Name of Authority's Engineer)

(Address)