

National Highways & Infrastructure Development Corporation Ltd.

(Under Ministry of Road Transport & Highways, Govt. of India)

Invitation of EXPRESSION OF INTEREST (EOI) for "Network Survey Vehicle (NSV) Survey of NH-10 Sevoke-Rangpo section from Km 0.000 to 52.100 in the State of West Bengal"

December 2024

Deputy General Manager (P)

NHIDCL PMU Siliguri

C/o Hari Kumar Chettri, Near Bagrakote Railway Station,
Besides NH-17 (Old NH-31), PO-Bagrakote,
District Jalpaiguri, West Bengal-734501
pmu.siliguri@nhidcl.com

<u>Letter of Invitation (LOI)</u>

Dated: 04-12-2024

NHIDCL/ PMU-Siliguri/Survey/2024

Sub: EXPRESSION OF INTEREST (EOI) for "Network Survey Vehicle (NSV) Survey of NH-10 Sevoke- Rangpo section from Km 0.000 to 52.100 in the State of West Bengal".

Dear Sir/Madam,

National Highways & Infrastructure Development Corporation Limited (NHIDCL) has the mandate of building infrastructure that involves roads, highways and tunnels for interstate and international connectivity mainly in the States of Assam, Arunachal Pradesh, Manipur, Mizoram, Tripura, Andaman & Nicobar, Jammu & Kashmir, Meghalaya, Nagaland, Sikkim and West Bengal. NHIDCL now intends to short-list eligible service provider / bidder ("Agency") who have proven experience for **Network Survey Vehicle (NSV) Survey** on National Highways(s). To carry out the implementation of the subject project, NHIDCL will engage eligible service provider ("Agency").

2. As per the terms and conditions of the service, the Agency shall be required to carry out Network Survey Vehicle (NSV) survey of the project to ensure compliance of requirements for the Scope of Work.

3. Scope of work

- 3.1 The Scope of work includes one-time Network Survey Vehicle (NSV) of 'NH-10 Sevoke- Rangpo section from Km 0.000 (Coronation Bridge) to 52.100 (Atal Setu)' in the State of West Bengal'.
- 3.2 The Agency shall carry out NSV survey with means of Network Survey Vehicle. The survey shall include the following:
 - Survey for Inventory of Road: GPS coordinates, Pavement Type, Pavement Width, Terrain, RoW (Right of Way) width, Land use, Shoulder type and width, Drain Type and Width, Median Type and Width, Pavement Composition, Wayside Amenities (Restaurant/Motel, Toilet/Public convenience, Rest Rooms for short stay, First aid/Medical Center, Telephone booth, Petrol pump/minor repair shop (optional), Police Station, Temple /Mosque), Truck Lay byes, Bus shelter, Culverts, Bridges, Crash barrier, Signages, Streetlights, km stone etc.
 - Survey for Condition of Road: Visual Condition, Roughness, Rutting, Texture Depth, Skid Resistance, Distresses (cracking, Potholes, Bleeding, Surface failure etc.)

(Note- All inventory items shall be recorded for each lane and Geo-tagged)

4.3 All activities related to field studies and documentation shall be done as per the latest guidelines/ circulars of MoRT&H/NHIDCL/NHAI and relevant publications of the Indian Roads Congress (IRC) and Bureau of Indian Standards (BIS). For aspects not covered by IRC and BIS, international standard practices, such as, British, Japanese, American Standards etc may be adopted. The Agency, upon award of the work, shall finalize this in consultation with NHIDCL and reflect the same in the inception report.

4. Deliverables:

5.1 Upon award of Work, Inception report to be submitted within 3 days of receipt of Work order. On completion of the Works, the agency shall prepare the survey report and submit it to the NHIDCL. The survey report shall be prepared in English, in proper forms. The report shall include the followings:

Inventory survey

- GPS coordinates of the road.
- Pavement Type of the existing pavement
- Pavement Width
- Terrain Land use (Dry or Wet)
- o RoW (Right of Way) width
- Land Use
- Shoulder type and width
- Drain Type and Width
- Median Type and Width
- o Pavement Composition
- Wayside Amenities (Restaurant/Motel, Toilet/Public convenience, Rest Rooms for short stay, First aid/Medical Center, Telephone booth, Petrol pump/minor repair shop (optional), Police Station, Temple /Mosque)
- Truck Lay byes, Bus shelter
- Culverts
- Bridges
- Crash barrier
- Signages
- Streetlights
- o km stone
- Any other feature

Condition Survey:

- Visual Condition
- Roughness
- Rutting
- Texture Depth
- Skid Resistance

o Distresses (cracking, Potholes, Bleeding, Surface failure etc.)

(Note- All inventory items shall be recorded for each lane and Geo-tagged)

- 5.2 The reports shall be submitted as per format attached in Annexure I.
- 5.2 The Agency shall submit to the employer the reports and documents in bound volumes (and not spiral binding form) in 2 copies. Further, the reports shall also be submitted in pen drive(s)/CDs/email in addition to the hard copies.
- 5.3 The pen drive(s)/CDs/email should be properly indexed and a catalogue giving contents of all pen drive(s)/CDs/email and print-outs of the contents should be handed over to NHIDCL at the time of submission of the Final Report.
- 5.4 The agency shall be fully responsible for obtaining the required permission/license/security clearances from the State Govt. / Local bodies, wherever it is required. All rules issued by Govt. Agencies from time to time shall be followed scrupulously by the Agency.

5. ELIGIBILITY CRITERIA: -

The Applicant should be:

(i) A Company incorporated and registered in India under the Companies Act, 1956 or a partnership firm or LLP formed under LLP act 2008.

Documents in support of above shall be submitted as part of the EOI.

- (ii) A company declared ineligible by NHIDCL, NHAI and Ministry of Road Transport & Highways, Government of India or Railways or any other government departments for indulging in corrupt or fraudulent practices in last three years from the last date of receipt of bids, shall be ineligible for this EOI. In case any information is found false or containing incorrect information at any point of time, the services will be terminated and the agency will be banned for upto two years for doing business in NHIDCL/NHAI/ MoRTH.
- (iii) The bidder should have done similar individual work of at-least 26.05 km on an NH/ SH in last 3 years
- (iv) The bidder should possess the documentary evidence of owning the NSV or Lease/Hiring agreement from the firm for providing NSV as and when required.
- (v) The Average financial turnover of last 3 years should be more than **Rs. 4.68** lakhs.

6. Service Period:

The total service period shall be for the period of completion of subject work, preferably 10 (ten) days and in any case not more than 15(fifteen) days.

7. NHIDCL shall evaluate the EOI proposals based on relevant experience of project monitoring and as per conditions mentioned in Clause 5 above and the financial

bid.

8. Additions, Alterations & Variation

In case the total length of any of the works increases/ decreases up to 10% of length given in the RFP: No change in quoted rate

- 9. Service Quotation(s) clearly indicating Details of experience, Service cost, mobilization time, and timeline for the completion of the work 'Network Survey Vehicle (NSV) Survey of NH-10 Sevoke-Rangpo section from Km 0.000 (Coronation Bridge) to 52.100 (Atal Setu)' int eh State of West Bengal, in the month of December 2024 as per service period above are hereby invited. Any conditional bids/quotations shall be summarily rejected by NHIDCL.
- 10. Bids/Service Quotations may be submitted only in hard copy at following address:

Office of Deputy General Manager (P)
NHIDCL- PMU Siliguri
C/o Hari Kumar Chettri
Near Bagrakote Railway Station, Besides NH-17 (Old NH-31),
PO-Bagrakote, District Jalpaiguri,
West Bengal-734501

11. Last Date of Submission: 12.12.2024 (1700 Hrs)

Annexure I: OUTPUT FORMAT FROM NETWORK SURVEY VEHICLE

SECTION 1 - ROAD INVENTORY DATA

Road inventory data consists of parameters which provide basic information about roads such as pavement type, number of lanes, topography, etc. These parameters are largely static in nature, and therefore a survey to update this dataset shall be conducted only once at the time of completion testing. The road inventory data shall be used to update specific worksheets listed below.

1.1 Location Reference Post (LRP) Master

The following table lists the fields which need to be populated for the 'LRP Master' attribute. The descriptions of the fields are given below.

Field	Description	Example
NH Number	New National Highway number	NH0065
LRP Name	Name of location reference post (LRP)	Km stone 17
Chainage	Chainage of the survey point (in km)	17
Direction	Direction of survey	Increasing
	☐ Increasing (chainage)	
	☐ Decreasing (chainage)	
Latitude	Latitude of survey point	9.98897
Longitude	Longitude of survey point	78.02671
Survey Date	Date of survey in the format <dd-mm-yy></dd-mm-yy>	06-05-17
Old NH Number	Old National Highway number	NH0065
Section Code	Code indicating starting and ending locations of section	HYD-VIJ (Hyderabad-
	Code marcaing starting and chaing locations of section	Vijayawada)

NH Number	LRP Name	Chainage	Direction	Latitude	Longitude	Altitude	Survey Date	Old NH Number	Section Code
NH0xxx	Road Start	1.230	Increasing	9.98897	78.02671	63.07767	23-12-15	NH0yyy	ABC-DEF
NH0xxx	Km Stone 8	8.000	Increasing	9.98444	78.02934	68.60126	23-12-15	NH0yyy	ABC-DEF
NH0xxx	Km Stone 8	8.030	Increasing	9.98341	78.03004	68.15520	23-12-15	NH0yyy	ABC-DEF
NH0xxx	Km Stone	9.008	Increasing	9.98107	78.03078	65.17153	23-12-15	NH0yyy	ABC-DEF
NH0xxx	Km Stone	12.012	Increasing	9.96328	78.04160	56.03436	23-12-15	NH0yyy	ABC-DEF
NH0xxx	Km Stone 17	17.085	Increasing	9.95385	78.05255	56.24748	23-12-15	NH0yyy	ABC-DEF

Carriageway Type 1.2

The following table lists the fields which need to be populated for the 'Carriageway Type' attribute. The descriptions of the fields are given below.

Field	Description	Example
NH Number	New National Highway number	NH0065
Section Code	Code indicating starting and ending locations of section	HYD-VIJ (Hyderabad- Vijayawada)
Start Chainage	Chainage of the start point (in km)	0.500
End Chainage	Chainage of the end point (in km)	1.500
Carriageway Type	Type of carriageway, classified into one of the below categories: Divided Undivided	Divided
Survey Date	Date of survey in the format <dd-mm-yy></dd-mm-yy>	06-05-17
Latitude	Latitude of survey point	9.98897
Longitude	Longitude of survey point	78.02671

NHNumber	Section	Start Chainage	End Chainage	Carriageway Type	Date of Survey	Latitude	Longitude
NH00xx	ABC-DEF	0.000	0.794	Undivided	06-05-17	9.98897	78.02671
NH00xx	ABC-DEF	0.794	1.000	Undivided	06-05-17	9.98444	78.02934
NH00xx	ABC-DEF	1.000	2.810	Undivided	06-05-17	9.98341	78.03004
NH00xx	ABC-DEF	2.810	4.335	Undivided	06-05-17	9.98107	78.03078
NH00xx	ABC-DEF	4.335	6.666	Undivided	06-05-17	9.96328	78.04160
NH00xx	ABC-DEF	6.666	12.906	Undivided	06-05-17	9.95385	78.05255

1.3 Road Type

The following table lists the fields which need to be populated for the 'Road Type' attribute. The descriptions of the fields are given below.

Field	Description	Example
NH Number	New National Highway number	NH0065
Section Code	Code indicating starting and ending locations of section	HYD-VIJ (Hyderabad- Vijayawada)
Start Chainage	Chainage of the start point (in km)	0.500
End Chainage	Chainage of the end point (in km)	1.500
Road Type	Classification of road on basis of number of lanes Single Lane Two Lane Intermediate Lane Four Lane Six Lane	Four Lane
Survey Date	Date of survey in the format <dd-mm-yy></dd-mm-yy>	06-05-17
Latitude	Latitude of survey point	9.98897
Longitude	Longitude of survey point	78.02671

A sample output is shown below for reference:

NHNumber	Section	Start Chainage	End Chainage	RoadType	Date of Survey	Latitude	Longitude
NH00xx	ABC-DEF	0.000	0.794	Two Lane	06-05-17	9.98897	78.02671
NH00xx	ABC-DEF	0.794	1.000	Two Lane	06-05-17	9.98444	78.02934
NH00xx	ABC-DEF	1.000	2.810	Two Lane	06-05-17	9.98341	78.03004
NH00xx	ABC-DEF	2.810	4.335	Two Lane	06-05-17	9.98107	78.03078
NH00xx	ABC-DEF	4.335	6.666	Two Lane	06-05-17	9.96328	78.04160
NH00xx	ABC-DEF	6.666	12.906	Two Lane	06-05-17	9.95385	78.05255

1.4 Pavement Type

The following table lists the fields which need to be populated for the 'Pavement Type' attribute. The descriptions of the fields are given below.

Field	Description	Example		
NH Number	New National Highway number	NH0065		
Section Code	Code indicating starting and ending locations of section	HYD-VIJ (Hyderabad- Vijayawada)		
Start Chainage	Chainage of the start point (in km)	0.500		
End Chainage	Chainage of the end point (in km)	1.500		
	Direction of survey	Increasing		
Direction	☐ Increasing (chainage)			
	☐ Decreasing (chainage)			
Pavement Type	Classification of pavement based on type of surface:	Asphalt		

Field	Description	Example
	☐ Asphalt	
	☐ Cement concrete	
Survey Date	Date of survey in the format <dd-mm-yy></dd-mm-yy>	06-05-17
Latitude	Latitude of survey point	9.98897
Longitude	Longitude of survey point	78.02671

NHNumber	Section	Start Chainage	End Chainage	Direction	Pavement Type	Date of Survey	Latitude	Longitude
NH00xx	ABC- DEF	0.000	0.804	Both	Asphalt	06-05-17	9.98897	78.02671
NH00xx	ABC- DEF	0.804	1.000	Both	Asphalt	06-05-17	9.98444	78.02934
NH00xx	ABC- DEF	1.000	1.172	Both	Asphalt	06-05-17	9.98341	78.03004
NH00xx	ABC- DEF	1.172	2.821	Both	Asphalt	06-05-17	9.98107	78.03078
NH00xx	ABC- DEF	2.821	4.350	Both	Asphalt	06-05-17	9.96328	78.04160
NH00xx	ABC- DEF	4.350	6.710	Both	Asphalt	06-05-17	9.95385	78.05255
NH00xx	ABC- DEF	6.710	12.925	Both	Asphalt	06-05-17	9.93102	78.05648

1.5 Pavement Width

The following table lists the fields which need to be populated for the 'Pavement Width' attribute. The descriptions of the fields are given below.

Field	Description	Example
NH Number	New National Highway number	NH0065
Section Code	Code indicating starting and ending locations of section	HYD-VIJ (Hyderabad- Vijayawada)
Start Chainage	Chainage of the start point (in km)	0.500
End Chainage	Chainage of the end point (in km)	1.500
Direction	Direction of survey Increasing (chainage) Decreasing (chainage)	Increasing
Pavement Width	Width of the pavement in metres, classified into one of the below categories	>7m and <10.5m
Pavement Width Value	Width of the pavement in metres, rounded to two places after decimal	7.0

Field	Description	Example
Survey Date	Date of survey in the format <dd-mm-yy></dd-mm-yy>	06-05-17
Latitude	Latitude of survey point	9.98897
Longitude	Longitude of survey point	78.02671

NH Number	Section Code	Start Chainage	End Chainage	Direction	Pavement Width	Pavement Width Value	Survey Date	Latitude	Longitude
NH00xx	ABC-DEF	0.000	0.794	Both	7 – 10.5 m	7.00	06-05-17	9.98897	78.02671
NH00xx	ABC-DEF	0.794	1.000	Both	7 – 10.5 m	7.00	06-05-17	9.98444	78.02934
NH00xx	ABC-DEF	1.000	2.810	Both	7 – 10.5 m	7.00	06-05-17	9.98341	78.03004
NH00xx	ABC-DEF	2.810	4.335	Both	7 – 10.5 m	7.00	06-05-17	9.98107	78.03078
NH00xx	ABC-DEF	4.335	6.666	Both	7 – 10.5 m	7.00	06-05-17	9.96328	78.04160
NH00xx	ABC-DEF	6.666	12.906	Both	7 – 10.5 m	7.00	06-05-17	9.95385	78.05255

Shoulder Type 1.6

The following table lists the fields which need to be populated for the 'Shoulder Type' attribute. The descriptions of the fields are given below.

Field	Description	Example
NH Number	New National Highway number	NH0065
Section Code	Code indicating starting and ending locations of section	HYD-VIJ (Hyderabad- Vijayawada)
Start Chainage	Chainage of the start point (in km)	0.500
End Chainage	Chainage of the end point (in km)	1.500
	Direction of survey Increasing (chainage)	Increasing
Direction	Decreasing (chainage)	
	Type of shoulder, classified into one of the below categories:	Gravel
	□ None □ Paved	
	□ Gravel	
	□ Earth	
Shoulder Type		
Survey Date	Date of survey in the format <dd-mm-yy></dd-mm-yy>	06-05-17
Latitude	Latitude of survey point	9.98897
Longitude	Longitude of survey point	78.02671

NH Number	Section Code	Start Chainage	End Chainage	Direction	ShoulderType	Survey Date	Latitude	Longitude
NH00xx	ABC-DEF	0.000	0.763	Increasing	No Shoulder	09-01-16	9.98897	78.02671
NH00xx	ABC-DEF	0.763	0.834	Increasing	Gravel	09-01-16	9.98444	78.02934

NH00xx	ABC-DEF	0.834	1.254	Increasing	Gravel	09-01-16	9.98341	78.03004
NH00xx	ABC-DEF	1.254	2.945	Increasing	Gravel	05-01-16	9.98107	78.03078
NH00xx	ABC-DEF	2.945	4.327	Increasing	Gravel	05-01-16	9.96328	78.04160
NH00xx	ABC-DEF	4.327	4.405	Increasing	Gravel	05-01-16	9.95385	78.05255
NH00xx	ABC-DEF	4.405	6.844	Increasing	Gravel	05-01-16	9.93102	78.05648
NH00xx	ABC-DEF	6.844	9.359	Increasing	Gravel	05-01-16	9.91229	78.04961
NH00xx	ABC-DEF	9.359	12.966	Increasing	Gravel	05-01-16	9.89041	78.03458

1.7 Shoulder Width

The following table lists the fields for the 'Shoulder Width' attribute, which need to be populated. The descriptions of the fields are given below.

Field	Description	Example
NH Number	New National Highway number	NH0065
	Code indicating starting and ending locations of section	HYD-VIJ (Hyderabad- Vijayawada)
Section Code		
Start Chainage	Chainage of the start point (in km)	0.500
End Chainage	Chainage of the end point (in km)	1.500
	Direction of survey	Increasing
	☐ Increasing (chainage)	
Direction	☐ Decreasing (chainage)	
	Width of the shoulder in metres, classified into one of the below	< 1m
	categories	
	□ No shoulder	
	□ <1m	
	\square >= 1m and <= 2m	
Shoulder Width	□ > 2m	
	Width of the shoulder in metres, rounded to one place after	0.5
Shoulder Width Value	decimal	
Survey Date	Date of survey in the format <dd-mm-yy></dd-mm-yy>	06-05-17
Latitude	Latitude of survey point	9.98897
Longitude	Longitude of survey point	78.02671

NH Number	Section Code	Start Chainage	End Chainage	Direction	Shoulder Width	Shoulder Width Value	Survey Date	Latitude	Longitude
NH0xxx	ABC-DEF	0.000	0.785	Increasing	No Shoulder	0.0	03-01-16	9.98897	78.02671
NH0xxx	ABC-DEF	0.785	2.612	Increasing	No Shoulder	0.0	03-01-16	9.98444	78.02934
NH0xxx	ABC-DEF	2.612	3.170	Increasing	1-2m	2.0	03-01-16	9.98341	78.03004
NH0xxx	ABC-DEF	3.170	5.194	Increasing	1-2m	2.0	03-01-16	9.98107	78.03078
NH0xxx	ABC-DEF	5.194	6.793	Increasing	1-2m	2.0	03-01-16	9.96328	78.04160
NH0xxx	ABC-DEF	6.793	11.404	Increasing	1-2m	2.0	03-01-16	9.95385	78.05255

1.8 Topography

The following table lists the fields which need to be populated for the 'Topography' attribute. The descriptions of the fields are given below.

Field	Description	Example
NH Number	New National Highway number	NH0065
Section Code	Code indicating starting and ending locations of section	HYD-VIJ (Hyderabad- Vijayawada)
Start Chainage	Chainage of the start point (in km)	0.500
End Chainage	Chainage of the end point (in km)	1.500
	Topography of the road, classified into one of the below categories Flat Rolling	Flat
Topography	D Hilly	
Survey Date	Date of survey in the format <dd-mm-yy></dd-mm-yy>	06-05-17
Latitude	Latitude of survey point	9.98897
Longitude	Longitude of survey point	78.02671

A sample output is shown below for reference:

NH Number	Section Code	Start Chainage	End Chainage	Topography	Survey Date	Latitude	Longitude
NH0xxx	ABC-DEF	0.000	0.808	Flat	05-01-16	9.98897	78.02671
NH0xxx	ABC-DEF	0.808	1.254	Flat	05-01-16	9.98444	78.02934
NH0xxx	ABC-DEF	1.254	2.828	Flat	05-01-16	9.98341	78.03004
NH0xxx	ABC-DEF	2.828	4.363	Flat	05-01-16	9.98107	78.03078
NH0xxx	ABC-DEF	4.363	6.724	Flat	05-01-16	9.96328	78.04160
NH0xxx	ABC-DEF	6.724	12.933	Flat	05-01-16	9.95385	78.05255

1.9 Cross Section

The following table lists the fields which need to be populated for the 'Cross Section' attribute. The descriptions of the fields are given below.

Field	Description	Example
NH Number	New National Highway number	NH0065
Section Code	Code indicating starting and ending locations of section	HYD-VIJ (Hyderabad- Vijayawada)
Start Chainage	Chainage of the start point (in km)	0.500
End Chainage	Chainage of the end point (in km)	1.500
Direction	Direction of survey Increasing (chainage) Decreasing (chainage)	Increasing
Cross Section	Cross section type, classified into one of the below categories	Fill

Field	Description	Example
	□ Cut	
	□ Fill	
	☐ Cut and Fill	
	□ Level	
Survey Date	Date of survey in the format <dd-mm-yy></dd-mm-yy>	06-05-17
Latitude	Latitude of survey point	9.98897
Longitude	Longitude of survey point	78.02671

NH Number	Section Code	Start Chainage	End Chainage	Direction	Cross Section	Survey Date	Latitude	Longitude
NH0xxx	ABC-DEF	0.000	0.822	Increasing	Level	03-01-16	9.98897	78.02671
NH0xxx	ABC-DEF	0.822	2.642	Increasing	Level	03-01-16	9.98444	78.02934
NH0xxx	ABC-DEF	2.642	3.199	Increasing	Level	03-01-16	9.98341	78.03004
NH0xxx	ABC-DEF	3.199	5.360	Increasing	Level	03-01-16	9.98107	78.03078
NH0xxx	ABC-DEF	5.360	5.715	Increasing	Fill	03-01-16	9.96328	78.04160
NH0xxx	ABC-DEF	5.715	6.941	Increasing	Level	03-01-16	9.95385	78.05255
NH0xxx	ABC-DEF	6.941	11.163	Increasing	Level	03-01-16	9.93102	78.05648

1.10 Drain Type

The following table lists the fields which need to be populated for the 'Drain Type' attribute. The descriptions of the fields are given below.

Field	Description	Example
NH Number	New National Highway number	NH0065
Section Code	Code indicating starting and ending locations of section	HYD-VIJ (Hyderabad- Vijayawada)
Start Chainage	Chainage of the start point (in km)	0.500
End Chainage	Chainage of the end point (in km)	1.500
	Direction of survey	Increasing
	☐ Increasing (chainage)	
Direction	Decreasing (chainage)	
	Type of drain, classified into one of the below categories	Open lined drain
	☐ Open unlined drain	
	☐ Open lined drain	
	☐ Covered line drain	
Drain Type	□ No drain	
Survey Date	Date of survey in the format <dd-mm-yy></dd-mm-yy>	06-05-17
Latitude	Latitude of survey point	9.98897
Longitude	Longitude of survey point	78.02671

NHNumber	SectionCode	StartChainage	EndChainage	Direction	DrainType	SurveyDate	Latitude	Longitude
NH0xxx	ABC-DEF	0.000	0.069	Increasing	Open Unlined Drain	09-01-16	9.98897	78.02671
NH0xxx	ABC-DEF	0.069	0.782	Increasing	Open Lined Drain	09-01-16	9.98444	78.02934
NH0xxx	ABC-DEF	0.288	0.000	Decreasing	Open Unlined Drain	09-01-16	9.98341	78.03004
NH0xxx	ABC-DEF	0.782	0.846	Increasing	Open Unlined Drain	09-01-16	9.98107	78.03078
NH0xxx	ABC-DEF	0.846	1.254	Increasing	Open Unlined Drain	09-01-16	9.96328	78.04160
NH0xxx	ABC-DEF	1.254	2.265	Increasing	Open Unlined Drain	05-01-16	9.95385	78.05255
NH0xxx	ABC-DEF	1.929	0.288	Decreasing	Open Unlined Drain	09-01-16	9.93102	78.05648
NH0xxx	ABC-DEF	1.952	1.929	Decreasing	No Drain	09-01-16	9.91229	78.04961
NH0xxx	ABC-DEF	2.265	3.005	Increasing	Open Unlined Drain	05-01-16	9.89041	78.03458
NH0xxx	ABC-DEF	2.680	1.952	Decreasing	Open Unlined Drain	09-01-16	9.88489	78.02995
NH0xxx	ABC-DEF	3.005	4.424	Increasing	Open Unlined Drain	05-01-16	9.87474	78.02828
NH0xxx	ABC-DEF	3.109	2.680	Decreasing	Open Unlined Drain	09-01-16	9.87363	78.02744
NH0xxx	ABC-DEF	3.320	3.109	Decreasing	Covered Line Drain	09-01-16	9.84857	78.01535
NH0xxx	ABC-DEF	3.917	3.320	Decreasing	Open Unlined Drain	09-01-16	9.83764	78.00392
NH0xxx	ABC-DEF	4.424	4.601	Increasing	Open Unlined Drain	05-01-16	9.83711	77.98576
NH0xxx	ABC-DEF	4.601	5.693	Increasing	Open Unlined Drain	05-01-16	9.83386	77.97729

1.11 Median Opening

The following table lists the fields which need to be populated for the 'Median Opening' attribute. The descriptions of the fields are given below.

Field	Description	Example
NH Number	New National Highway number	NH0065
Section Code	Code indicating starting and ending locations of section	HYD-VIJ (Hyderabad- Vijayawada)
Start Chainage	Chainage of the start point (in km)	0.500
End Chainage	Chainage of the end point (in km)	1.500
Direction	Direction of survey Increasing (chainage) Decreasing (chainage)	Increasing
	Type of median, classified into one of the below categories Raised; Depressed; Barrier;	Raised
Median Type	□ None.	

Field	Description	Example
	Width of the median in metres, rounded to one place after	0.5
Median Width	decimal	
Survey Date	Date of survey in the format <dd-mm-yy></dd-mm-yy>	06-05-17

Latitude	Latitude of survey point	9.98897
Longitude	Longitude of survey point	78.02671

NHNumber	Section Code	Start Chainage	End Chainage	Direction	Median Type	Median Width	Survey Date	Latitude	Longitude
NH00xx	ABC-DEF	0.000	0.794	Both	Raised	0.5	05-01-16	9.98897	78.02671
NH00xx	ABC-DEF	0.794	1.000	Both	Raised	0.5	05-01-16	9.98444	78.02934
NH00xx	ABC-DEF	1.000	2.810	Both	No Median	0.0	05-01-16	9.98341	78.03004
NH00xx	ABC-DEF	2.810	4.335	Both	Raised	1.5	05-01-16	9.98107	78.03078
NH00xx	ABC-DEF	4.335	6.666	Both	No Median	0.0	05-01-16	9.96328	78.04160
NH00xx	ABC-DEF	6.666	12.906	Both	No Median	0.0	05-01-16	9.95385	78.05255

1.12 Right Of Way

1

The following table lists the fields which need to be populated for the 'Right of Way' attribute. The descriptions of the fields are given below.

Field	Description	Example			
NH Number	New National Highway number	NH0065			
Section Code	Code indicating starting and ending locations of section	HYD-VIJ (Hyderabad- Vijayawada)			
Start Chainage	Chainage of the start point (in km)	0.500			
End Chainage	Chainage of the end point (in km)	1.500			
	Direction of survey	Increasing			
	☐ Increasing (chainage)				
Direction	☐ Decreasing (chainage)				
Row Width	Width of Right of Way (in metres)	24			
Remarks					
Survey Date	Date of survey in the format <dd-mm-yy></dd-mm-yy>	06-05-17			
Latitude	Latitude of survey point	9.98897			
Longitude	Longitude of survey point	78.02671			

A sample output is shown below for reference:

NHNumber	Section Code	Start Chainage	End Chainage	Direction	ROW Width	Remarks	Survey Date	Latitude	Longitude
NH0xxx	ABC-DEF	0.000	1.000	Increasing	28		05-05-15	9.98897	78.02671
NH0xxx	ABC-DEF	1.000	2.000	Increasing	24		05-05-15	9.98444	78.02934
NH0xxx	ABC-DEF	2.000	3.000	Increasing	30		05-05-15	9.98341	78.03004
NH0xxx	ABC-DEF	3.000	4.000	Increasing	26		05-05-15	9.98107	78.03078
NH0xxx	ABC-DEF	4.000	11.000	Increasing	24		05-05-15	9.96328	78.04160

1.13 Pavement composition

The following table lists the fields which need to be populated for the 'Pavement composition' attribute. The descriptions of the fields are given below.

Field	Description	Example
NH Number	New National Highway number	NH0065

Section Code	Code indicating starting and ending locations of section	HYD-VIJ (Hyderabad- Vijayawada)
Start Chainage	Chainage of the start point (in km)	0.500
End Chainage	Chainage of the end point (in km)	1.500
Direction	Direction of survey Increasing (chainage) Decreasing (chainage)	Increasing
Pavement Type	Type of pavement Asphalt Cement concrete	Asphalt
Bituminous Surface Course Type	Type of bituminous surface course	BC
Bituminous Surface Course Thickness MM	Thickness of BSC layer in mm	40
BSC Construction Year	Year of construction of BSC layer in flexible pavements	2015
Bituminous Base Course Type	Type of bituminous base course	DBM
Bituminous Base Course Thick—ness	Thickness of BBC layer in mm	100
BBC Construction Year	Year of construction of BBC layer in flexible pavements	2015
Granular Base Type	Type of granular base	WMM
Granular Base Thickness	Thickness of GB layer in mm	250
GB Construction Year	Year of construction of GB layer in flexible pavements	2015
Pavement Quality Concrete Type	Type of pavement quality concrete	PQC
Pavement Quality Concrete Thickness	Thickness of PQC layer in mm	300
PQC Construction Year	Year of construction of PQC layer in rigid pavements	2015
Dry Lean Concrete Thickness MM	Thickness of DLC layer in mm	100
Dry Lean Concrete Type	Type of dry lean concrete	DLC
DLCConstruction Year	Year of construction of DLC layer in rigid pavements	2015
Granular Sub Base Type	Type of granular sub base	GSB
Granular Sub Base Thickness	Thickness of GSB layer in mm	200
GSB Construction Year	Year of construction of GSB layer	2014
Design CBR	Design CBR of the subgrade, expressed in %	5%
Survey Date	Date of survey in the format <dd-mm-yy></dd-mm-yy>	06-05-17
Latitude	Latitude of survey point	9.98897

Field	Description	Example
Longitude	Longitude of survey point	78.02671

No	tion	Chai		Direc- tion	Paveme nt Type	Bituminou s Surface Course Type	Bituminou s Surface Course Thickness	BSC Constru c-tion Year	Bitumino us Base Course Type	Bitumino us Base Course Thicknes s	Constru	Granul ar Base Type	Granular Base Thickne ss
NH00x x	ABC- DEF	0.0	5.0	Both side	Asphalt	ВС	40.0	2015	DBM	100	2015	WMM	250

NH00x x	ABC- DEF	5.0	11.0	Both side	Asphalt	ВС	40.0	2015	DBM	80	2015	WMM	250
NH00x x	ABC- DEF	11.0	20.0	Both side	Asphalt	SDBC	25.0	2015	BM	115	2015	WMM	250
NH00x x	ABC- DEF	20.0	22.0	Both side	Asphalt	ВС	40.0	2015	DBM	100	2015	WMM	250
NH00x x	ABC- DEF	22.0	30.0	Both side	Asphalt	SDBC	25.0	2015	BM	115	2015	WMM	250
NH00x x	ABC- DEF	30.0	31.0	Both side	Asphalt	ВС	40.0	2015	DBM	100	2015	WMM	250

(table continued...)

GB Constr uction Year	Concret	Quality Concret	PQC Constr uction	Dry Lean Concret e Thickn ess	Concret		CubDag		Constru	Desig n CBR	Survey Date	Latit ude	Longit ude
2015	NA	NA	NA	NA	NA	NA	GSB	300	2015	5%	05-05- 15	9.99	78.03
2015	NA	NA	NA	NA	NA	NA	GSB	300	2015	5%	05-05- 15	9.98	78.03
2015	NA	NA	NA	NA	NA	NA	GSB	300	2015	5%	05-05- 15	9.98	78.03
2015	NA	NA	NA	NA	NA	NA	GSB	300	2015	5%	05-05- 15	9.98	78.03
2015	NA	NA	NA	NA	NA	NA	GSB	300	2015	5%	05-05- 15	9.96	78.04
2015	NA	NA	NA	NA	NA	NA	GSB	300	2015	5%	05-05- 15	9.95	78.05

1.14 Carriageway Furniture

The following table lists the fields which need to be populated for the 'Carriageway Furniture' attribute. The descriptions of the fields are given below.

Field	Description	Example
NH Number	New National Highway number	NH0065
Section Code	Code indicating starting and ending locations of section	HYD-VIJ (Hyderabad- Vijayawada)
Chainage	Chainage of the point (in km)	0.500
Direction	Direction of survey Increasing (chainage) Decreasing (chainage)	Increasing

Field	Description	Example
	Wayside amenities classified into one of the below categories:	Road sign
Wassida Assasida Tasa	☐ Crash barriers	
Wayside Amenity Type	□ Signs	
	□ Street Lights	
	☐ Km stone	
Survey Date	Date of survey in the format <dd-mm-yy></dd-mm-yy>	06-05-17
Latitude	Latitude of survey point	9.98897
Longitude	Longitude of survey point	78.02671

NHNumber SectionCode Ch	ainage Direction	EventType	SurveyDate	Latitude	Longitude
-------------------------	------------------	-----------	------------	----------	-----------

NH00xx	ABC-DEF	0.012	Increasing	Street Light Start	03-01-16	9.98897	78.02671
NH00xx	ABC-DEF	0.287	Increasing	Street Light End	03-01-16	9.98444	78.02934
NH00xx	ABC-DEF	2.491	Decreasing	Road Sign	03-01-16	9.98341	78.03004
NH00xx	ABC-DEF	2.708	Decreasing	Road Sign	03-01-16	9.98107	78.03078
NH00xx	ABC-DEF	3.496	Increasing	Road Sign	03-01-16	9.96328	78.04160
NH00xx	ABC-DEF	5.160	Increasing	Road Sign	03-01-16	9.95385	78.05255
NH00xx	ABC-DEF	5.356	Decreasing	Road Sign	03-01-16	9.93102	78.05648
NH00xx	ABC-DEF	8.402	Decreasing	Road Sign	03-01-16	9.91229	78.04961
NH00xx	ABC-DEF	10.966	Decreasing	Road Sign	03-01-16	9.89041	78.03458

1.15 Wayside Amenities

The following table lists the fields which need to be populated for the 'Wayside Amenities' attribute. The descriptions of the fields are given below.

Field	Description	Example
NH Number	New National Highway number	NH0065
Section Code	Code indicating starting and ending locations of section	HYD-VIJ (Hyderabad- Vijayawada)
Chainage	Chainage of the point (in km)	0.500
	Direction of survey	Increasing
Direction	Increasing (chainage)Decreasing (chainage)	
	Wayside amenities classified into one of the below categories:	Restaurant/Motel
	□ Bus shelter;	
	□ Culverts;	
Wayside Amenity	☐ Restaurant/Motel;	
	☐ Toilet/Public convenience;	
	☐ Rest Rooms for short stay;	
	□ Toll Plaza;	
	☐ First aid/Medical centre;	

Field	Description	Example
	☐ Telephone booth;	
	☐ Petrol pump/minor repair shop (optional);	
	☐ Police Station;	
	☐ Temple /Mosque;	
	□ Bridges.	
Survey Date	Date of survey in the format <dd-mm-yy></dd-mm-yy>	06-05-17
Data Source		
Remarks		
Latitude	Latitude of survey point	9.98897
Longitude	Longitude of survey point	78.02671

NH Number	Section Code	Chainage	Direction	Wayside Amenity	Survey Date	Data Source	Remarks	Latitude	Longitude
NH00xx	ABC- DEF	0.650	Increasing	Restaurant/Motel	05-01-16			9.98897	78.02671
NH00xx	ABC- DEF	1.998	Increasing	Restaurant/Motel	05-01-16			9.98444	78.02934
NH00xx	ABC- DEF	5.524	Increasing	Petrol Pump	05-01-16			9.98341	78.03004
NH00xx	ABC- DEF	11.413	Increasing	Restaurant/Motel	05-01-16			9.98107	78.03078

1.16 Land Use

The following table lists the fields which need to be populated for the 'Land Use' attribute. The descriptions of the fields are given below.

Field	Description	Example
NH Number	New National Highway number	NH0065
Section Code	Code indicating starting and ending locations of section	HYD-VIJ (Hyderabad- Vijayawada)
Start Chainage	Chainage of the start point (in km)	0.500
End Chainage	Chainage of the end point (in km)	1.500
	Direction of survey	Increasing
Direction	☐ Increasing (chainage)	
	☐ Decreasing (chainage)	
	Landuse classified into one of the below categories:	Commercial
	☐ Residential;	
	☐ Commercial;	
Land Use	☐ Industrial;	
	☐ Agricultural;	
	☐ Water bodies;	
	☐ Mixed.	
Survey Date	Date of survey in the format <dd-mm-yy></dd-mm-yy>	06-05-17
Latitude	Latitude of survey point	9.98897

Field	Description	Example
Longitude	Longitude of survey point	78.02671

NHNumber	SectionCode	StartChainage	EndChainage	Direction	LandUse	SurveyDate	Latitude	Longitude
NH00xx	ABC-DEF	0.000	0.797	Increasing	Mixed	03-01-16	9.98897	78.02671
NH00xx	ABC-DEF	0.511	0	Decreasing	Mixed	03-01-16	9.98444	78.02934
NH00xx	ABC-DEF	0.797	2.699	Increasing	Mixed	03-01-16	9.98341	78.03004
NH00xx	ABC-DEF	0.835	0.511	Decreasing	Mixed	03-01-16	9.98107	78.03078
NH00xx	ABC-DEF	0.987	0.835	Decreasing	Mixed	03-01-16	9.96328	78.04160
NH00xx	ABC-DEF	1.641	0.987	Decreasing	Agriculture	03-01-16	9.95385	78.05255
NH00xx	ABC-DEF	2.081	1.641	Decreasing	Barren Land	03-01-16	9.93102	78.05648
NH00xx	ABC-DEF	2.378	2.081	Decreasing	Agriculture	03-01-16	9.91229	78.04961
NH00xx	ABC-DEF	2.458	2.378	Decreasing	Agriculture	03-01-16	9.89041	78.03458
NH00xx	ABC-DEF	2.699	3.234	Increasing	Agriculture	03-01-16	9.88489	78.02995

SECTION 2 - ROAD CONDITION DATA

Road condition data consists of parameters which directly affect maintenance requirements of the road. These parameters are dynamic in nature, and therefore a survey to update this dataset shall be conducted annually for FWD testing and every six months as per Annexure IV for network survey vehicle testing. The first survey shall be conducted at the time of completion testing and the remaining surveys shall be conducted as per the defined frequency.

As an example, if majority of highway length (>50%) passes through a state, where defined survey months are May and November, if completion testing is conducted in April, then the first network survey shall be conducted in the month of April. This shall be considered as the network survey to be conducted in the month of May. The 2nd survey shall be conducted in the month of May and so on. As regards FWD, the first test/survey shall be conducted at the time of completion in April. The 2nd test/survey shall be conducted in April of next year and so on.

The road condition data shall be used to update specific worksheets, which are listed below. **2.1 Visual condition**

The following table lists the fields which need to be populated for the 'Visual Condition' attribute. The descriptions of the fields are given below.

Field	Description	Example	
NH Number	New National Highway number	NH0065	

Field	Description	Example
Section Code	Code indicating starting and ending locations of section	HYD-VIJ (Hyderabad- Vijayawada)
Start Chainage	Chainage of the start point (in km)	0.500
End Chainage	Chainage of the end point (in km)	1.500
	Direction of survey	Increasing
Direction	☐ Increasing (chainage)	
	☐ Decreasing (chainage)	
Lane Number	Number of the lane: L1, L2, R1, R2, etc., L1 being 1st lane on the left from centreline of carriageway, L2 being 2nd lane on the left from centerline and so on	L1
	Percent of pavement area affected by ravelling, which is	2
	converted to the following rating scale: 1 - Very Poor (> 30%)	
Davalling	□ 1 - Very Poor (> 30%) □ 2 - Poor (11-30%)	
Ravelling	□ 3-Fair(6-10%)	
	□ 4-Good(1-5%)	
	□ 5 - Very Good(0%)	
	No. of potholes, which is converted to the following	1
	rating scale:	
	□ 1 - Very Poor (>5)	
Pot Holes	□ 2 - Poor (3-5)	
	□ 3 - Fair (2)	
	□ 4 - Good(1)	
	□ 5 - Very Good(0)	
	Pavement area containing edge breaks, which is	3
	converted to the following rating scale:	
	□ 1 - Very Poor (> 5m²)	
Edge Break	$\square \qquad 2 - Poor (1-5m^2)$	
	$\Box \qquad 3 - \text{Fair} (0.5 - 1 \text{m}^2)$	
	\Box 4 - Good (0-0.5m ²)	
	5 - Very Good(0m²)	
	Percent of pavement area affected by cracking, which is	3
	converted to the following rating scale:	
	□ 1 - Very Poor (> 30%)	
Cracking	□ 2 - Poor (21-30%)	
	□ 3 - Fair (11-20%)	
	□ 4-Good (5-10%)	
	□ 5 - Very Good(<5%)	
	Percent of pavement area affected by disintegration, which is converted to the following rating scale:	2
	□ 1-VeryPoor(>50%)	
Disintegration	□ 2 - Poor(20-50%)	
	□ 3 - Fair (10-20%)	
	□ 4-Good (1-10%)	
	□ 5 - Very Good(<1%)	

Field	Description	Example
	Percent of pavement area affected by depression, which is converted to the following rating scale:	5
	1 - Very Poor (> 5%)	
Depression	☐ 2 - Poor (3-5%)	
	□ 3 - Fair(1-2%)	
	□ 4 - Good (0-1%)	
	□ 5 - Very Good(0)	
	Percent of pavement area affected by bleeding, which is	3
	converted to the following rating scale:	
	□ 1 - Very Poor (> 50%)	
Bleeding	□ 2 - Poor (20-50%)	
	□ 3 - Fair (10-20%)	
	□ 4-Good (1-10%)	
	□ 5 - Very Good(<1%)	
	Percent of pavement area affected by patching, which is	4
	converted to the following rating scale:	
	□ 1 - Very Poor (> 30%)	
Patching	□ 2 - Poor (16-30%)	
	□ 3 - Fair (6-15%)	
	□ 4-Good (2-5%)	
	□ 5 - Very Good(<2%)	
	Condition of the drain, which is converted to the following rating scale:	2
Drain Condition	□ 1 - Poor	
Drain Condition	□ 2 - Fair	
	□ 3 - Good	
	Condition of the shoulder, which is converted to the	Fair
	following rating scale:	
Shoulder Condition	□ 1 - Poor	
	□ 2 - Fair	
	□ 3 - Good	
Survey Date	Date of survey in the format <dd-mm-yy></dd-mm-yy>	06-05-17
Latitude	Latitude of survey point	9.98897
Longitude	Longitude of survey point	78.02671

NHNumber	Section	Start Chainage	End Chainage	Direction	Lane Number	Ravelling	PotHoles	EdgeBreak	Cracking
NH00xx	ABC-DEF	0.000	0.500	Increasing	L1	4	4	4	4
NH00xx	ABC-DEF	0.500	1.000	Increasing	L1	4	4	4	5
NH00xx	ABC-DEF	1.000	1.500	Increasing	L1	5	5	4	5
NH00xx	ABC-DEF	1.500	2.000	Increasing	L1	5	5	5	5
NH00xx	ABC-DEF	2.000	2.500	Increasing	L1	5	5	5	5
NH00xx	ABC-DEF	2.500	3.000	Increasing	L1	5	5	4	5
NH00xx	ABC-DEF	3.000	3.500	Increasing	L1	5	5	4	5
NH00xx	ABC-DEF	3.500	4.000	Increasing	L1	5	4	3	5

NHNumber	Section	Start Chainage	End Chainage	Direction	Lane Number	Ravelling	PotHoles	EdgeBreak	Cracking
NH00xx	ABC-DEF	4.000	4.500	Increasing	L1	4	4	4	5
NH00xx	ABC-DEF	4.500	5.000	Increasing	L1	5	5	4	5
NH00xx	ABC-DEF	5.000	5.500	Increasing	L1	5	5	4	5
NH00xx	ABC-DEF	5.500	6.000	Increasing	L1	5	5	4	5
NH00xx	ABC-DEF	6.000	6.500	Increasing	L1	5	5	4	5
NH00xx	ABC-DEF	6.500	7.000	Increasing	L1	5	5	4	5
NH00xx	ABC-DEF	7.000	7.500	Increasing	L1	5	5	5	5
NH00xx	ABC-DEF	7.500	8.000	Increasing	L1	5	5	4	5
NH00xx	ABC-DEF	8.000	8.500	Increasing	L1	5	5	4	5
NH00xx	ABC-DEF	8.500	9.000	Increasing	L1	5	5	4	5
NH00xx	ABC-DEF	9.000	9.500	Increasing	L1	5	5	4	5
NH00xx	ABC-DEF	9.500	10.000	Increasing	L1	5	5	3	5

(table continued...)

Disintegration	Depression	Bleeding	Patching	Drain Condition	ShoulderCondition	Date of Survey	Latitude	Longitude
4	4	4	4	2	2	06-05-17	9.98897	78.02671
4	4	4	4	2	2	06-05-17	9.98444	78.02934
5	5	5	4	2	2	06-05-17	9.98341	78.03004
5	5	5	5	2	2	06-05-17	9.98107	78.03078
5	5	5	5	2	2	06-05-17	9.96328	78.04160
5	5	5	5	2	2	06-05-17	9.95385	78.05255
5	5	5	5	2	3	06-05-17	9.93102	78.05648
4	4	4	4	2	3	06-05-17	9.91229	78.04961
4	4	4	4	2	2	06-05-17	9.89041	78.03458
5	5	5	5	2	2	06-05-17	9.88489	78.02995
5	5	5	5	2	2	06-05-17	9.87474	78.02828
5	5	5	5	2	2	06-05-17	9.87363	78.02744
5	5	5	5	2	2	06-05-17	9.84857	78.01535
5	5	5	5	2	2	06-05-17	9.83764	78.00392
5	5	5	5	2	2	06-05-17	9.83711	77.98576
5	5	5	5	1	2	06-05-17	9.83386	77.97729
5	5	5	5	2	2	06-05-17	9.81804	77.97875
5	5	5	5	2	2	06-05-17	9.77426	77.98129
5	4	4	4	2	2	06-05-17	9.73071	77.97999
5	5	5	3	2	2	06-05-17	9.68686	77.97017

2.2 Roughness

The following table lists the fields which need to be populated for the 'Roughness' attribute. The descriptions of the fields are given below.

Field	Description	Example
NH Number	New National Highway number	NH0065
Section Code	Code indicating starting and ending locations of section	HYD-VIJ (Hyderabad- Vijayawada)

Field	Description	Example
Start Chainage	Chainage of the start point (in km)	0.500
End Chainage	Chainage of the end point (in km)	1.500
Direction	Direction of survey Increasing (chainage) Decreasing (chainage)	Increasing
LwpIri	International roughness index (IRI) of left wheel path measured from laser profilometer	2.33
RwpIri	International roughness index (IRI) of right wheel path measured from laserprofilometer	1.97
LaneIri	Average of the International roughness index (IRI) of left and right wheel paths	2.15
Speed	Speed of vehicle in km/h	42
Survey Date	Date of survey in the format <dd-mm-yyyy></dd-mm-yyyy>	06-05-17
Latitude	Latitude of survey point	9.98897
Longitude	Longitude of survey point	78.02671

NH Number	Section Code	Start Chainage	End Chainage	Direction	Lane Number	LwpIri	RwpIri	LaneIri	Speed	Survey Date	Latitude	Longitude
NH00xx	ABC- DEF	0.0	0.1	Increasing	L1	3.31	5.16	4.24	20	06-05- 17	9.98897	78.02671
NH00xx	ABC- DEF	0.1	0.2	Increasing	L1	2.81	3.54	3.18	37	06-05- 17	9.98444	78.02934
NH00xx	ABC- DEF	0.2	0.3	Increasing	L1	2.31	1.92	2.12	42	06-05- 17	9.98341	78.03004
NH00xx	ABC- DEF	0.3	0.4	Increasing	L1	2.17	2.37	2.27	46	06-05- 17	9.98107	78.03078
NH00xx	ABC- DEF	0.4	0.5	Increasing	L1	2.11	1.72	1.92	42	06-05- 17	9.96328	78.04160
NH00xx	ABC- DEF	0.5	0.6	Increasing	L1	2.33	1.97	2.15	49	06-05- 17	9.95385	78.05255
NH00xx	ABC- DEF	0.6	0.7	Increasing	L1	2.37	2.00	2.19	42	06-05- 17	9.93102	78.05648
NH00xx	ABC- DEF	0.7	0.8	Increasing	L1	2.15	2.17	2.16	33	06-05- 17	9.91229	78.04961
NH00xx	ABC- DEF	0.8	0.9	Increasing	L1	2.45	2.05	2.25	32	06-05- 17	9.89041	78.03458
NH00xx	ABC- DEF	0.9	1.0	Increasing	L1	2.18	2.51	2.35	48	06-05- 17	9.88489	78.02995

2.3 Rutting

The following table lists the fields which need to be populated for the 'Rutting' attribute. The descriptions of the fields are given below.

Field	Description	Example
NH Number	New National Highway number	NH0065
Section Code	Code indicating starting and ending locations of section	HYD-VIJ (Hyderabad- Vijayawada)
Start Chainage	Chainage of the start point (in km)	0.500

74

Field	Description	Example
End Chainage	Chainage of the end point (in km)	1.500
	Direction of survey	Increasing
Direction	☐ Increasing (chainage)	
	☐ Decreasing (chainage)	
	Number of the lane: L1, L2, R1, R2, etc., L1 being 1st lane	L1
Lane Number	on the left from centreline of carriageway, L2 being 2 nd lane	
	on the left from centerline and so on	
Rutting Left	Rut depth in mm, measured from left wheel path	20
Rutting Right	Rut depth in mm, measured from left wheel path	18
Rutting Avg	Average rut depth measured from left and right wheel	19
	paths	
Speed	Speed of vehicle in km/h	42
Survey Date	Date of survey in the format <dd-mm-yyyy></dd-mm-yyyy>	06-05-17
Latitude	Latitude of survey point	9.98897
Longitude	Longitude of survey point	78.02671

NH Number	Section Code	Start Chainage	End Chainage	Direction	Lane Number		Rutting Right	Rutting Avg	Speed	Survey Date	Latitude	Longitude
NH00xx	ABC- DEF	0.0	0.5	Increasing	L1	15	14	15	20	06-05- 17	9.98897	78.02671
NH00xx	ABC- DEF	0.5	1.0	Increasing	L1	20	18	19	37	06-05- 17	9.98444	78.02934
NH00xx	ABC- DEF	1.0	1.5	Increasing	L1	10	8	9	42	06-05- 17	9.98341	78.03004
NH00xx	ABC- DEF	1.5	2.0	Increasing	L1	5	6	6	46	06-05- 17	9.98107	78.03078
NH00xx	ABC- DEF	2.0	2.5	Increasing	L1	10	10	10	42	06-05- 17	9.96328	78.04160
NH00xx	ABC- DEF	2.5	3.0	Increasing	L1	7	5	6	49	06-05- 17	9.95385	78.05255
NH00xx	ABC- DEF	3.0	3.5	Increasing	L1	20	18	19	42	06-05- 17	9.93102	78.05648
NH00xx	ABC- DEF	3.5	4.5	Increasing	L1	5	5	5	33	06-05- 17	9.91229	78.04961
NH00xx	ABC- DEF	4.5	5.0	Increasing	L1	5	5	5	32	06-05- 17	9.89041	78.03458

2.4 Texture Depth

The following table lists the fields which need to be populated for the 'Texture Depth' attribute. The descriptions of the fields are given below.

Field	Description	Example
NH Number	New National Highway number	NH0065
Section Code	Code indicating starting and ending locations of section	HYD-VIJ (Hyderabad- Vijayawada)
Start Chainage	Chainage of the start point (in km)	0.500

Field	Description	Example
End Chainage	Chainage of the end point (in km)	1.500
	Direction of survey	Increasing
Direction	☐ Increasing (chainage)	
	☐ Decreasing (chainage)	
	Number of the lane: L1, L2, R1, R2, etc., L1 being 1st lane	L1
Lane Number	on the left from centreline of carriageway, L2 being 2 nd lane	
	on the left from centerline and so on	
Texture Left	Texture depth of pavement in mm, measured from left wheel	0.40
	path	
Texture Right	Texture depth of pavement in mm, measured from left wheel path	0.30
Texture Average	Average texture depth measured from left and right	0.35
	wheel paths	
Speed	Speed of vehicle in km/h	42
Survey Date	Date of survey in the format <dd-mm-yyyy></dd-mm-yyyy>	06-05-17
Latitude	Latitude of survey point	9.98897
Longitude	Longitude of survey point	78.02671

NH Number	Section Code	Start Chainage	End Chainage	Direction	Lane Number	Texture Left	Texture Right	Texture Average	Speed	Survey Date	Latitude	Longitude
NH00xx	ABC- DEF	0.0	0.5	Increasing	L1	0.40	0.30	0.35	20	06-05- 17	9.98897	78.02671
NH00xx	ABC- DEF	0.5	1.0	Increasing	L1	0.60	0.50	0.55	37	06-05- 17	9.98444	78.02934
NH00xx	ABC- DEF	1.0	1.5	Increasing	L1	0.80	0.90	0.85	42	06-05- 17	9.98341	78.03004
NH00xx	ABC- DEF	1.5	2.0	Increasing	L1	0.40	0.40	0.4	46	06-05- 17	9.98107	78.03078
NH00xx	ABC- DEF	2.0	2.5	Increasing	L1	0.30	0.30	0.3	42	06-05- 17	9.96328	78.04160
NH00xx	ABC- DEF	2.5	3.0	Increasing	L1	0.70	0.60	0.65	49	06-05- 17	9.95385	78.05255
NH00xx	ABC- DEF	3.0	3.5	Increasing	L1	0.40	0.50	0.45	42	06-05- 17	9.93102	78.05648
NH00xx	ABC- DEF	3.5	4.5	Increasing	L1	0.90	0.80	0.85	33	06-05- 17	9.91229	78.04961
NH00xx	ABC- DEF	4.5	5.0	Increasing	L1	0.40	0.30	0.35	32	06-05- 17	9.89041	78.03458

2.5 Skid Resistance

The following table lists the fields which need to be populated for the 'Skid Resistance' attribute. The descriptions of the fields are given below.

Field	Description	Example			
NH Number	New National Highway number	NH0065			
Section Code	Code indicating starting and ending locations of section	HYD-VIJ (Hyderabad- Vijayawada)			

Field	Description	Example
Start Chainage	Chainage of the start point (in km)	0.500
End Chainage	Chainage of the end point (in km)	1.500
	Direction of survey	Increasing
Direction	☐ Increasing (chainage)	
	Decreasing (chainage)	
	Number of the lane: L1, L2, R1, R2, etc., L1 being 1st lane on the left	L1
Lane Number	from centreline of carriageway, L2 being 2 nd lane on the left from	
	centerline and so on	
Skid Left	Skid resistance of pavement measured as skid number, measured	25
	from left wheel path	
Skid Right	Skid resistance of pavement measured as skid number, measured from left wheel path	24
Skid Average	Average skid resistance measured from left and right wheel paths	24.5
0 1		
Speed	Speed of vehicle in km/h	42
Survey Date	Date of survey in the format <dd-mm-yyyy></dd-mm-yyyy>	06-05-17
Latitude	Latitude of survey point	9.98897
Longitude	Longitude of survey point	78.02671

NH Number	Section Code	Start Chainage	End Chainage	Direction	Lane Number	Skid Left	Skid Right	Skid Average	Speed	Survey Date	Latitude	Longitude
NH00xx	ABC- DEF	0.0	0.5	Increasing	L1	25.0	24.0	24.5	20	06-05- 17	9.98897	78.02671
NH00xx	ABC- DEF	0.5	1.0	Increasing	L1	23.0	23.0	23.0	37	06-05- 17	9.98444	78.02934
NH00xx	ABC- DEF	1.0	1.5	Increasing	L1	23.0	24.0	23.5	42	06-05- 17	9.98341	78.03004
NH00xx	ABC- DEF	1.5	2.0	Increasing	L1	22.0	22.0	22.0	46	06-05- 17	9.98107	78.03078
NH00xx	ABC- DEF	2.0	2.5	Increasing	L1	20.0	21.0	20.5	42	06-05- 17	9.96328	78.04160
NH00xx	ABC- DEF	2.5	3.0	Increasing	L1	24.0	24.0	24.0	49	06-05- 17	9.95385	78.05255
NH00xx	ABC- DEF	3.0	3.5	Increasing	L1	28.0	28.0	28.0	42	06-05- 17	9.93102	78.05648
NH00xx	ABC- DEF	3.5	4.5	Increasing	L1	21.0	21.0	21.0	33	06-05- 17	9.91229	78.04961
NH00xx	ABC- DEF	4.5	5.0	Increasing	L1	25.0	24.0	24.5	32	06-05- 17	9.89041	78.03458