

NATIONAL COMPETITIVE BIDDING

(THROUGH QUOTATION MODE)

Name of the Work: Emergent Repair(E&R) of existing of diversion road at new proposed Bailey bridge of 110 feet at Ch 167.00 km near Ompi Nagar Market of 7th mile to Amarpur tri junction section of NH-208 in the state of Tripura in FY 2021-22

NHIDCL/RO-Agt/T/E&R/2020-21/508/1082

Date: 13.07.2021

1. National Highways and Infrastructure Development Corporation Ltd. (hereinafter called "the Employer") invites quotation on item rate basis for the works mentioned below from the experienced Road/Bridge Contractors/firms/organizations excluding those firms who have been declared as non-performing by MoRT&H/NHAI/NHIDCL or the firms those are blacklisted/debarred for specified period by MoRT&H/NHAI/NHIDCL :-

| Sr. No. | Name of work/Contract Package |
|---------|---|
| 1 | Emergent Repair(E&R) of existing of diversion road at new proposed Bailey bridge of 110 feet at Ch 167.00 km near Ompi Nagar Market of 7th mile to Amarpur tri junction section of NH-208 in the state of Tripura in FY 2021-22 |

2. Date of Publishing:13.07.2021.
3. Last date of submission of quotation on 19.07.2021 up to 17:00 Hrs.
4. Work has to be completed in 15 days from the date of commencement of work.
5. The quantity to be executed is at Annexure-I. Rate of each item are requested to be quoted in the enclose format (Annexure-I)
6. The site for the work is available.
7. The interested bidder can submit quotation for the same and submit to the RO-Agartala 3rd floor, UD Bhawan, Shakuntala Road, Agartala Tripura-799001.
8. NHIDCL reserves the right to accept/reject any or all the quotation without assigning any reasons thereof.

Dy. General Manager (P)

R Singh

**For, ED(P), RO-Agartala
NHIDCL**

E-mail- edp-agartala@nhidcl.com

Annexure I**National Highways Infrastructure & Development Corporation Limited (NHIDCL), TRIPURA**

Name of work: Emergent Repair(E&R) of existing of diversion road at new proposed Bailey bridge of 110 feet at Ch 167.00 km near Ompi Nagar Market of 7th mile to Amarpur tri junction section of NH-208 in the state of Tripura in FY 2021-22.-

Name of Agency:

Date:

| Sl No | Reference | Description of item | Quantity | Unit | Rate (In Rs.) | Amount (In Rs.) |
|-------|------------------|---|----------|------|---------------|-----------------|
| | SOR Sl. No. | | | | | |
| 1 | 3.16 | Construction of embankment with approved material obtained from borrow pits | | | | |
| | | Item Sl.No. 1. Construction of embankment with approved material obtained from borrow pits with all lifts, transporting to site, spreading, grading to required slope and compacting to meet requirement of Tables 300.1 and 300.2 with a lead upto 1000m as per MoRT&H Technical Specification clauses of section 300. | 406.25 | cum | | |
| 2 | 4.5 | Flat Brick Soling | | | | |
| | | Item Sl.No. 2. Providing and laying flat brick soling layer on prepared subgrade according to lines, grades and cross-section shown on the drawing, filling joints with Earth, free from clay with a Plasticity Index not exceeding 6, watering and rolling the same with three wheeled road roller 80-100 KN as per MoRD Technical Specification Clause 412. | 332.50 | sqm | | |
| 3 | M-214 | Item Sl.No. 3. Providing and laying Brick Bat / Jhama Brick Aggregate 40 mm all complete | 12.00 | cum | | |
| 4 | 11.2 Page no-180 | Filling in foundation trenches as | | | | |
| | | Item Sl.No. 4. Filling in foundation trenches as per drawing & MoRD technical specification Clause 305.3.9, 1200. (I) Sand filling | 12.00 | cum | | |
| 5 | 12.26 | Plain/Reinforced Concrete in open foundation | | | | |
| | | Item Sl.No. 5. Plain/Reinforced cement concrete in open foundation as per drawings & MoRT&H technical specification Clauses 1500, 1700, 2100 (including centering, shuttering, staging etc but excluding reinforcement) | | | | |
| | | PCC Grade M15 (Using Jhama Brick Aggregate) | 35.30 | Cum | | |

2/3

REingh

| | | | | | | |
|-----------|-------|--|--------|-----|--|--|
| | | Providing and laying Reinforced Cement Concrete Pipe NP3/prestressed concrete pipe on first class bedding in Single row | | | | |
| 6 | 9.3 | Item Sl.No. 6. Providing and laying Reinforced Cement Concrete Pipe NP3/prestressed concrete pipe on first class bedding in Single row Providing and Laying reinforced cement concrete pipe NP3 /prestressed concrete pipe with collar on first class bedding of granular material in single row including fixing collar with cement mortar 1:2 but excluding excavation ,protection works,backfilling,concrete and masonry works in head walls and parapets as per MoRDTechnical Specification Clause 1106. (A) 1000 mm dia | 30.00 | RM | | |
| | | Providing and placing gunny/ polythene | | | | |
| 7 | M-3.9 | Item Sl.No. 7. Providing and placing gunny/ polythene Providing and placing gunny/ polythene (of minimum wall thickness of 500 micron) bags filled with sand (of minimum qty of 0.034 cum) and properly manually stitched to avoid any leakage of sand as per specification. | 200.00 | Nos | | |
| 8 | L-18 | Item Sl.No. 9. Providing Labours(unskilled) for other allied miscellaneous work | 10.00 | Nos | | |
| Total | | | | | | |
| In words: | | | | | | |

3/3

RS inh