




MINOR BRIDGE AT CH. 72+400 (1X10m SPAN) ►



TO TELIAMURA

TO SABROOM



NOTES:-

- ALL DIMENSION ARE IN MM, LEVEL ARE IN METER & CHAINAGE IN KILOMETER UNLESS SPECIFIED OTHERWISE.
- DO NOT MEASURE THE DRAWING FOLLOW WRITTEN DIMENSION ONLY.
- THIS DRAWING TO BE READ IN CONJUNCTION TO THE HIGHWAY DRAWINGS. IF THERE IS ANY DIFFERENCE IN CHAINAGE OR LEVELS H/W DRAWINGS WILL PREVAIL.
- BACKFILL GRANULAR SOIL MATERIAL BEHIND ABUTMENT SHALL HAVE THE FOLLOWING PROPERTIES = 2.0 T/m³, C = 0, & φ = 30°, CONFORMING TO IRC: 78-2014.
- THE NEW STRUCTURE IS DESIGNED FOR FOUR LANE LOADING AS PER IRC 6:2017.
- CONCRETE GARDE :-
 - M40 --- FOR CRASH BARRIER
 - M35 --- RCC BOX.
 - M15 --- FOR PCC LEVELLING COURSE
 UNTENSIONED REINFORCEMENT :- FE.500D (T.M.T. DEFORMED BARS) CONFIRMING TO IS:1786.
- TYPE OF STRUCTURE & CONSTRUCTION METHODOLOGY CONSIDERED IN DESIGN IS
 - RCC BOX STRUCTURE
 - WEARING COAT 65mm THK. C.C.
 - EXPANSION JOINTS - FILLER TYPE.
 - APPROACH SLAB-M30 GRADE.
- ALL STRUCTURAL DIMENSIONS SHOWN ARE BASED ON PRELIMINARY DESIGNS.
- 600MM THICK FILTER MATERIAL BEHIND PCC ABUTMENT/RETAINING WALL SHALL BE AS PER APPENDIX 6 OF IRC:78-2014.
- APPROACH SLAB, DRAINAGE SPOUT, CRASH BARRIER, RAILING & FOOTPATH DETAIL REFER MISCELLANEOUS DRAWING.
- 100MM DIA P.V.C. PIPE AT SPACING 1000 C/C IN HORIZONTAL/VERTICAL DIRECTION SHALL BE PROVIDED UP TO 150MM ABOVE LOW WATER LEVEL FOR WEEP HOLES IN VERTICAL WALL.
- ALL CONSTRUCTION SHALL CONFIRM TO CONTRACT SPECIFICATIONS.
- COMPACTED EARTH SHOULD CONFIRM TO CLAUSE 305.2.1.5 OF MORTH SPECIFICATIONS.
- HYDROLOGICAL DATA.

DISCHARGE	27.85 CUMEC
HFL	55.175 m
VELOCITY	2.0 m/sec
MIN.VERTICAL CLEARANCE	0.9 m (AS PER IRC:78:2014)
- CLEAR COVER TO REINFORCEMENT FOR FOOTING & EARTH FACE OF BOX SHALL BE 75 mm & FOR NON EARTH FACE OF BOX & TOP SLAB SHALL BE 50mm.
- NET BEARING CAPACITY OF SOIL REQUIRED FOR FOUNDATION IS 15T/m², WHICH SHOULD BE CONFIRMED AND VERIFY AT SITE BEFORE EXECUTION.
- BRIDGE IS DESIGN FOR SEISMIC ZONE V OF SEISMIC MAP OF INDIA.



Project Title:-

CONSULTANCY SERVICES FOR FEASIBILITY STUDY, PREPARATION OF DETAILED PROJECT REPORT AND PROVIDING PRE-CONSTRUCTION SERVICES FOR UP-GRADATION OF SELECTED ROAD STRETCHES / CORRIDORS TO TWO LANE WITH PAVED SHOULDER NH CONFIGURATION UNDER BHARAT MALA PROJECT AND NATIONAL HIGHWAYS CONNECTIVITY TO BACKWARD AREAS/RELIGIOUS/TOURIST PLACES OF THE COUNTRY IN THE STATE OF TRIPURA.

TELIAMURA - SABROOM SECTION

CLIENT:-



NATIONAL HIGHWAYS & INFRASTRUCTURE DEVELOPMENT CORPORATION LTD

Drawing Title:-

GENERAL ARRANGEMENT DRAWING OF MINOR BRIDGE AT CH. 72+400

Drawing No. :- TASPL/NHIDCL/FDPR/GAD/09








Scale :- AS SHOWN

Drn	Dgn.	Appd	Sheet :
D.S	D.P.S	B.Ram	01 OF 02

CONSULTANT:-



Technocrats Advisory Services Private Limited
in association with Vaishnavi Infratech Services Pvt. Ltd
68,Ajanta Apartments, 36, I.P. Extension
Patparganj Delhi-110092.



NOTES:

- ALL DIMENSIONS ARE IN MILLIMETERS UNLESS NOTED OTHERWISE.
- DIMENSIONS ARE NOT TO BE SCALED. ONLY WRITTEN DIMENSIONS SHALL BE FOLLOWED.
- CONCRETE GRADE SHALL BE OF GRADE M25.
- ALL REINFORCING STEEL SHALL BE HIGH YIELD STRENGTH DEFORMED(TMT) BARS (GRADE-Fe 500D).
- CLEAR COVER TO OUTERMOST REINF. SHALL BE
 - TOP SLAB -40mm
 - SIDE WALL (EARTH SIDE) -75mm
 - SIDE WALL (INNER SIDE) -40mm
 - BOTTOM SLAB -75mm
- BOND CONDITION**
(AS PER CL 15.2.3,IRC:112-2011)
BASIC ANCHORAGE LENGTH SHALL BE 65XDIAMETER OF THE BAR.
LAP LENGTH SHALL BE PROVIDED AS PER THE TABLE GIVEN BELOW:-
(FOR GRADE OF CONC.M30)

LAP LENGTH	% LAP AT ANY SECTIONS IS
58 D	<25%
66 D	BETWEEN 25-33%
80 D	BETWEEN 33-50%
86 D	<50%

- LAPS SHALL BE STAGGERED AND SUITABLY PLACED.

REFERENCE DRAWINGS

- GAD FOR MINOR BRIDGE AT DESIGN CH.72+400
TASPL-NHIDCL-FDPR-72+400-101 (2 SHEET)

LEGEND:

TOP/NON EARTH FACE BAR SHOWN THUS ————
BOTTOM/EARTH FACE BAR SHOWN THUS - - - - -
b/f ———— - BOTH FACE

SCHEDULE OF REINFORCEMENT

BAR MARK	SHAPE OF BARS (NOT TO SCALE)	BAR IN DIA IN MM	SPACING OR NO. OF BAR
ts1		16	200
ts2		16	200
ts2a		12	200
ts3		12	200
ts4		12	200
ts5		16	6 Nos.x2
bs1		20	200
bs1a		16	200
bs2		20	200
bs3		12	200
bs4		12	200
w1		16	200
w2		20	100
w3		12	200
w4		12	200
w5		16	6 Nos.x2
h1		12	200
s1		12	200
s2		10	200
b1		12	4 Nos.
b2		12	200



Project Title:-

CONSULTANCY SERVICES FOR FEASIBILITY STUDY, PREPARATION OF DETAILED PROJECT REPORT AND PROVIDING PRE-CONSTRUCTION SERVICES FOR UP-GRADATION OF SELECTED ROAD STRETCHES / CORRIDORS TO TWO LANE WITH PAVED SHOULDER NH CONFIGURATION UNDER BHARAT MALA PROJECT AND NATIONAL HIGHWAYS CONNECTIVITY TO BACKWARD AREAS/RELIGIOUS/TOURIST PLACES OF THE COUNTRY IN THE STATE OF TRIPURA.

TELIAMURA - SABROOM SECTION

CLIENT:-



NATIONAL HIGHWAYS & INFRASTRUCTURE DEVELOPMENT CORPORATION LTD

Drawing Title:-

REINFORCEMENT DETAILS DRAWING OF MINOR BRIDGE AT CH. 72+400

Drawing No. :- TASPL/NHIDCL/FDPR/GAD/09

Scale :- AS SHOWN




Drn	Dgn.	Appd	Sheet :
D.S	D.P.S	B.Ram	01 OF 01

CONSULTANT:-



Technocrats Advisory Services Private Limited
in association with Vaishnavi Infratech Services Pvt. Ltd
68,Ajanta Apartments, 36, I.P. Extension
Patparganj Delhi-110092.

MINOR BRIDGE AT CH. 73+600 (2X8.0m SPAN) ►



KEY PLAN
SCALE - 1:1

NOTES:-

1. ALL DIMENSION ARE IN MM, LEVEL ARE IN METER & CHAINAGE IN KILOMETER UNLESS SPECIFIED OTHERWISE.
2. DO NOT MEASURE THE DRAWING FOLLOW WRITTEN DIMENSION ONLY.
3. THIS DRAWING TO BE READ IN CONJUNCTION TO THE HIGHWAY DRAWINGS. IF THERE IS ANY DIFFERENCE IN CHAINAGE OR LEVELS H/W DRAWINGS WILL PREVAIL.
4. BACKFILL GRANULAR SOIL MATERIAL BEHIND ABUTMENT SHALL HAVE THE FOLLOWING PROPERTIES = 2.0 T/m³, C = 0, & φ = 30°.
5. THE NEW STRUCTURE IS DESIGNED FOR FOUR LANE LOADING AS PER IRC 6:2017.
6. CONCRETE GARDE :-
• M40 --- FOR CRASH BARRIER
• M35 --- RCC BOX.
• M15 --- FOR PCC LEVELLING COURSE
UNTENSIONED REINFORCEMENT :- FE.500D (T.M.T. DEFORMED BARS) CONFIRMING TO IS:1786.
7. TYPE OF STRUCTURE & CONSTRUCTION METHODOLOGY CONSIDERED IN DESIGN IS
• RCC BOX STRUCTURE
• WEARING COAT 65mm THK. C.C.
• EXPANSION JOINTS - FILLER TYPE.
• APPROACH SLAB-M30 GRADE.
8. ALL STRUCTURAL DIMENSIONS SHOWN ARE BASED ON PRELIMINARY DESIGNS.
9. 600MM THICK FILTER MATERIAL BEHIND PCC ABUTMENT/RETAINING WALL SHALL BE AS PER APPENDIX 6 OF IRC:78-2014.
10. APPROACH SLAB, DRAINAGE SPOUT, CRASH BARRIER, RAILING & FOOTPATH DETAIL REFER MISCELLANEOUS DRAWING.
11. 100MM DIA P.V.C. PIPE AT SPACING 1000 C/C IN HORIZONTAL/VERTICAL DIRECTION SHALL BE PROVIDED UP TO 150MM ABOVE LOW WATER LEVEL FOR WEEP HOLES IN VERTICAL WALL.
12. ALL CONSTRUCTION SHALL CONFIRM TO CONTRACT SPECIFICATIONS.
13. COMPACTED EARTH SHOULD CONFIRM TO CLAUSE 305.2.1.5 OF MORTH SPECIFICATIONS.
14. HYDROLOGICAL DATA.
DISCHARGE --- 65.766 CUMEC
HFL --- 57.111 m
VELOCITY --- 2.284 m/sec
MIN.VERTICAL CLEARANCE --- 0.9 m (AS PER IRC:78:2014)
15. CLEAR COVER TO REINFORCEMENT FOR FOOTING & EARTH FACE OF BOX SHALL BE 75 mm & FOR NON EARTH FACE OF BOX & TOP SLAB SHALL BE 50mm.
16. NET BEARING CAPACITY OF SOIL REQUIRED FOR FOUNDATION IS 15T/m², WHICH SHOULD BE CONFIRMED AND VERIFY AT SITE BEFORE EXECUTION.
17. BRIDGE IS DESIGN FOR SEISMIC ZONE V OF SEISMIC MAP OF INDIA.




Project Title:-

CONSULTANCY SERVICES FOR FEASIBILITY STUDY, PREPARATION OF DETAILED PROJECT REPORT AND PROVIDING PRE-CONSTRUCTION SERVICES FOR UP-GRADATION OF SELECTED ROAD STRETCHES / CORRIDORS TO TWO LANE WITH PAVED SHOULDER NH CONFIGURATION UNDER BHARAT MALA PROJECT AND NATIONAL HIGHWAYS CONNECTIVITY TO BACKWARD AREAS/RELIGIOUS/TOURIST PLACES OF THE COUNTRY IN THE STATE OF TRIPURA.

TELIAMURA - SABROOM SECTION

CLIENT:-



NATIONAL HIGHWAYS & INFRASTRUCTURE DEVELOPMENT CORPORATION LTD

Drawing Title:-

GENERAL ARRANGEMENT DRAWING
OF MINOR BRIDGE AT CH. 73+600

Drawing No. :- TASPL/NHIDCL/FDPR/GAD/09


Scale :- AS SHOWN

Drn	Dgn.	Appd	Sheet :
D.S	D.P.S	B.Ram	01 OF 02

CONSULTANT:-






Technocrats Advisory Services Private Limited
in association with Vaishnavi Infratech Services Pvt. Ltd
68,Ajanta Apartments, 36, I.P. Extension
Patparganj Delhi-110092.




FRL LEVEL	60.130	60.130	60.130
GROUND (M.)	54.205	54.153	54.178
CHAINAGE (M.)	73+591.55	73+600	73+608.45


LEGENDS:-
 FRL:-FINISH ROAD LEVEL
 HFL:-HIGHEST FLOOD LEVEL
 FDN:-FOUNDATION LEVEL
 LBL:-LOWEST BED LEVEL




DETAIL OF CURTAIN WALL-I
 (DOWN STREAM SIDE)
 (SCALE 1:50)



DETAIL OF CURTAIN WALL-II
 (UP STREAM SIDE)
 (SCALE 1:50)



DETAIL 'C'
 (SCALE 1:25)



DETAIL D
 (SCALE 1:50)



Project Title:-

CONSULTANCY SERVICES FOR FEASIBILITY STUDY, PREPARATION OF DETAILED PROJECT REPORT AND PROVIDING PRE-CONSTRUCTION SERVICES FOR UP-GRADATION OF SELECTED ROAD STRETCHES / CORRIDORS TO TWO LANE WITH PAVED SHOULDER NH CONFIGURATION UNDER BHARAT MALA PROJECT AND NATIONAL HIGHWAYS CONNECTIVITY TO BACKWARD AREAS/RELIGIOUS/TOURIST PLACES OF THE COUNTRY IN THE STATE OF TRIPURA.

TELIAMURA - SABROOM SECTION

CLIENT:-



NATIONAL HIGHWAYS & INFRASTRUCTURE DEVELOPMENT CORPORATION LTD

Drawing Title:-

GENERAL ARRANGEMENT DRAWING OF MINOR BRIDGE AT CH. 73+600

Drawing No. :- TASPL/NHIDCL/FDPR/GAD/09



Scale :- AS SHOWN

Drn	Dgn.	Appd	Sheet :
D.S	D.P.S	B.Ram	02 OF 02

CONSULTANT:-



Technocrats Advisory Services Private Limited
 in association with Vaishnavi Infratech Services Pvt. Ltd
 68,Ajanta Apartments, 36, I.P. Extension
 Patparganj Delhi-110092.



- NOTES:**
- ALL DIMENSIONS ARE IN MILLIMETERS UNLESS NOTED OTHERWISE.
 - DIMENSIONS ARE NOT TO BE SCALED. ONLY WRITTEN DIMENSIONS SHALL BE FOLLOWED.
 - CONCRETE GRADE SHALL BE OF GRADE M35.
 - ALL REINFORCING STEEL SHALL BE HIGH YIELD STRENGTH DEFORMED(TMT) BARS (GRADE-Fe 500D).
 - CLEAR COVER TO OUTERMOST REINF. SHALL BE
 - TOP SLAB -40mm
 - SIDE WALL (EARTH SIDE) -75mm
 - SIDE WALL (INNER SIDE) -40mm
 - BOTTOM SLAB -75mm
 - BOND CONDITION**
(AS PER CL 15.2.3,IRC:112-2011)
BASIC ANCHORAGE LENGTH SHALL BE 65XDIA METER OF THE BAR.
LAP LENGTH SHALL BE PROVIDED AS PER THE TABLE GIVEN BELOW:-
(FOR GRADE OF CONC.M30)

LAP LENGTH	% LAP AT ANY SECTIONS IS
58 D	<25%
66 D	BETWEEN 25-33%
80 D	BETWEEN 33-50%
86 D	<50%

- LAPS SHALL BE STAGGERED AND SUITABLY PLACED.

REFERENCE DRAWINGS

- GAD FOR MINOR BRIDGE AT DESIGN CH.73+600
TASPL-NHIDCL-FDPR-73+600-101 (2 SHEETS)

LEGEND:



TOP/NON EARTH FACE BAR SHOWN THUS

BOTTOM/EARTH FACE BAR SHOWN THUS

b/f - BOTH FACE

SCHEDULE OF REINFORCEMENT

BAR MARK	SHAPE OF BARS (NOT TO SCALE)	BAR IN DIA IN MM	SPACING OR NO. OF BAR
ts1		12	180
ts2		16	180
ts2a		12	180
ts3		10	150
ts4		10	150
ts5		16	6 Nos.x2
ts6		16	4 Nos.
bs1		16	90
bs2		20	180
bs3		12	150
bs4		12	150
w1		20	180
w2		16	180
w3		16	180
w4		10	250
w5		12	150
w5a		12	150
w6		16	6 Nos.x2
w7		16	4 Nos.
h1		12	180
s1		12	150
s2		10	150
b1		12	5 Nos.
b2		12	200
s1		NA	NA
s2		NA	NA




Project Title:-

CONSULTANCY SERVICES FOR FEASIBILITY STUDY, PREPARATION OF DETAILED PROJECT REPORT AND PROVIDING PRE-CONSTRUCTION SERVICES FOR UP-GRADATION OF SELECTED ROAD STRETCHES / CORRIDORS TO TWO LANE WITH PAVED SHOULDER NH CONFIGURATION UNDER BHARAT MALA PROJECT AND NATIONAL HIGHWAYS CONNECTIVITY TO BACKWARD AREAS/RELIGIOUS/TOURIST PLACES OF THE COUNTRY IN THE STATE OF TRIPURA.

TELIAMURA - SABROOM SECTION

CLIENT:-



NATIONAL HIGHWAYS & INFRASTRUCTURE DEVELOPMENT CORPORATION LTD

Drawing Title:-

REINFORCEMENT DETAILS DRAWING OF MINOR BRIDGE AT CH. 73+600

Drawing No. :- TASPL/NHIDCL/FDPR/GAD/09





Scale :- AS SHOWN

Drn	Dgn.	Appd	Sheet :
D.S	D.P.S	B.Ram	01 OF 02

CONSULTANT:-



Technocrats Advisory Services Private Limited
in association with Vaishnavi Infratech Services Pvt. Ltd
68,Ajanta Apartments, 36, I.P. Extension
Patparganj Delhi-110092.




Project Title:-

CONSULTANCY SERVICES FOR FEASIBILITY STUDY, PREPARATION OF DETAILED PROJECT REPORT AND PROVIDING PRE-CONSTRUCTION SERVICES FOR UP-GRADATION OF SELECTED ROAD STRETCHES / CORRIDORS TO TWO LANE WITH PAVED SHOULDER NH CONFIGURATION UNDER BHARAT MALA PROJECT AND NATIONAL HIGHWAYS CONNECTIVITY TO BACKWARD AREAS/RELIGIOUS/TOURIST PLACES OF THE COUNTRY IN THE STATE OF TRIPURA.

TELIAMURA - SABROOM SECTION

CLIENT:-



**NATIONAL HIGHWAYS & INFRASTRUCTURE
DEVELOPMENT CORPORATION LTD**

Drawing Title:-

**REINFORCEMENT DETAILS DRAWING
OF MINOR BRIDGE AT CH. 73+600**

Drawing No. :- TASPL/NHIDCL/FDPR/GAD/09

Scale :- AS SHOWN



Drn	Dgn.	Appd	Sheet :
D.S	D.P.S	B.Ram	02 OF 02

CONSULTANT:-




Technocrats Advisory Services Private Limited
in association with Vaishnavi Infratech Services Pvt. Ltd
68,Ajanta Apartments, 36, I.P. Extension
Patparganj Delhi-110092.

MINOR BRIDGE AT CH. 76+600 (2X11.5m SPAN) ►






TO TELIAMURA TO SABROOM




NOTES:-


- ALL DIMENSION ARE IN MM, LEVEL ARE IN METER & CHAINAGE IN KILOMETER UNLESS SPECIFIED OTHERWISE.
- DO NOT MEASURE THE DRAWING FOLLOW WRITTEN DIMENSION ONLY.
- THIS DRAWING TO BE READ IN CONJUNCTION TO THE HIGHWAY DRAWINGS. IF THERE IS ANY DIFFERENCE IN CHAINAGE OR LEVELS H/W DRAWINGS WILL PREVAIL.
- BACKFILL GRANULAR SOIL MATERIAL BEHIND ABUTMENT SHALL HAVE THE FOLLOWING PROPERTIES = 2.0 T/m³, $\phi = 30^\circ$, CONFORMING TO IRC: 78-2014.
- THE NEW STRUCTURE IS DESIGNED FOR FOUR LANE LOADING AS PER IRC 6:2017.
- CONCRETE GARDE :-
 - M40 -- FOR CRASH BARRIER
 - M35 -- RCC BOX.
 - M15 -- FOR PCC LEVELLING COURSE
- UNTIONSED REINFORCEMENT :- FE.500D (T.M.T. DEFORMED BARS) CONFIRMING TO IS:1786.
- TYPE OF STRUCTURE & CONSTRUCTION METHODOLOGY CONSIDERED IN DESIGN IS
 - RCC BOX STRUCTURE
 - WEARING COAT 65mm THK. C.C.
 - EXPANSION JOINTS - FILLER TYPE.
 - APPROACH SLAB-M30 GRADE.
- ALL STRUCTURAL DIMENSIONS SHOWN ARE BASED ON PRELIMINARY DESIGNS.
- 600MM THICK FILTER MATERIAL BEHIND PCC ABUTMENT/RETAINING WALL SHALL BE AS PER APPENDIX 6 OF IRC:78-2014.
- APPROACH SLAB, DRAINAGE SPOUT, CRASH BARRIER, RAILING & FOOTPATH DETAIL REFER MISCELLANEOUS DRAWING.
- 100MM DIA P.V.C. PIPE AT SPACING 1000 C/C IN HORIZONTAL/VERTICAL DIRECTION SHALL BE PROVIDED UP TO 150MM ABOVE LOW WATER LEVEL FOR WEEP HOLES IN VERTICAL WALL.
- ALL CONSTRUCTION SHALL CONFIRM TO CONTRACT SPECIFICATIONS.
- COMPACTED EARTH SHOULD CONFIRM TO CLAUSE 305.2.1.5 OF MORTH SPECIFICATIONS.
- HYDROLOGICAL DATA.

DISCHARGE	-- 37.174 CUMEC
HFL	-- 47.369 m
VELOCITY	-- 1.93 m/sec
MIN.VERTICAL CLEARANCE	-- 0.9 m (AS PER IRC:78:2014)
- CLEAR COVER TO REINFORCEMENT FOR FOOTING & EARTH FACE OF BOX SHALL BE 75 mm & FOR NON EARTH FACE OF BOX & TOP SLAB SHALL BE 50mm.
- NET BEARING CAPACITY OF SOIL REQUIRED FOR FOUNDATION IS 15T/m², WHICH SHOULD BE CONFIRMED AND VERIFY AT SITE BEFORE EXECUTION.
- BRIDGE IS DESIGN FOR SEISMIC ZONE V OF SEISMIC MAP OF INDIA.


	Project Title:-	 NATIONAL HIGHWAYS & INFRASTRUCTURE DEVELOPMENT CORPORATION LTD	Drawing Title:- GENERAL ARRANGEMENT DRAWING OF MINOR BRIDGE AT CH. 76+600				CONSULTANT:-  Technocrats Advisory Services Private Limited in association with Vaishnavi Infratech Services Pvt. Ltd 68,Ajanta Apartments, 36, I.P. Extension Patparganj Delhi-110092.
			Drawing No. :- TASPL/NHIDCL/FDPR/GAD/09				
			Scale :- AS SHOWN				
	Drn		Dgn.	Appd	Sheet : 01 OF 02		
	D.S		D.P.S	B.Ram			
	<u>TELIAMURA - SABROOM SECTION</u>						




REINFORCEMENT DETAILS OF RCC BOX




VIEW A-A




DETAIL AT 'A'




MESH REIN. FOR EVERY OBTUSE CORNER OF TOP SLAB.
(WHERE α IS THE CLEAR SPAN)




REINFORCEMENT DETAILS OF TOP SLAB
(MESH REIN.FOR OBTUSE CORNER IS NOT SHOWN FOR CLARITY)




REINFORCEMENT DETAILS OF BOTTOM SLAB
(MESH REIN.FOR OBTUSE CORNER IS NOT SHOWN FOR CLARITY)



DETAIL-B



DETAIL-C



DETAIL-D





































NOTES:

- ALL DIMENSIONS ARE IN MILLIMETERS UNLESS NOTED OTHERWISE.
- DIMENSIONS ARE NOT TO BE SCALED. ONLY WRITTEN DIMENSIONS SHALL BE FOLLOWED.
- CONCRETE SHALL BE OF GRADE M30 AND STEEL GRADE SHALL BE Fe500D CONFORMING TO IS:1786.2008.
- CLEAR COVER TO MAIN REINFORCEMENT SHALL BE :-
(i) WITH EARTH FACE 75mm
(ii) WITHOUT EARTH FACE 50MM
- LAPS SHALL BE STAGGERED AND SUITABLY PLACED.
- LAP LENGTH SHALL BE CALCULATED AS PER IRC:112-2011.
- CONDITION OF EXPOSURE-MODERATE.

LEGEND:

TOP/NEAR FACE BAR SHOWN THUS ———
BOTTOM/FAR FACE BAR SHOWN THUS - - - - -
VL - VARYING LENGTH

REINFORCEMENT TABLE

Chainage		110+240	
Bar mark	Bar shape	Dia	Spacing
ts1		20	180
ts1a(VL)		NA	NA
ts2		16	180
ts2a(VL)		NA	NA
ts3		20	180
ts3a(VL)		20	180
ts4		12	120
ts5		12	120
ts6		12	2x4NOS
ts7		12	2x8NOS
ts8		16	180
ts8a(VL)		16	180
ts9		16	180
ts9a(VL)		16	180
bs1		20	180
bs1a(VL)		20	180
bs2		20	180
bs2a(VL)		20	180
bs3		20	180
bs3a(VL)		20	180
bs4		12	120
bs5		12	120
bs6		20	180
bs6a(VL)		20	180
bs7		20	180
bs7a(VL)		20	180
w1		25	180
w1a(VL)		25	180
w2		25	180
w3		16	180
w4		12	120
w5		12	120
w6		10	150
w7		12	2X8NOS
w8		12	2x6NOS
h1		12	180
L1		1400	
L2		600	
L3		700	



Project Title:-

CONSULTANCY SERVICES FOR FEASIBILITY STUDY, PREPARATION OF DETAILED PROJECT REPORT AND PROVIDING PRE-CONSTRUCTION SERVICES FOR UP-GRADATION OF SELECTED ROAD STRETCHES / CORRIDORS TO TWO LANE WITH PAVED SHOULDER NH CONFIGURATION UNDER BHARAT MALA PROJECT AND NATIONAL HIGHWAYS CONNECTIVITY TO BACKWARD AREAS/RELIGIOUS/TOURIST PLACES OF THE COUNTRY IN THE STATE OF TRIPURA.

TELIAMURA - SABROOM SECTION

CLIENT:-



NATIONAL HIGHWAYS & INFRASTRUCTURE DEVELOPMENT CORPORATION LTD

Drawing Title:-

REINFORCEMENT DETAILS DRAWING OF MINOR BRIDGE AT CH. 76+600

Drawing No. :- TASPL/NHIDCL/FDPR/GAD/09

Scale :- AS SHOWN


Drn	Dgn.	Appd	Sheet :
D.S	D.P.S	B.Ram	01 OF 01




CONSULTANT:-



Technocrats Advisory Services Private Limited
in association with Vaishnavi Infratech Services Pvt. Ltd
68,Ajanta Apartments, 36, I.P. Extension
Patparganj Delhi-110092.

MINOR BRIDGE AT CH. 77+000 (2X8.0m SPAN)





KEY PLAN

SCALE-1:1

NOTES:-

- ALL DIMENSION ARE IN MM, LEVEL ARE IN METER & CHAINAGE IN KILOMETER UNLESS SPECIFIED OTHERWISE.
- DO NOT MEASURE THE DRAWING FOLLOW WRITTEN DIMENSION ONLY.
- THIS DRAWING TO BE READ IN CONJUNCTION TO THE HIGHWAY DRAWINGS. IF THERE IS ANY DIFFERENCE IN CHAINAGE OR LEVELS H/W DRAWINGS WILL PREVAIL.
- BACKFILL GRANULAR SOIL MATERIAL BEHIND ABUTMENT SHALL HAVE THE FOLLOWING PROPERTIES = 2.0 T/m³, C = 0, & φ = 30°, CONFORMING TO IRC: 78-2014.
- THE NEW STRUCTURE IS DESIGNED FOR FOUR LANE LOADING AS PER IRC 6:2017.
- CONCRETE GARDE :-
 - M40 --- FOR CRASH BARRIER
 - M35 --- RCC BOX.
 - M15 --- FOR PCC LEVELLING COURSE
 UNTENSIONED REINFORCEMENT :- FE.500D (T.M.T. DEFORMED BARS) CONFIRMING TO IS:1786.
- TYPE OF STRUCTURE & CONSTRUCTION METHODOLOGY CONSIDERED IN DESIGN IS
 - RCC BOX STRUCTURE
 - WEARING COAT 65mm THK. C.C.
 - EXPANSION JOINTS - FILLER TYPE.
 - APPROACH SLAB-M30 GRADE.
- ALL STRUCTURAL DIMENSIONS SHOWN ARE BASED ON PRELIMINARY DESIGNS.
- 600MM THICK FILTER MATERIAL BEHIND PCC ABUTMENT/RETAINING WALL SHALL BE AS PER APPENDIX 6 OF IRC:78-2014.
- APPROACH SLAB, DRAINAGE SPOUT, CRASH BARRIER, RAILING & FOOTPATH DETAIL REFER MISCELLANEOUS DRAWING.
- 100MM DIA P.V.C. PIPE AT SPACING 1000 C/C IN HORIZONTAL/VERTICAL DIRECTION SHALL BE PROVIDED UP TO 150MM ABOVE LOW WATER LEVEL FOR WEEP HOLES IN VERTICAL WALL.
- ALL CONSTRUCTION SHALL CONFIRM TO CONTRACT SPECIFICATIONS.
- COMPACTED EARTH SHOULD CONFIRM TO CLAUSE 305.2.1.5 OF MORTH SPECIFICATIONS.
- HYDROLOGICAL DATA.

DISCHARGE	-- 55.845 CUMEC
HFL	-- 49.084 m
VELOCITY	-- 2.84 m/sec
MIN.VERTICAL CLEARANCE	-- 0.9 m (AS PER IRC:78:2014)
- CLEAR COVER TO REINFORCEMENT FOR FOOTING & EARTH FACE OF BOX SHALL BE 75 mm & FOR NON EARTH FACE OF BOX & TOP SLAB SHALL BE 50mm.
- NET BEARING CAPACITY OF SOIL REQUIRED FOR FOUNDATION IS 15T/m², WHICH SHOULD BE CONFIRMED AND VERIFY AT SITE BEFORE EXECUTION.
- BRIDGE IS DESIGN FOR SEISMIC ZONE V OF SEISMIC MAP OF INDIA.



Project Title:-

CONSULTANCY SERVICES FOR FEASIBILITY STUDY, PREPARATION OF DETAILED PROJECT REPORT AND PROVIDING PRE-CONSTRUCTION SERVICES FOR UP-GRADATION OF SELECTED ROAD STRETCHES / CORRIDORS TO TWO LANE WITH PAVED SHOULDER NH CONFIGURATION UNDER BHARAT MALA PROJECT AND NATIONAL HIGHWAYS CONNECTIVITY TO BACKWARD AREAS/RELIGIOUS/TOURIST PLACES OF THE COUNTRY IN THE STATE OF TRIPURA.

TELIAMURA - SABROOM SECTION

CLIENT:-



NATIONAL HIGHWAYS & INFRASTRUCTURE DEVELOPMENT CORPORATION LTD

Drawing Title:-

GENERAL ARRANGEMENT DRAWING
OF MINOR BRIDGE AT CH. 77+000

Drawing No. :- TASPL/NHIDCL/FDPR/GAD/09

Scale :- AS SHOWN



Drn	Dgn.	Appd	Sheet :
D.S	D.P.S	B.Ram	01 OF 02

CONSULTANT:-



Technocrats Advisory Services Private Limited

in association with Vaishnavi Infratech Services Pvt. Ltd
68,Ajanta Apartments, 36, I.P. Extension
Patparganj Delhi-110092.



NOTES:

- ALL DIMENSIONS ARE IN MILLIMETERS UNLESS NOTED OTHERWISE.
- DIMENSIONS ARE NOT TO BE SCALED. ONLY WRITTEN DIMENSIONS SHALL BE FOLLOWED.
- CONCRETE GRADE SHALL BE OF GRADE M35.
- ALL REINFORCING STEEL SHALL BE HIGH YIELD STRENGTH DEFORMED(TMT) BARS (GRADE-Fe 500D).
- CLEAR COVER TO OUTERMOST REINF. SHALL BE
 - TOP SLAB -40mm
 - SIDE WALL (EARTH SIDE) -75mm
 - SIDE WALL (INNER SIDE) -40mm
 - BOTTOM SLAB -75mm
- BOND CONDITION**
(AS PER CL 15.2.3,IRC:112-2011)
BASIC ANCHORAGE LENGTH SHALL BE 65XDIA METER OF THE BAR.
LAP LENGTH SHALL BE PROVIDED AS PER THE TABLE GIVEN BELOW:-
(FOR GRADE OF CONC.M30)

LAP LENGTH	% LAP AT ANY SECTIONS IS
58 D	<25%
66 D	BETWEEN 25-33%
80 D	BETWEEN 33-50%
86 D	<50%

- LAPS SHALL BE STAGGERED AND SUITABLY PLACED.

REFERENCE DRAWINGS

- GAD FOR MINOR BRIDGE AT DESIGN CH.77+000
TASPL-NHIDCL-FDPR-77+000-101 (2 SHEETS)

LEGEND:



TOP/NON EARTH FACE BAR SHOWN THUS

BOTTOM/EARTH FACE BAR SHOWN THUS

b/f - BOTH FACE

SCHEDULE OF REINFORCEMENT

BAR MARK	SHAPE OF BARS (NOT TO SCALE)	BAR IN DIA IN MM	SPACING OR NO. OF BAR
ts1		12	180
ts2		16	180
ts2a		12	180
ts3		10	150
ts4		10	150
ts5		16	6 Nos.x2
ts6		16	4 Nos.
bs1		16	90
bs2		20	180
bs3		12	150
bs4		12	150
w1		20	180
w2		16	180
w3		16	180
w4		10	250
w5		12	150
w5a		12	150
w6		16	6 Nos.x2
w7		16	4 Nos.
h1		12	180
s1		12	150
s2		10	150
b1		12	5 Nos.
b2		12	200
s1		NA	NA
s2		NA	NA



Project Title:-

CONSULTANCY SERVICES FOR FEASIBILITY STUDY, PREPARATION OF DETAILED PROJECT REPORT AND PROVIDING PRE-CONSTRUCTION SERVICES FOR UP-GRADATION OF SELECTED ROAD STRETCHES / CORRIDORS TO TWO LANE WITH PAVED SHOULDER NH CONFIGURATION UNDER BHARAT MALA PROJECT AND NATIONAL HIGHWAYS CONNECTIVITY TO BACKWARD AREAS/RELIGIOUS/TOURIST PLACES OF THE COUNTRY IN THE STATE OF TRIPURA.

TELIAMURA - SABROOM SECTION

CLIENT:-



NATIONAL HIGHWAYS & INFRASTRUCTURE DEVELOPMENT CORPORATION LTD

Drawing Title:-

REINFORCEMENT DETAILS DRAWING OF MINOR BRIDGE AT CH. 77+000

Drawing No. :- TASPL/NHIDCL/FDPR/GAD/09





Scale :- AS SHOWN

Drn	Dgn.	Appd	Sheet :
D.S	D.P.S	B.Ram	01 OF 02

CONSULTANT:-



Technocrats Advisory Services Private Limited
in association with Vaishnavi Infratech Services Pvt. Ltd
68,Ajanta Apartments, 36, I.P. Extension
Patparganj Delhi-110092.



Project Title:-

CONSULTANCY SERVICES FOR FEASIBILITY STUDY, PREPARATION OF DETAILED PROJECT REPORT AND PROVIDING PRE-CONSTRUCTION SERVICES FOR UP-GRADATION OF SELECTED ROAD STRETCHES / CORRIDORS TO TWO LANE WITH PAVED SHOULDER NH CONFIGURATION UNDER BHARAT MALA PROJECT AND NATIONAL HIGHWAYS CONNECTIVITY TO BACKWARD AREAS/RELIGIOUS/TOURIST PLACES OF THE COUNTRY IN THE STATE OF TRIPURA.

TELIAMURA - SABROOM SECTION

CLIENT:-



**NATIONAL HIGHWAYS & INFRASTRUCTURE
DEVELOPMENT CORPORATION LTD**

Drawing Title:-

**REINFORCEMENT DETAILS DRAWING
OF MINOR BRIDGE AT CH. 77+000**

Drawing No. :- TASPL/NHIDCL/FDPR/GAD/09

Scale :- AS SHOWN


Drn	Dgn.	Appd	Sheet :
D.S	D.P.S	B.Ram	02 OF 02




CONSULTANT:-



Technocrats Advisory Services Private Limited
in association with Vaishnavi Infratech Services Pvt. Ltd
68, Ajanta Apartments, 36, I.P. Extension
Patparganj Delhi-110092.

MINOR BRIDGE AT CH. 80+270 (3X9.0m SPAN)








NOTES:-


- ALL DIMENSION ARE IN MM, LEVEL ARE IN METER & CHAINAGE IN KILOMETER UNLESS SPECIFIED OTHERWISE.
- DO NOT MEASURE THE DRAWING FOLLOW WRITTEN DIMENSION ONLY.
- THIS DRAWING TO BE READ IN CONJUNCTION TO THE HIGHWAY DRAWINGS. IF THERE IS ANY DIFFERENCE IN CHAINAGE OR LEVELS H/W DRAWINGS WILL PREVAIL.
- BACKFILL GRANULAR SOIL MATERIAL BEHIND ABUTMENT SHALL HAVE THE FOLLOWING PROPERTIES = 2.0 T/m³, C = 0.8%, $\phi = 30^\circ$, CONFORMING TO IRC: 78-2014.
- THE NEW STRUCTURE IS DESIGNED FOR FOUR LANE LOADING AS PER IRC 6:2017.
- CONCRETE GARDE :-
 - M40 -- FOR CRASH BARRIER
 - M35 -- RCC BOX.
 - M15 -- FOR PCC LEVELLING COURSE
- TYPE OF STRUCTURE & CONSTRUCTION METHODOLOGY CONSIDERED IN DESIGN IS
 - RCC BOX STRUCTURE
 - WEARING COAT 65mm THK. C.C.
 - EXPANSION JOINTS - FILLER TYPE.
 - APPROACH SLAB-M30 GRADE.
- ALL STRUCTURAL DIMENSIONS SHOWN ARE BASED ON PRELIMINARY DESIGNS.

- 600MM THICK FILTER MATERIAL BEHIND PCC ABUTMENT/RETAINING WALL SHALL BE AS PER APPENDIX 6 OF IRC:78-2014.
- APPROACH SLAB, DRAINAGE SPOUT, CRASH BARRIER, RAILING & FOOTPATH DETAIL REFER MISCELLANEOUS DRAWING.
- 100MM DIA P.V.C. PIPE AT SPACING 1000 C/C IN HORIZONTAL/VERTICAL DIRECTION SHALL BE PROVIDED UP TO 150MM ABOVE LOW WATER LEVEL FOR WEEP HOLES IN VERTICAL WALL.
- ALL CONSTRUCTION SHALL CONFIRM TO CONTRACT SPECIFICATIONS.
- COMPACTED EARTH SHOULD CONFIRM TO CLAUSE 305.2.1.5 OF MORTH SPECIFICATIONS.
- HYDROLOGICAL DATA.




DISCHARGE	-- 95.95 CUMEC
HFL	-- 39.194 m
VELOCITY	-- 2.478 m/sec
MIN.VERTICAL CLEARANCE	-- 0.9 m (AS PER IRC:78:2014)
- CLEAR COVER TO REINFORCEMENT FOR FOOTING & EARTH FACE OF BOX SHALL BE 75 mm & FOR NON EARTH FACE OF BOX & TOP SLAB SHALL BE 50mm.
- NET BEARING CAPACITY OF SOIL REQUIRED FOR FOUNDATION IS 10T/m², WHICH SHOULD BE CONFIRMED AND VERIFY AT SITE BEFORE EXECUTION. IF THE REQUIRED BEARING CAPACITY IS NOT ACHIEVED AT FOUNDING LEVEL SUITABLE GROUND IMPROVEMENT SHALL BE DONE BELOW FOUNDING LEVEL.
- BRIDGE IS DESIGN FOR SEISMIC ZONE V OF SEISMIC MAP OF INDIA.

	Project Title:-	 NATIONAL HIGHWAYS & INFRASTRUCTURE DEVELOPMENT CORPORATION LTD	Drawing Title:- GENERAL ARRANGEMENT DRAWING OF MINOR BRIDGE AT CH. 80+270				CONSULTANT:-  Technocrats Advisory Services Private Limited in association with Vaishnavi Infratech Services Pvt. Ltd 68,Ajanta Apartments, 36, I.P. Extension Patparganj Delhi-110092.				
			Drawing No. :- TASPL/NHIDCL/FDPR/GAD/09								
			Scale :- AS SHOWN								
	<table><tr><td>Drn</td><td>Dgn.</td><td>Appd</td><td>Sheet :</td></tr><tr><td>D.S</td><td>D.P.S</td><td>B.Ram</td><td>01 OF 02</td></tr></table>		Drn	Dgn.	Appd	Sheet :		D.S	D.P.S	B.Ram	01 OF 02
Drn	Dgn.	Appd	Sheet :								
D.S	D.P.S	B.Ram	01 OF 02								




| **CONSULTANCY SERVICES FOR FEASIBILITY STUDY, PREPARATION OF DETAILED PROJECT REPORT AND PROVIDING PRE-CONSTRUCTION SERVICES FOR UP-GRADATION OF SELECTED ROAD STRETCHES / CORRIDORS TO TWO LANE WITH PAVED SHOULDER NH CONFIGURATION UNDER BHARAT MALA PROJECT AND NATIONAL HIGHWAYS CONNECTIVITY TO BACKWARD AREAS/RELIGIOUS/TOURIST PLACES OF THE COUNTRY IN THE STATE OF TRIPURA.** | | | | | |
| TELIAMURA - SABROOM SECTION | | | | | |



FRL LEVEL	42.215	42.215	42.215
GROUND (M.)	36.980	35.852	36.978
CHAINAGE (M.)	80+255.88	80+270	80+284.12



LEGENDS:-
FRL:-FINISH ROAD LEVEL
HFL:-HIGHEST FLOOD LEVEL
FDN:-FOUNDATION LEVEL
LBL:-LOWEST BED LEVEL



DETAIL OF CURTAIN WALL-I
(DOWN STREAM SIDE)
(SCALE 1:50)

DETAIL OF CURTAIN WALL-II
(UP STREAM SIDE)
(SCALE 1:50)

DETAIL 'C'
(SCALE 1:25)



Project Title:-

CONSULTANCY SERVICES FOR FEASIBILITY STUDY, PREPARATION OF DETAILED PROJECT REPORT AND PROVIDING PRE-CONSTRUCTION SERVICES FOR UP-GRADATION OF SELECTED ROAD STRETCHES / CORRIDORS TO TWO LANE WITH PAVED SHOULDER NH CONFIGURATION UNDER BHARAT MALA PROJECT AND NATIONAL HIGHWAYS CONNECTIVITY TO BACKWARD AREAS/RELIGIOUS/TOURIST PLACES OF THE COUNTRY IN THE STATE OF TRIPURA.

TELIAMURA - SABROOM SECTION

CLIENT:-



NATIONAL HIGHWAYS & INFRASTRUCTURE DEVELOPMENT CORPORATION LTD

Drawing Title:-

GENERAL ARRANGEMENT DRAWING OF MINOR BRIDGE AT CH. 80+270

Drawing No. :- TASPL/NHIDCL/FDPR/GAD/09


Scale :- AS SHOWN

Drn	Dgn.	Appd	Sheet :
D.S	D.P.S	B.Ram	02 OF 02


CONSULTANT:-




Technocrats Advisory Services Private Limited
in association with Vaishnavi Infratech Services Pvt. Ltd
68,Ajanta Apartments, 36, I.P. Extension
Patparganj Delhi-110092.




REINFORCEMENT DETAILS OF RCC BOX




VIEW A-A



DETAIL AT 'A'




MESH REIN. FOR EVERY OBTUSE CORNER OF TOP SLAB.
(WHERE a IS THE CLEAR SPAN)



REINFORCEMENT DETAILS OF TOP SLAB

(MESH REIN.FOR OBTUSE CORNER IS NOT SHOWN FOR CLARITY)



REINFORCEMENT DETAILS OF BOTTOM SLAB

(MESH REIN.FOR OBTUSE CORNER IS NOT SHOWN FOR CLARITY)

NOTES:


- ALL DIMENSIONS ARE IN MILLIMETERS UNLESS NOTED OTHERWISE.
- DIMENSIONS ARE NOT TO BE SCALED. ONLY WRITTEN DIMENSIONS SHALL BE FOLLOWED.
- CONCRETE SHALL BE OF GRADE M35 AND STEEL GRADE SHALL BE Fe500D CONFORMING TO IS:1786.2008.
- CLEAR COVER TO MAIN REINFORCEMENT SHALL BE :-
(i) WITH EARTH FACE 75mm
(ii) WITHOUT EARTH FACE 50MM
- LAPS SHALL BE STAGGERED AND SUITABLY PLACED.
- LAP LENGTH SHALL BE CALCULATED AS PER IRC:112-2011.
- CONDITION OF EXPOSURE-MODERATE.

LEGEND:


TOP/NEAR FACE BAR SHOWN THUS ————
BOTTOM/FAR FACE BAR SHOWN THUS - - - - -
VL - VARYING LENGTH

REINFORCEMENT TABLE


Chainage	110+240	
Bar mark	Bar shape	Spacing
ts1	16	180
ts1a(VL)	16	180
ts2	16	180
ts2a(VL)	16	180
ts3	20	180
ts3a(VL)	20	180
ts4	12	180
ts5	12	180
ts6	16	2x6NOS
ts7	16	2x6NOS
ts8	16	180
ts8a(VL)	16	180
ts9	16	180
ts9a(VL)	16	180
bs1	25	180
bs1a(VL)	25	180
bs2	20	180
bs2a(VL)	25	225
bs3	16	180
bs3a(VL)	16	180
bs4	12	125
bs5	12	125
bs6	16	180
bs6a(VL)	16	180
bs7	16	180
bs7a(VL)	16	180
w1	20	180
w1a(VL)	20	180
w2	25	180
w3	20	180
w4	10	200
w5	12	125
w6	12	125
w7	16	2x6NOS
w8	16	2x6NOS
h1	12	150
s1	NA	NA
s2	NA	NA



DETAIL-B



DETAIL-C



DETAIL-D



Project Title:-

CONSULTANCY SERVICES FOR FEASIBILITY STUDY, PREPARATION OF DETAILED PROJECT REPORT AND PROVIDING PRE-CONSTRUCTION SERVICES FOR UP-GRADATION OF SELECTED ROAD STRETCHES / CORRIDORS TO TWO LANE WITH PAVED SHOULDER NH CONFIGURATION UNDER BHARAT MALA PROJECT AND NATIONAL HIGHWAYS CONNECTIVITY TO BACKWARD AREAS/RELIGIOUS/TOURIST PLACES OF THE COUNTRY IN THE STATE OF TRIPURA.

TELIAMURA - SABROOM SECTION

CLIENT:-



NATIONAL HIGHWAYS & INFRASTRUCTURE DEVELOPMENT CORPORATION LTD

Drawing Title:-

REINFORCEMENT DETAILS DRAWING OF MINOR BRIDGE AT CH. 80+270

Drawing No. :- TASPL/NHIDCL/FDPR/GAD/09

Scale :- AS SHOWN


Drn	Dgn.	Appd	Sheet :
D.S	D.P.S	B.Ram	01 OF 01




CONSULTANT:-



Technocrats Advisory Services Private Limited
in association with Vaishnavi Infratech Services Pvt. Ltd
68,Ajanta Apartments, 36, I.P. Extension
Patparganj Delhi-110092.

MINOR BRIDGE AT CH. 83+400 (2X7.5m SPAN)





NOTES:-

- ALL DIMENSION ARE IN MM, LEVEL ARE IN METER & CHAINAGE IN KILOMETER UNLESS SPECIFIED OTHERWISE.
- DO NOT MEASURE THE DRAWING FOLLOW WRITTEN DIMENSION ONLY.
- THIS DRAWING TO BE READ IN CONJUNCTION TO THE HIGHWAY DRAWINGS. IF THERE IS ANY DIFFERENCE IN CHAINAGE OR LEVELS H/W DRAWINGS WILL PREVAIL.
- BACKFILL GRANULAR SOIL MATERIAL BEHIND ABUTMENT SHALL HAVE THE FOLLOWING PROPERTIES = 2.0 T/m³, C = 0, & $\phi = 30^\circ$, CONFORMING TO IRC: 78-2014.
- THE NEW STRUCTURE IS DESIGNED FOR FOUR LANE LOADING AS PER IRC 6:2017.
- CONCRETE GARDE :-
 - M40 -- FOR CRASH BARRIER
 - M35 -- RCC BOX.
 - M15 -- FOR PCC LEVELLING COURSE
- TYPE OF STRUCTURE & CONSTRUCTION METHODOLOGY CONSIDERED IN DESIGN IS
 - RCC BOX STRUCTURE
 - WEARING COAT 65mm THK. C.C.
 - EXPANSION JOINTS - FILLER TYPE.
 - APPROACH SLAB-M30 GRADE.
- ALL STRUCTURAL DIMENSIONS SHOWN ARE BASED ON PRELIMINARY DESIGNS.
- 600MM THICK FILTER MATERIAL BEHIND PCC ABUTMENT/RETAINING WALL SHALL BE AS PER APPENDIX 6 OF IRC:78-2014.
- APPROACH SLAB, DRAINAGE SPOUT, CRASH BARRIER, RAILING & FOOTPATH DETAIL REFER MISCELLANEOUS DRAWING.
- 100MM DIA P.V.C. PIPE AT SPACING 1000 C/C IN HORIZONTAL/VERTICAL DIRECTION SHALL BE PROVIDED UP TO 150MM ABOVE LOW WATER LEVEL FOR WEEP HOLES IN VERTICAL WALL.
- ALL CONSTRUCTION SHALL CONFIRM TO CONTRACT SPECIFICATIONS.
- COMPACTED EARTH SHOULD CONFIRM TO CLAUSE 305.2.1.5 OF MORTH SPECIFICATIONS.
- HYDROLOGICAL DATA.

DISCHARGE	-- 28.493 CUMEC
HFL	-- 44.610 m
VELOCITY	-- 2.42 m/sec
MIN.VERTICAL CLEARANCE	-- 0.9 m (AS PER IRC:78:2014)
- CLEAR COVER TO REINFORCEMENT FOR FOOTING & EARTH FACE OF BOX SHALL BE 75 mm & FOR NON EARTH FACE OF BOX & TOP SLAB SHALL BE 50mm.
- NET BEARING CAPACITY OF SOIL REQUIRED FOR FOUNDATION IS 15T/m², WHICH SHOULD BE CONFIRMED AND VERIFY AT SITE BEFORE EXECUTION.
- BRIDGE IS DESIGN FOR SEISMIC ZONE V OF SEISMIC MAP OF INDIA.




Project Title:-

CONSULTANCY SERVICES FOR FEASIBILITY STUDY, PREPARATION OF DETAILED PROJECT REPORT AND PROVIDING PRE-CONSTRUCTION SERVICES FOR UP-GRADATION OF SELECTED ROAD STRETCHES / CORRIDORS TO TWO LANE WITH PAVED SHOULDER NH CONFIGURATION UNDER BHARAT MALA PROJECT AND NATIONAL HIGHWAYS CONNECTIVITY TO BACKWARD AREAS/RELIGIOUS/TOURIST PLACES OF THE COUNTRY IN THE STATE OF TRIPURA.

TELIAMURA - SABROOM SECTION

CLIENT:-



NATIONAL HIGHWAYS & INFRASTRUCTURE DEVELOPMENT CORPORATION LTD

Drawing Title:-

GENERAL ARRANGEMENT DRAWING OF MINOR BRIDGE AT CH. 83+400

Drawing No. :- TASPL/NHIDCL/FDPR/GAD/09


Scale :- AS SHOWN

Drn	Dgn.	Appd	Sheet :
D.S	D.P.S	B.Ram	01 OF 02




CONSULTANT:-






Technocrats Advisory Services Private Limited
in association with Vaishnavi Infratech Services Pvt. Ltd
68,Ajanta Apartments, 36, I.P. Extension
Patparganj Delhi-110092.



FRL LEVEL	47.231	47.231	47.231
GROUND (M.)	42.666	41.863	43.138
CHAINAGE (M.)	83+392.05	83+400	83+407.95



LEGENDS:-
 FRL:-FINISH ROAD LEVEL
 HFL:-HIGHEST FLOOD LEVEL
 FDN:-FOUNDATION LEVEL
 LBL:-LOWEST BED LEVEL



DETAIL OF CURTAIN WALL-I
(DOWN STREAM SIDE)
(SCALE 1:50)

DETAIL OF CURTAIN WALL-II
(UP STREAM SIDE)
(SCALE 1:50)

DETAIL-'C'
(SCALE 1:25)



Project Title:-

CONSULTANCY SERVICES FOR FEASIBILITY STUDY, PREPARATION OF DETAILED PROJECT REPORT AND PROVIDING PRE-CONSTRUCTION SERVICES FOR UP-GRADATION OF SELECTED ROAD STRETCHES / CORRIDORS TO TWO LANE WITH PAVED SHOULDER NH CONFIGURATION UNDER BHARAT MALA PROJECT AND NATIONAL HIGHWAYS CONNECTIVITY TO BACKWARD AREAS/RELIGIOUS/TOURIST PLACES OF THE COUNTRY IN THE STATE OF TRIPURA.

TELIAMURA - SABROOM SECTION

CLIENT:-



NATIONAL HIGHWAYS & INFRASTRUCTURE DEVELOPMENT CORPORATION LTD

Drawing Title:-

GENERAL ARRANGEMENT DRAWING
OF MINOR BRIDGE AT CH. 83+400

Drawing No. :- TASPL/NHIDCL/FDPR/GAD/09


Scale :- AS SHOWN

Drn	Dgn.	Appd	Sheet :
D.S	D.P.S	B.Ram	02 OF 02


CONSULTANT:-




Technocrats Advisory Services Private Limited
in association with Vaishnavi Infratech Services Pvt. Ltd
68,Ajanta Apartments, 36, I.P. Extension
Patparganj Delhi-110092.




REINFORCEMENT DETAILS OF RCC BOX




VIEW A-A




DETAIL AT 'A'



MESH REIN. FOR EVERY OBTUSE CORNER OF TOP SLAB.
(WHERE α IS THE CLEAR SPAN)



REINFORCEMENT DETAILS OF TOP SLAB
(MESH REIN.FOR OBTUSE CORNER IS NOT SHOWN FOR CLARITY)



REINFORCEMENT DETAILS OF BOTTOM SLAB
(MESH REIN.FOR OBTUSE CORNER IS NOT SHOWN FOR CLARITY)

NOTES:


- ALL DIMENSIONS ARE IN MILLIMETERS UNLESS NOTED OTHERWISE.
- DIMENSIONS ARE NOT TO BE SCALED. ONLY WRITTEN DIMENSIONS SHALL BE FOLLOWED.
- CONCRETE SHALL BE OF GRADE M35 AND STEEL GRADE SHALL BE Fe500D CONFORMING TO IS:1786.2008.
- CLEAR COVER TO MAIN REINFORCEMENT SHALL BE :-
(i) WITH EARTH FACE 75mm
(ii) WITHOUT EARTH FACE 50MM
- LAPS SHALL BE STAGGERED AND SUITABLY PLACED.
- LAP LENGTH SHALL BE CALCULATED AS PER IRC:112-2011.
- CONDITION OF EXPOSURE-MODERATE.

LEGEND:


TOP/NEAR FACE BAR SHOWN THUS ———
BOTTOM/FAR FACE BAR SHOWN THUS - - - - -
VL - VARYING LENGTH

REINFORCEMENT TABLE


Chainage		110+240	
Bar mark	Bar shape	Dia	Spacing
ts1		12	180
ts1a(VL)		10	180
ts2		12	180
ts2a(VL)		10	180
ts3		16	180
ts3a(VL)		16	180
ts4		10	150
ts5		10	150
ts6		16	2x4NOS
ts7		12	2x4NOS
ts8		12	180
ts8a(VL)		12	180
ts9		12	180
ts9a(VL)		12	180
bs1		16	180
bs1a(VL)		16	180
bs2		20	180
bs2a(VL)		20	180
bs3		16	180
bs3a(VL)		16	180
bs4		12	180
bs5		12	180
bs6		12	180
bs6a(VL)		12	180
bs7		12	180
bs7a(VL)		12	180
w1		20	180
w1a(VL)		20	180
w2		16	180
w3		16	180
w4		12	180
w5		12	180
w6		10	150
w7		12	2X8NOS
w8		12	2x6NOS
h1		12	180
s1		10	150
s2		10	150



DETAIL-B



DETAIL-C



DETAIL-D



Project Title:-

CONSULTANCY SERVICES FOR FEASIBILITY STUDY, PREPARATION OF DETAILED PROJECT REPORT AND PROVIDING PRE-CONSTRUCTION SERVICES FOR UP-GRADATION OF SELECTED ROAD STRETCHES / CORRIDORS TO TWO LANE WITH PAVED SHOULDER NH CONFIGURATION UNDER BHARAT MALA PROJECT AND NATIONAL HIGHWAYS CONNECTIVITY TO BACKWARD AREAS/RELIGIOUS/TOURIST PLACES OF THE COUNTRY IN THE STATE OF TRIPURA.

TELIAMURA - SABROOM SECTION

CLIENT:-



NATIONAL HIGHWAYS & INFRASTRUCTURE DEVELOPMENT CORPORATION LTD

Drawing Title:-

REINFORCEMENT DETAILS DRAWING OF MINOR BRIDGE AT CH. 83+400

Drawing No. :- TASPL/NHIDCL/FDPR/GAD/09

Scale :- AS SHOWN



Drn	Dgn.	Appd	Sheet :
D.S	D.P.S	B.Ram	01 OF 01

CONSULTANT:-




Technocrats Advisory Services Private Limited
in association with Vaishnavi Infratech Services Pvt. Ltd
68,Ajanta Apartments, 36, I.P. Extension
Patparganj Delhi-110092.

MINOR BRIDGE AT CH. 85+270 (1X10m SPAN) ►



TO TELIAMURA

TO SABROOM



KEY PLAN

SCALE-1:1

NOTES:-

- ALL DIMENSION ARE IN MM, LEVEL ARE IN METER & CHAINAGE IN KILOMETER UNLESS SPECIFIED OTHERWISE.
- DO NOT MEASURE THE DRAWING FOLLOW WRITTEN DIMENSION ONLY.
- THIS DRAWING TO BE READ IN CONJUNCTION TO THE HIGHWAY DRAWINGS. IF THERE IS ANY DIFFERENCE IN CHAINAGE OR LEVELS H/W DRAWINGS WILL PREVAIL.
- BACKFILL GRANULAR SOIL MATERIAL BEHIND ABUTMENT SHALL HAVE THE FOLLOWING PROPERTIES = 2.0 T/m³, C = 0, & φ = 30°, CONFORMING TO IRC: 78-2014.
- THE NEW STRUCTURE IS DESIGNED FOR FOUR LANE LOADING AS PER IRC 6:2017.
- CONCRETE GARDE :-
• M40 --- FOR CRASH BARRIER
• M35 --- RCC BOX.
• M15 --- FOR PCC LEVELLING COURSE
UNTENSIONED REINFORCEMENT :- FE.500D (T.M.T. DEFORMED BARS) CONFIRMING TO IS:1786.
- TYPE OF STRUCTURE & CONSTRUCTION METHODOLOGY CONSIDERED IN DESIGN IS
• RCC BOX STRUCTURE
• WEARING COAT 65mm THK. C.C.
• EXPANSION JOINTS - FILLER TYPE.
• APPROACH SLAB-M30 GRADE.
- ALL STRUCTURAL DIMENSIONS SHOWN ARE BASED ON PRELIMINARY DESIGNS.
- 600MM THICK FILTER MATERIAL BEHIND PCC ABUTMENT/RETAINING WALL SHALL BE AS PER APPENDIX 6 OF IRC:78-2014.
- APPROACH SLAB, DRAINAGE SPOUT, CRASH BARRIER, RAILING & FOOTPATH DETAIL REFER MISCELLANEOUS DRAWING.
- 100MM DIA P.V.C. PIPE AT SPACING 1000 C/C IN HORIZONTAL/VERTICAL DIRECTION SHALL BE PROVIDED UP TO 150MM ABOVE LOW WATER LEVEL FOR WEEP HOLES IN VERTICAL WALL.
- ALL CONSTRUCTION SHALL CONFIRM TO CONTRACT SPECIFICATIONS.
- COMPACTED EARTH SHOULD CONFIRM TO CLAUSE 305.2.1.5 OF MORTH SPECIFICATIONS.
- HYDROLOGICAL DATA.
DISCHARGE 13.306 CUMEC
HFL 50.843 m
VELOCITY 1.5 m/sec
MIN.VERTICAL CLEARANCE 0.6 m (AS PER IRC:78:2014)
- CLEAR COVER TO REINFORCEMENT FOR FOOTING & EARTH FACE OF BOX SHALL BE 75 mm & FOR NON EARTH FACE OF BOX & TOP SLAB SHALL BE 50mm.
- NET BEARING CAPACITY OF SOIL REQUIRED FOR FOUNDATION IS 15T/m², WHICH SHOULD BE CONFIRMED AND VERIFY AT SITE BEFORE EXECUTION.
- BRIDGE IS DESIGN FOR SEISMIC ZONE V OF SEISMIC MAP OF INDIA.




Project Title:-

CONSULTANCY SERVICES FOR FEASIBILITY STUDY, PREPARATION OF DETAILED PROJECT REPORT AND PROVIDING PRE-CONSTRUCTION SERVICES FOR UP-GRADATION OF SELECTED ROAD STRETCHES / CORRIDORS TO TWO LANE WITH PAVED SHOULDER NH CONFIGURATION UNDER BHARAT MALA PROJECT AND NATIONAL HIGHWAYS CONNECTIVITY TO BACKWARD AREAS/RELIGIOUS/TOURIST PLACES OF THE COUNTRY IN THE STATE OF TRIPURA.

TELIAMURA - SABROOM SECTION

CLIENT:-



NATIONAL HIGHWAYS & INFRASTRUCTURE DEVELOPMENT CORPORATION LTD

Drawing Title:-

GENERAL ARRANGEMENT DRAWING
OF MINOR BRIDGE AT CH. 85+270

Drawing No. :- TASPL/NHIDCL/FDPR/GAD/09

Scale :- AS SHOWN


Drn	Dgn.	Appd	Sheet :
D.S	D.P.S	B.Ram	01 OF 02

CONSULTANT:-








Technocrats Advisory Services Private Limited

in association with Vaishnavi Infratech Services Pvt. Ltd
68,Ajanta Apartments, 36, I.P. Extension
Patparganj Delhi-110092.



FRL LEVEL	53.059	53.059	53.059
GROUND (M.)	47.177	46.533	47.196
CHAINAGE (M.)	85+264.625	85+270	85+27.375



LEGENDS:-
 FRL:-FINISH ROAD LEVEL
 HFL:-HIGHEST FLOOD LEVEL
 FDN:-FOUNDATION LEVEL
 LBL:-LOWEST BED LEVEL



Project Title:-

CONSULTANCY SERVICES FOR FEASIBILITY STUDY, PREPARATION OF DETAILED PROJECT REPORT AND PROVIDING PRE-CONSTRUCTION SERVICES FOR UP-GRADATION OF SELECTED ROAD STRETCHES / CORRIDORS TO TWO LANE WITH PAVED SHOULDER NH CONFIGURATION UNDER BHARAT MALA PROJECT AND NATIONAL HIGHWAYS CONNECTIVITY TO BACKWARD AREAS/RELIGIOUS/TOURIST PLACES OF THE COUNTRY IN THE STATE OF TRIPURA.

TELIAMURA - SABROOM SECTION

CLIENT:-



NATIONAL HIGHWAYS & INFRASTRUCTURE DEVELOPMENT CORPORATION LTD

Drawing Title:-

GENERAL ARRANGEMENT DRAWING OF MINOR BRIDGE AT CH. 85+270

Drawing No. :- TASPL/NHIDCL/FDPR/GAD/09








Scale :- AS SHOWN

Drn	Dgn.	Appd	Sheet :
D.S	D.P.S	B.Ram	02 OF 02

CONSULTANT:-



Technocrats Advisory Services Private Limited
 in association with Vaishnavi Infratech Services Pvt. Ltd
 68,Ajanta Apartments, 36, I.P. Extension
 Patparganj Delhi-110092.



NOTES:

- ALL DIMENSIONS ARE IN MILLIMETERS UNLESS NOTED OTHERWISE.
- DIMENSIONS ARE NOT TO BE SCALED. ONLY WRITTEN DIMENSIONS SHALL BE FOLLOWED.
- CONCRETE GRADE SHALL BE OF GRADE M25.
- ALL REINFORCING STEEL SHALL BE HIGH YIELD STRENGTH DEFORMED(TMT) BARS (GRADE-Fe 500D).
- CLEAR COVER TO OUTERMOST REINF. SHALL BE
 - TOP SLAB -40mm
 - SIDE WALL (EARTH SIDE) -75mm
 - SIDE WALL (INNER SIDE) -40mm
 - BOTTOM SLAB -75mm
- BOND CONDITION**
(AS PER CL 15.2.3,IRC:112-2011)
BASIC ANCHORAGE LENGTH SHALL BE 65XDIAMETER OF THE BAR.
LAP LENGTH SHALL BE PROVIDED AS PER THE TABLE GIVEN BELOW:-
(FOR GRADE OF CONC.M30)

LAP LENGTH	% LAP AT ANY SECTIONS IS
58 D	<25%
66 D	BETWEEN 25-33%
80 D	BETWEEN 33-50%
86 D	<50%

- LAPS SHALL BE STAGGERED AND SUITABLY PLACED.

REFERENCE DRAWINGS

- GAD FOR MINOR BRIDGE AT DESIGN CH.85+270
TASPL-NHIDCL-FDPR-85+270-101 (2 SHEET)

LEGEND:

TOP/NON EARTH FACE BAR SHOWN THUS ————
BOTTOM/EARTH FACE BAR SHOWN THUS - - - - -
b/f ———— - BOTH FACE

SCHEDULE OF REINFORCEMENT

BAR MARK	SHAPE OF BARS (NOT TO SCALE)	BAR IN DIA IN MM	SPACING OR NO. OF BAR
ts1		16	200
ts2		16	200
ts2a		12	200
ts3		12	200
ts4		12	200
ts5		16	6 Nos.x2
bs1		20	200
bs1a		16	200
bs2		20	200
bs3		12	200
bs4		12	200
w1		16	200
w2		16	200
w3		12	200
w4		12	200
w5		16	6 Nos.x2
h1		12	200
s1		12	200
s2		10	200
b1		12	4 Nos.
b2		12	200




Project Title:-

CONSULTANCY SERVICES FOR FEASIBILITY STUDY, PREPARATION OF DETAILED PROJECT REPORT AND PROVIDING PRE-CONSTRUCTION SERVICES FOR UP-GRADATION OF SELECTED ROAD STRETCHES / CORRIDORS TO TWO LANE WITH PAVED SHOULDER NH CONFIGURATION UNDER BHARAT MALA PROJECT AND NATIONAL HIGHWAYS CONNECTIVITY TO BACKWARD AREAS/RELIGIOUS/TOURIST PLACES OF THE COUNTRY IN THE STATE OF TRIPURA.

TELIAMURA - SABROOM SECTION

CLIENT:-



NATIONAL HIGHWAYS & INFRASTRUCTURE DEVELOPMENT CORPORATION LTD

Drawing Title:-

REINFORCEMENT DETAILS DRAWING OF MINOR BRIDGE AT CH. 85+270

Drawing No. :- TASPL/NHIDCL/FDPR/GAD/09

Scale :- AS SHOWN



Drn	Dgn.	Appd	Sheet :
D.S	D.P.S	B.Ram	01 OF 01

CONSULTANT:-



Technocrats Advisory Services Private Limited
in association with Vaishnavi Infratech Services Pvt. Ltd
68,Ajanta Apartments, 36, I.P. Extension
Patparganj Delhi-110092.

MINOR BRIDGE AT CH. 85+445 (1X12.5m SPAN) ►




KEY PLAN

SCALE - 1:1

NOTES:-

- ALL DIMENSION ARE IN MM, LEVEL ARE IN METER & CHAINAGE IN KILOMETER UNLESS SPECIFIED OTHERWISE.
- DO NOT MEASURE THE DRAWING FOLLOW WRITTEN DIMENSION ONLY.
- THIS DRAWING TO BE READ IN CONJUNCTION TO THE HIGHWAY DRAWINGS. IF THERE IS ANY DIFFERENCE IN CHAINAGE OR LEVELS H/W DRAWINGS WILL PREVAIL.
- BACKFILL GRANULAR SOIL MATERIAL BEHIND ABUTMENT SHALL HAVE THE FOLLOWING PROPERTIES = 2.0 T/m^3 , $C = 0$, $\phi = 30^\circ$, CONFORMING TO IRC: 78-2014.
- THE NEW STRUCTURE IS DESIGNED FOR FOUR LANE LOADING AS PER IRC 6:2017.
- CONCRETE GARDE :-
 - M40 -- FOR CRASH BARRIER
 - M35 -- RCC BOX.
 - M15 -- FOR PCC LEVELLING COURSE
- UNTENSIONED REINFORCEMENT :- FE.500D (T.M.T. DEFORMED BARS) CONFIRMING TO IS:1786.
- TYPE OF STRUCTURE & CONSTRUCTION METHODOLOGY CONSIDERED IN DESIGN IS
 - RCC BOX STRUCTURE
 - WEARING COAT 65mm THK. C.C.
 - EXPANSION JOINTS - FILLER TYPE.
 - APPROACH SLAB-M30 GRADE.
- ALL STRUCTURAL DIMENSIONS SHOWN ARE BASED ON PRELIMINARY DESIGNS.
- 600MM THICK FILTER MATERIAL BEHIND PCC ABUTMENT/RETAINING WALL SHALL BE AS PER APPENDIX 6 OF IRC:78-2014.
- APPROACH SLAB, DRAINAGE SPOUT, CRASH BARRIER, RAILING & FOOTPATH DETAIL REFER MISCELLANEOUS DRAWING.
- 100MM DIA P.V.C. PIPE AT SPACING 1000 C/C IN HORIZONTAL/VERTICAL DIRECTION SHALL BE PROVIDED UP TO 150MM ABOVE LOW WATER LEVEL FOR WEEP HOLES IN VERTICAL WALL.
- ALL CONSTRUCTION SHALL CONFIRM TO CONTRACT SPECIFICATIONS.
- COMPACTED EARTH SHOULD CONFIRM TO CLAUSE 305.2.1.5 OF MORTH SPECIFICATIONS.
- HYDROLOGICAL DATA.

DISCHARGE	19.298 CUMEC
HFL	51.734 m
VELOCITY	1.42 m/sec
MIN.VERTICAL CLEARANCE	0.6 m (AS PER IRC:78:2014)
- CLEAR COVER TO REINFORCEMENT FOR FOOTING & EARTH FACE OF BOX SHALL BE 75 mm & FOR NON EARTH FACE OF BOX & TOP SLAB SHALL BE 50mm.
- NET BEARING CAPACITY OF SOIL REQUIRED FOR FOUNDATION IS 15 T/m^2 , WHICH SHOULD BE CONFIRMED AND VERIFY AT SITE BEFORE EXECUTION.
- BRIDGE IS DESIGN FOR SEISMIC ZONE V OF SEISMIC MAP OF INDIA.



Project Title:-

CONSULTANCY SERVICES FOR FEASIBILITY STUDY, PREPARATION OF DETAILED PROJECT REPORT AND PROVIDING PRE-CONSTRUCTION SERVICES FOR UP-GRADATION OF SELECTED ROAD STRETCHES / CORRIDORS TO TWO LANE WITH PAVED SHOULDER NH CONFIGURATION UNDER BHARAT MALA PROJECT AND NATIONAL HIGHWAYS CONNECTIVITY TO BACKWARD AREAS/RELIGIOUS/TOURIST PLACES OF THE COUNTRY IN THE STATE OF TRIPURA.

TELIAMURA - SABROOM SECTION

CLIENT:-



NATIONAL HIGHWAYS & INFRASTRUCTURE DEVELOPMENT CORPORATION LTD

Drawing Title:-

GENERAL ARRANGEMENT DRAWING
OF MINOR BRIDGE AT CH. 85+445

Drawing No. :- TASPL/NHIDCL/FDPR/GAD/09


Scale :- AS SHOWN

Drn	Dgn.	Appd	Sheet :
D.S	D.P.S	B.Ram	01 OF 02

CONSULTANT:-








Technocrats Advisory Services Private Limited
in association with Vaishnavi Infratech Services Pvt. Ltd
68,Ajanta Apartments, 36, I.P. Extension
Patparganj Delhi-110092.



FRL LEVEL	55.405	55.405	55.405
GROUND (M.)	50.002	49.861	49.988
CHAINAGE (M.)	45+438.325	45+445	45+451.675

LEGENDS:-
 FRL:-FINISH ROAD LEVEL
 HFL:-HIGHEST FLOOD LEVEL
 FDN:-FOUNDATION LEVEL
 LBL:-LOWEST BED LEVEL



Project Title:-

CONSULTANCY SERVICES FOR FEASIBILITY STUDY, PREPARATION OF DETAILED PROJECT REPORT AND PROVIDING PRE-CONSTRUCTION SERVICES FOR UP-GRADATION OF SELECTED ROAD STRETCHES / CORRIDORS TO TWO LANE WITH PAVED SHOULDER NH CONFIGURATION UNDER BHARAT MALA PROJECT AND NATIONAL HIGHWAYS CONNECTIVITY TO BACKWARD AREAS/RELIGIOUS/TOURIST PLACES OF THE COUNTRY IN THE STATE OF TRIPURA.

TELIAMURA - SABROOM SECTION

CLIENT:-



NATIONAL HIGHWAYS & INFRASTRUCTURE DEVELOPMENT CORPORATION LTD

Drawing Title:-

GENERAL ARRANGEMENT DRAWING OF MINOR BRIDGE AT CH. 85+445

Drawing No. :- TASPL/NHIDCL/FDPR/GAD/09








Scale :- AS SHOWN

Drn	Dgn.	Appd	Sheet :
D.S	D.P.S	B.Ram	02 OF 02

CONSULTANT:-



Technocrats Advisory Services Private Limited
 in association with Vaishnavi Infratech Services Pvt. Ltd
 68,Ajanta Apartments, 36, I.P. Extension
 Patparganj Delhi-110092.



NOTES:

1. ALL DIMENSIONS ARE IN MILLIMETERS UNLESS NOTED OTHERWISE.
2. DIMENSIONS ARE NOT TO BE SCALED. ONLY WRITTEN DIMENSIONS SHALL BE FOLLOWED.
3. CONCRETE GRADE SHALL BE OF GRADE M25.
4. ALL REINFORCING STEEL SHALL BE HIGH YIELD STRENGTH DEFORMED(TMT) BARS (GRADE-Fe 500D).
5. CLEAR COVER TO OUTERMOST REINF. SHALL BE
 - a) TOP SLAB -40mm
 - b) SIDE WALL (EARTH SIDE) -75mm
 - c) SIDE WALL (INNER SIDE) -40mm
 - d) BOTTOM SLAB -75mm
6. BOND CONDITION
(AS PER CL 15.2.3,IRC:112-2011)
BASIC ANCHORAGE LENGTH SHALL BE 65XDIAMETER OF THE BAR.
LAP LENGTH SHALL BE PROVIDED AS PER THE TABLE GIVEN BELOW:-
(FOR GRADE OF CONC.M30)

LAP LENGTH	% LAP AT ANY SECTIONS IS
58 D	<25%
66 D	BETWEEN 25-33%
80 D	BETWEEN 33-50%
86 D	<50%
7. LAPS SHALL BE STAGGERED AND SUITABLY PLACED.

REFERENCE DRAWINGS

1. GAD FOR MINOR BRIDGE AT DESIGN CH.37+280
TASPL-NHIDCL-FDPR-37+280-101 (2 SHEET)

LEGEND:

TOP/NON EARTH FACE BAR SHOWN THUS ————
 BOTTOM/EARTH FACE BAR SHOWN THUS - - - - -
 b/f ———— — BOTH FACE

SCHEDULE OF REINFORCEMENT

BAR MARK	SHAPE OF BARS (NOT TO SCALE)	BAR IN DIA IN MM	SPACING OR NO. OF BAR
ts1		16	200
ts2		16	200
ts2a		16	200
ts3		12	200
ts4		12	200
ts5		16	6 Nos.x2
bs1		20	200
bs1a		20	200
bs2		20	200
bs3		10	200
bs4		10	200
w1		12	200
w2		20	100
w3		12	150
w4		10	150
w5		16	6 Nos.x2
h1		12	200
s1		12	200
s2		10	200
b1		12	4 Nos.
b2		12	200



Project Title:-

CONSULTANCY SERVICES FOR FEASIBILITY STUDY, PREPARATION OF DETAILED PROJECT REPORT AND PROVIDING PRE-CONSTRUCTION SERVICES FOR UP-GRADATION OF SELECTED ROAD STRETCHES / CORRIDORS TO TWO LANE WITH PAVED SHOULDER NH CONFIGURATION UNDER BHARAT MALA PROJECT AND NATIONAL HIGHWAYS CONNECTIVITY TO BACKWARD AREAS/RELIGIOUS/TOURIST PLACES OF THE COUNTRY IN THE STATE OF TRIPURA.

TELIAMURA - SABROOM SECTION

CLIENT:-



NATIONAL HIGHWAYS & INFRASTRUCTURE DEVELOPMENT CORPORATION LTD

Drawing Title:-

REINFORCEMENT DETAILS DRAWING OF MINOR BRIDGE AT CH. 85+445

Drawing No. :- TASPL/NHIDCL/FDPR/GAD/09

Scale :- AS SHOWN




Drn	Dgn.	Appd	Sheet :
D.S	D.P.S	B.Ram	01 OF 01

CONSULTANT:-



Technocrats Advisory Services Private Limited
 in association with Vaishnavi Infratech Services Pvt. Ltd
 68,Ajanta Apartments, 36, I.P. Extension
 Patparganj Delhi-110092.

MINOR BRIDGE AT CH. 85+725 (1X10.0m SPAN) ►



NOTES:-

- ALL DIMENSION ARE IN MM, LEVEL ARE IN METER & CHAINAGE IN KILOMETER UNLESS SPECIFIED OTHERWISE.
- DO NOT MEASURE THE DRAWING FOLLOW WRITTEN DIMENSION ONLY.
- THIS DRAWING TO BE READ IN CONJUNCTION TO THE HIGHWAY DRAWINGS. IF THERE IS ANY DIFFERENCE IN CHAINAGE OR LEVELS H/W DRAWINGS WILL PREVAIL.
- BACKFILL GRANULAR SOIL MATERIAL BEHIND ABUTMENT SHALL HAVE THE FOLLOWING PROPERTIES = 2.0 T/m³, C = 0, & φ = 30°, CONFORMING YTO IRC: 78-2014.
- THE NEW STRUCTURE IS DESIGNED FOR FOUR LANE LOADING AS PER IRC 6:2017.
- CONCRETE GARDE :-
 - M40 --- FOR CRASH BARRIER
 - M35 --- RCC BOX.
 - M15 --- FOR PCC LEVELLING COURSE
- UNSTRENGTHENED REINFORCEMENT :- FE.500D (T.M.T. DEFORMED BARS) CONFORMING TO IS:1786.
- TYPE OF STRUCTURE & CONSTRUCTION METHODOLOGY CONSIDERED IN DESIGN IS
 - RCC BOX STRUCTURE
 - WEARING COAT 65mm THK. C.C.
 - EXPANSION JOINTS - FILLER TYPE.
 - APPROACH SLAB-M30 GRADE.
- ALL STRUCTURAL DIMENSIONS SHOWN ARE BASED ON PRELIMINARY DESIGNS.
- 600MM THICK FILTER MATERIAL BEHIND PCC ABUTMENT/RETAINING WALL SHALL BE AS PER APPENDIX 6 OF IRC:78-2014.
- APPROACH SLAB, DRAINAGE SPOUT, CRASH BARRIER, RAILING & FOOTPATH DETAIL REFER MISCELLANEOUS DRAWING.
- 100MM DIA P.V.C. PIPE AT SPACING 1000 C/C IN HORIZONTAL/VERTICAL DIRECTION SHALL BE PROVIDED UP TO 150MM ABOVE LOW WATER LEVEL FOR WEEP HOLES IN VERTICAL WALL.
- ALL CONSTRUCTION SHALL CONFIRM TO CONTRACT SPECIFICATIONS.
- COMPACTED EARTH SHOULD CONFIRM TO CLAUSE 305.2.1.5 OF MORTH SPECIFICATIONS.
- HYDROLOGICAL DATA.

DISCHARGE	15.042 CUMEC
HFL	51.414 m
VELOCITY	2.02 m/sec
MIN.VERTICAL CLEARANCE	0.9 m (AS PER IRC:78:2014)
- CLEAR COVER TO REINFORCEMENT FOR FOOTING & EARTH FACE OF BOX SHALL BE 75 mm & FOR NON EARTH FACE OF BOX & TOP SLAB SHALL BE 50mm.
- NET BEARING CAPACITY OF SOIL REQUIRED FOR FOUNDATION IS 15T/m², WHICH SHOULD BE CONFIRMED AND VERIFY AT SITE BEFORE EXECUTION.
- BRIDGE IS DESIGN FOR SEISMIC ZONE V OF SEISMIC MAP OF INDIA.




Project Title:-

CONSULTANCY SERVICES FOR FEASIBILITY STUDY, PREPARATION OF DETAILED PROJECT REPORT AND PROVIDING PRE-CONSTRUCTION SERVICES FOR UP-GRADATION OF SELECTED ROAD STRETCHES / CORRIDORS TO TWO LANE WITH PAVED SHOULDER NH CONFIGURATION UNDER BHARAT MALA PROJECT AND NATIONAL HIGHWAYS CONNECTIVITY TO BACKWARD AREAS/RELIGIOUS/TOURIST PLACES OF THE COUNTRY IN THE STATE OF TRIPURA.

TELIAMURA - SABROOM SECTION

CLIENT:-



NATIONAL HIGHWAYS & INFRASTRUCTURE DEVELOPMENT CORPORATION LTD

Drawing Title:-

GENERAL ARRANGEMENT DRAWING OF MINOR BRIDGE AT CH. 85+725

Drawing No. :- TASPL/NHIDCL/FDPR/GAD/09


Scale :- AS SHOWN

Drn	Dgn.	Appd	Sheet :
D.S	D.P.S	B.Ram	01 OF 02






CONSULTANT:-



Technocrats Advisory Services Private Limited
in association with Vaishnavi Infratech Services Pvt. Ltd
68,Ajanta Apartments, 36, I.P. Extension
Patparganj Delhi-110092.



FRL LEVEL	54.611	54.611	54.611
GROUND (M.)	45.737	45.993	46.369
CHAINAGE (M.)	85+719.625	85+725	85+730.375



LEGENDS:-
 FRL:-FINISH ROAD LEVEL
 HFL:-HIGHEST FLOOD LEVEL
 FDN:-FOUNDATION LEVEL
 LBL:-LOWEST BED LEVEL



Project Title:-

CONSULTANCY SERVICES FOR FEASIBILITY STUDY, PREPARATION OF DETAILED PROJECT REPORT AND PROVIDING PRE-CONSTRUCTION SERVICES FOR UP-GRADATION OF SELECTED ROAD STRETCHES / CORRIDORS TO TWO LANE WITH PAVED SHOULDER NH CONFIGURATION UNDER BHARAT MALA PROJECT AND NATIONAL HIGHWAYS CONNECTIVITY TO BACKWARD AREAS/RELIGIOUS/TOURIST PLACES OF THE COUNTRY IN THE STATE OF TRIPURA.

TELIAMURA - SABROOM SECTION

CLIENT:-



NATIONAL HIGHWAYS & INFRASTRUCTURE DEVELOPMENT CORPORATION LTD

Drawing Title:-

GENERAL ARRANGEMENT DRAWING OF MINOR BRIDGE AT CH. 85+725

Drawing No. :- TASPL/NHIDCL/FDPR/GAD/09

Scale :- AS SHOWN

Drn	Dgn.	Appd	Sheet :
D.S	D.P.S	B.Ram	02 OF 02

CONSULTANT:-



Technocrats Advisory Services Private Limited
 in association with Vaishnavi Infratech Services Pvt. Ltd
 68,Ajanta Apartments, 36, I.P. Extension
 Patparganj Delhi-110092.

























1. ALL DIMENSIONS ARE IN MILLIMETERS UNLESS NOTED OTHERWISE.
2. DIMENSIONS ARE NOT TO BE SCALED. ONLY WRITTEN DIMENSIONS SHALL BE FOLLOWED.
3. CONCRETE GRADE SHALL BE OF GRADE M25.
4. ALL REINFORCING STEEL SHALL BE HIGH YIELD STRENGTH DEFORMED(TMT) BARS (GRADE-Fe 500D).
5. CLEAR COVER TO OUTERMOST REINF. SHALL BE
 - a) TOP SLAB —40mm
 - b) SIDE WALL (EARTH SIDE) —75mm
 - c) SIDE WALL (INNER SIDE) —40mm
 - d) BOTTOM SLAB —75mm
5. BOND CONDITION
 (AS PER CL 15.2.3,IRC:112–2011)
 BASIC ANCHORAGE LENGTH SHALL BE 65XDIAMETER OF THE BAR.
 LAP LENGTH SHALL BE PROVIDED AS PER THE TABLE GIVEN BELOW:—
 (FOR GRADE OF CONC.M30)

LAP LENGTH	% LAP AT ANY SECTIONS IS
58 D	<25%
66 D	BETWEEN 25-33%
80 D	BETWEEN 33-50%
86 D	<50%

GAD FOR MINOR BRIDGE AT DESIGN CH.85+725
TASPL-NHIDCL-FDPR-85+725-101 (2 SHEET)


TOP/NON EARTH FACE BAR SHOWN THUS —————
 BOTTOM/EARTH FACE BAR SHOWN THUS — — — — —
 b/f — BOTH FACE

BAR MARK	SHAPE OF BARS (NOT TO SCALE)	BAR IN DIA IN MM	SPACING OR NO. OF BAR
ts1		16	180
ts2		16	180
ts2a		12	180
ts3		12	180
ts4		10	180
ts5		16	6 Nos.x2
bs1		20	180
bs1a		16	180
bs2		25	180
bs3		12	180
bs4		16	180
w1		20	180
w2		25	180
w3		16	200
w4		12	200
w5		16	6 Nos.x2
h1		12	180
s1		12	200
s2		10	200
b1		12	4 Nos.
b2		12	200




Drn	Dgn.	Appd	Sheet : 01 OF 01
D.S	D.P.S	B.Ram	

CONSULTANT:-

 **TASPL**

Technocrats Advisory Services Private Limited
in association with Vaishnavi Infratech Services Pvt. Ltd
68, Ajanta Apartments, 36, I.P. Extension
Patparganj Delhi-110092.


MINOR BRIDGE AT CH. 91+610 (2X25.35m SPAN) ►



PROPOSED FRL (m)	54.323	54.323	54.323
ABT/PIER CAP LEVEL (m)	52.088	52.088	52.088
GROUND LEVEL (m)	49.252	44.329	50.221
PILE CAP TOP LEVEL (m)	48.752	43.829	49.721
FOUNDING LEVEL (m)	26.952	22.029	27.921
CHAINAGE (Km)	91+585	91+610	91+635


LONGITUDINAL SECTION A-A
(SCALE 1:200)

SKEW DIMENSIONS ARE IN BRACKET



HYDROLOGICAL DETAILS:-

DESIGN DISCHARGE	202.555 Cumecs
HFL	45.736m
DESIGN VELOCITY	2.35 M/s
MSL AT ABUTMENT	40.51m
MSL AT PIER	37.51m



NOTES:-

- ALL DIMENSIONS ARE IN MILLIMETERS, LEVELS ARE IN METERS UNLESS OTHERWISE MENTIONED.
- NO DIMENSION SHALL BE MEASURED FROM THE DRAWINGS. ONLY WRITTEN DIMENSIONS SHALL BE FOLLOWED.
- CHAINAGE & LEVEL SHALL BE VERIFIED WITH THE RELEVANT PLAN & PROFILE DRAWINGS. VARIATION (IF ANY) SHALL BE REPORTED TO ENGINEER FOR MODIFICATION.
- CHAINAGE OF THE STRUCTURE IS AT THE CENTER LINE OF THE PROPOSED STRUCTURE.
- THE REINFORCEMENT SHALL BE HYSD BARS OF GRADE DESIGNATION Fe 500D CONFORMING TO IS 1786-2008.
- CONCRETE SHALL BE DESIGN MIX WITH A MINIMUM 28 DAYS CHARACTERISTIC CUBE STRENGTH FOR DIFFERENT ELEMENTS AS FOLLOWS:
 - PSC-I GIRDER, RCC DECK SLAB & END CROSS GIRDER M45
 - ABUT. & ABUT CAP M35
 - PILE & PILE CAP M35
 - PIER & PIER CAP M35
 - RETAINING WALL M35
 - CRASH BARRIER M40
 - APPROACH SLAB M30
 - LEVELING COURSE M15
 - PEDESTALS M40
- CLEAR COVER TO OUTER STEEL SHALL BE AS FOLLOWS:-
 - SUPERSTRUCTURE 40MM
 - ABUTMENT EARTH FACE 75MM
 - ABUTMENT OUTER FACE/PIER 50MM
 - FOUNDATION 75MM
 - CRASH BARRIER 40MM
- BACK FILLING BEHIND WALLS/ABUTMENT SHALL CONSISTS OF SELECTED EARTH CONFORMING TO APPENDIX 6 OF IRC:78-2014 HAVING PROPERTIES $C=0$, $\phi \geq 30^\circ$, $\gamma=2.0t/cu.m$.
- 65MM THICK WEARING COURSE COMPRISING OF BITUMINOUS CONCRETE 40MM THICK OVERLAID WITH 25MM THICK BITUMEN MASTIC ASPHALTIC SHALL BE PROVIDED AS PER SECTION 500 OF MORTH SPECIFICATION.
- ALL SOLID WALLS RETAINING THE EARTH SHALL HAVE WEEP HOLES STARTING 150MM ABOVE THE GROUND LEVEL AND SPACED 1000MM HORIZONTALLY AND VERTICALLY IN STAGGERED MANNER.
- 600MM THICK FILTER MEDIA SHALL BE PROVIDED BEHIND SOLID ABUTMENT WALLS AND RETURN/RETAINING WALL.
- CONDITION OF EXPOSURE IS MODERATE.
- THIS STRUCTURE LIES IN SEISMIC ZONE V.
- THE STRUCTURE SHALL BE DESIGNED FOR LIVE LOAD COMBINATION CONFORMING TO IRC:6-2017.
- SINGLE STRIP SEAL TYPE EXPANSION JOINT SHALL BE PROVIDED AS PER MODIFIED INTERIM SPECIFICATION FOR EXPANSION JOINTS ISSUED VIDE "MORTH" CIRCULAR NO. RW/NH-34059/1/98-S&R DATED 30-11-2000 & 25-01-2001.
- FOR DETAILS OF DRAINAGE SPOUT, CRASH BARRIER, JOINTS, APPROACH SLAB & RETAINING WALL REFER SEPARATE DRAWING.

LOAD CARRYING CAPACITY OF 1.2m DIA PILE AS PER GEOTECH REPORT.

DESCPTION	NORMAL CASE	
	VERTICAL (T)	HORIZONTAL (T)
ABUTMENT (A1)	740.3	30
PIER (P1)	740.3	50
ABUTMENT (A2)	740.3	30




Project Title:-

CONSULTANCY SERVICES FOR FEASIBILITY STUDY, PREPARATION OF DETAILED PROJECT REPORT AND PROVIDING PRE-CONSTRUCTION SERVICES FOR UP-GRADATION OF SELECTED ROAD STRETCHES / CORRIDORS TO TWO LANE WITH PAVED SHOULDER NH CONFIGURATION UNDER BHARAT MALA PROJECT AND NATIONAL HIGHWAYS CONNECTIVITY TO BACKWARD AREAS/RELIGIOUS/TOURIST PLACES OF THE COUNTRY IN THE STATE OF TRIPURA.

TELIAMURA - SABROOM SECTION

CLIENT:-



NATIONAL HIGHWAYS & INFRASTRUCTURE
DEVELOPMENT CORPORATION LTD

Drawing Title:-

GENERAL ARRANGEMENT DRAWING
OF MINOR BRIDGE AT CH. 91+610

Drawing No. :- TASPL/NHIDCL/FDPR/GAD/09







Scale :- AS SHOWN

Drn	Dgn.	Appd	Sheet :
D.S	D.P.S	B.Ram	01 OF 02

CONSULTANT:-



Technocrats Advisory Services Private Limited
in association with Vaishnavi Infratech Services Pvt. Ltd
68,Ajanta Apartments, 36, I.P. Extension
Patparganj Delhi-110092.




Project Title:-

CONSULTANCY SERVICES FOR FEASIBILITY STUDY, PREPARATION OF DETAILED PROJECT REPORT AND PROVIDING PRE-CONSTRUCTION SERVICES FOR UP-GRADATION OF SELECTED ROAD STRETCHES / CORRIDORS TO TWO LANE WITH PAVED SHOULDER NH CONFIGURATION UNDER BHARAT MALA PROJECT AND NATIONAL HIGHWAYS CONNECTIVITY TO BACKWARD AREAS/RELIGIOUS/TOURIST PLACES OF THE COUNTRY IN THE STATE OF TRIPURA.

TELIAMURA - SABROOM SECTION

CLIENT:-



NATIONAL HIGHWAYS & INFRASTRUCTURE DEVELOPMENT CORPORATION LTD

Drawing Title:-

GENERAL ARRANGEMENT DRAWING
OF MINOR BRIDGE AT CH. 91+610

Drawing No. :- TASPL/NHIDCL/FDPR/GAD/09


Scale :- AS SHOWN

Drn	Dgn.	Appd	Sheet :
D.S	D.P.S	B.Ram	02 OF 02

CONSULTANT:-




Technocrats Advisory Services Private Limited
in association with Vaishnavi Infratech Services Pvt. Ltd
68,Ajanta Apartments, 36, I.P. Extension
Patparganj Delhi-110092.



SECTION A-A


(SCALE 1:75)

SKREW DIMENSIONS ARE IN BRACKET



PLAN AT PILE CAP

(SCALE 1:75)




SECTION B-B

(SCALE 1:100)


NOTES

1. ALL DIMENSIONS ARE IN MILLIMETRES, UNLESS OTHERWISE MENTIONED. ONLY WRITTEN DIMENSIONS ARE TO BE FOLLOWED.
2. THE REINFORCING STEEL SHALL BE OF DEFORMED TMT BARS (GRADE DESIGNATION Fe:500) CONFORMING TO IS:1786
3. CLEAR COVER TO OUTER MOST STEEL IS 50mm FOR SUPERSTRUCTURE : 50mm, & FOUNDATION 75mm.
4. THE GRADE OF CONCRETE FOR PIER CAP, PIER WALL SHALL BE M-35 AND PEDESTAL M-40. PILE M-35.
5. LL REPRESENTS LONGITUDINAL AXIS OF BRIDGE AND TT REPRESENTS TRANSVERSE AXIS OF BRIDGE.
6. THE LOCATION OF JACK OR LIFTING OF THE SUPERSTRUCTURE TO REPLACE BEARINGS ETC. IS SHOWN I. THIS SHALL BE DISTINCTLY ETCHED FOR EASY IDENTIFICATION ON THE END CROSS GIRDERS AND PIER CAPS.
7. CAPACITY OF JACKS SHOULD NOT BE LESS THAN 300 TONS.
8. FOR RE WALL DETAILS REFER SEPARATE DRAWINGS FROM MANUFACTURE.
9. THE PIER CAP LEVEL IS CALCULATED ASSUMING BEARING & PEDESTAL HEIGHT 350mm. FOR ANY CHANGE IN THE FINAL OF BEARING PROVIDE MANUFACTURER THE CAP LEVEL SHALL BE CHANGED ACCORDINGLY.



PLAN OF PIER CAP

(SCALE 1:75)



DETAIL OF PIER CAP

(SCALE 1:50)




Project Title:-

CONSULTANCY SERVICES FOR FEASIBILITY STUDY, PREPARATION OF DETAILED PROJECT REPORT AND PROVIDING PRE-CONSTRUCTION SERVICES FOR UP-GRADATION OF SELECTED ROAD STRETCHES / CORRIDORS TO TWO LANE WITH PAVED SHOULDER NH CONFIGURATION UNDER BHARAT MALA PROJECT AND NATIONAL HIGHWAYS CONNECTIVITY TO BACKWARD AREAS/RELIGIOUS/TOURIST PLACES OF THE COUNTRY IN THE STATE OF TRIPURA.

TELIAMURA - SABROOM SECTION

CLIENT:-



NATIONAL HIGHWAYS & INFRASTRUCTURE DEVELOPMENT CORPORATION LTD

Drawing Title:-

DIMENSIONAL DETAILS OF PIER, PIER CAP & PIER FOUNDATION (PIER P1)

Drawing No. :- TASPL/NHIDCL/FDPR/GAD/09









Scale :- AS SHOWN

Drn	Dgn.	Appd	Sheet :
D.S	D.P.S	B.Ram	01 OF 04

CONSULTANT:-



Technocrats Advisory Services Private Limited
in association with Vaishnavi Infratech Services Pvt. Ltd
68, Ajanta Apartments, 36, I.P. Extension
Patparganj Delhi-110092.



NOTES

- ALL DIMENSIONS ARE IN MILLIMETERS, AND LEVELS ARE IN METERS UNLESS OTHERWISE SPECIFIED.
- DIMENSIONS ARE NOT TO BE SCALED. ONLY WRITTEN DIMENSIONS SHALL BE FOLLOWED.
- L-L REPRESENTS LONGITUDINAL AXIS OF THE BRIDGE
T-T REPRESENTS TRANSVERSE AXIS OF THE BRIDGE
- HIGH YIELD STRENGTH DEFORMED BARS OF GRADE DESIGNATION Fe-500D CONFORMING TO IS: 1786 SHALL ONLY BE USED.
- REINFORCEMENT OF PIER SHAFT IS TO BE ANCHORED IN THE PILE CAP BEFORE IT'S CONCRETING.
- LAPPING OF REINFORCEMENT SHALL BE AVOIDED AS FAR AS POSSIBLE. IN CASE LAPPING OF BARS BECOMES UNAVOIDABLE, MINIMUM LAP LENGTH OF REINFORCEMENTBARS SHALL BE CALCULATED AS FOLLOWS WITH MAXIMUM ALLOWABLE LAPPING (p) OF 50% ONLY (IRC: 112-2011) (CLAUSE:15.2.5.1)

LAP LENGTH IS $\alpha \cdot l_{bnet}$
 $\alpha = 1.0$ FOR $p\% < 25\%$
 $\alpha = 1.15$ FOR $25\% < p\% < 33\%$
 $\alpha = 1.14$ FOR $33\% < p\% < 50\%$

(IRC:112-2011, CLAUSE:15.2.3.3)
 DEVELOPMENT LENGTH (l_{bnet})

$l_{bnet} = \alpha \cdot l_b$ ($\alpha = 1.0$)
 $l_b = k \phi$
 $k = 40$ FOR M30 (Fe500D)
 $k = 36$ FOR M35 (Fe500D)
 $k = 34$ FOR M40 (Fe500D)

FOR UNFAVORABLE BOND CONDITION THE l_b SHOULD BE MULTIPLIED BY FACTOR OF 1.43. FOR $\phi > 32mm$ l_b SHOULD BE INCREASED BY MULTIPLYING FACTOR $\left(\frac{100}{132 - \phi} \right)$

PILE & PILE CAP REINFORCEMENT

BAR MKD.	DIA (mm)	SPACING/Nos.	SHAPE
1	32	2x17 Nos.	
1a	16	100	
2	10	150	
3	20	100	
4	20	200	
4a	20	200	
5	16	200	
5a	16	200	
6	16	200	
6a	16	200	
7	16	150	
8	16	150	
9	12	75	
10	12	75	
11	1L-12	120	

LEGEND:

— TOP/INNER FACE
 - - - - - BOTTOM/OUTER FACE
 B/F BOTH FACE
 V.L VARYING LENGTH



Project Title:-

CONSULTANCY SERVICES FOR FEASIBILITY STUDY, PREPARATION OF DETAILED PROJECT REPORT AND PROVIDING PRE-CONSTRUCTION SERVICES FOR UP-GRADATION OF SELECTED ROAD STRETCHES / CORRIDORS TO TWO LANE WITH PAVED SHOULDER NH CONFIGURATION UNDER BHARAT MALA PROJECT AND NATIONAL HIGHWAYS CONNECTIVITY TO BACKWARD AREAS/RELIGIOUS/TOURIST PLACES OF THE COUNTRY IN THE STATE OF TRIPURA.

TELIAMURA - SABROOM SECTION

CLIENT:-



NATIONAL HIGHWAYS & INFRASTRUCTURE DEVELOPMENT CORPORATION LTD

Drawing Title:-

REINFORCEMENT DETAILS OF PILE CAP & PILE (PIER P1)

Drawing No. :- TASPL/NHIDCL/FDPR/GAD/09



Scale :- AS SHOWN

Drn	Dgn.	Appd	Sheet :
D.S	D.P.S	B.Ram	02 OF 04

CONSULTANT:-



Technocrats Advisory Services Private Limited
 in association with Vaishnavi Infratech Services Pvt. Ltd
 68,Ajanta Apartments, 36, I.P. Extension
 Patparganj Delhi-110092.



REINFORCEMENT DETAIL:


BAR MKD.	DIA (mm)	SPACING/Nos.	SHAPE
p5	25	2x70 nos	
p6	25	2x8 nos	
p7	12	100	
L1	10	200	EVERY ALT. BAR AND STAGGERED

LEGEND:

——	TOP/EARTH FACE
----	BOTTOM/OUTER FACE
B/F	BOTH FACE
V.L	VARYING LENGTH

NOTES:-

1. ALL DIMENSIONS ARE IN MILLIMETRES UNLESS OTHERWISE MENTIONED.
2. THE REINFORCING STEEL SHALL BE DEFORMED TMT BARS (GRADE DESIGNATION Fe:500) CONFORMING TO IS:1786.
3. L-L REPRESENTS LONGITUDINAL AXIS OF THE BRIDGE AND T-T REPRESENTS TRANSVERSE AXIS OF THE BRIDGE.
4. THIS DRAWING SHALL BE READ IN CONJUNCTION WITH RELEVANT DRAWINGS.
5. CLEAR COVER TO ANY REINFORCEMENT SHALL BE 50mm.




Project Title:-

CONSULTANCY SERVICES FOR FEASIBILITY STUDY, PREPARATION OF DETAILED PROJECT REPORT AND PROVIDING PRE-CONSTRUCTION SERVICES FOR UP-GRADATION OF SELECTED ROAD STRETCHES / CORRIDORS TO TWO LANE WITH PAVED SHOULDER NH CONFIGURATION UNDER BHARAT MALA PROJECT AND NATIONAL HIGHWAYS CONNECTIVITY TO BACKWARD AREAS/RELIGIOUS/TOURIST PLACES OF THE COUNTRY IN THE STATE OF TRIPURA.

TELIAMURA - SABROOM SECTION

CLIENT:-



NATIONAL HIGHWAYS & INFRASTRUCTURE DEVELOPMENT CORPORATION LTD

Drawing Title:-

REINFORCEMENT DETAILS OF PIER SHAFT (PIER P1)

Drawing No. :- TASPL/NHIDCL/FDPR/GAD/09


Scale :- AS SHOWN

Drn	Dgn.	Appd	Sheet :
D.S	D.P.S	B.Ram	03 OF 04


CONSULTANT:-




Technocrats Advisory Services Private Limited
in association with Vaishnavi Infratech Services Pvt. Ltd
68,Ajanta Apartments, 36, I.P. Extension
Patparganj Delhi-110092.



SECTION 1-1
(SCALE 1:50)



REINFORCEMENT IN PLAN AT PIER CAP TOP
(SCALE 1:50)



SECTION 2-2
(MESH REINFORCEMENT NOT SHOWN FOR CLARITY)
(SCALE 1:30)

NOTES:-

1. ALL DIMENSIONS ARE IN MILLIMETRES UNLESS OTHERWISE MENTIONED.
2. THE REINFORCING STEEL SHALL BE DEFORMED TMT BARS (GRADE DESIGNATION Fe:500) CONFORMING TO IS:1786.
3. L-L REPRESENTS LONGITUDINAL AXIS OF THE BRIDGE AND T-T REPRESENTS TRANSVERSE AXIS OF THE BRIDGE.
4. THIS DRAWING SHALL BE READ IN CONJUNCTION WITH RELEVANT DRAWINGS.
5. CLEAR COVER TO ANY REINFORCEMENT SHALL BE 50mm.

REINFORCEMENT DETAIL:-


BAR MKD.	DIA (mm)	SPACING/Nos.	SHAPE
1	32	100 (IN TWO LAYERS)	
2	32	100	
3	6L-16	140	STIRR.
3a	2L-20	140	STIRR.
4	6L-16	140	STIRR.
4a	2L-20	140	STIRR.
5	16	100	
5a	32	1000	SPACER BAR

TRANSVERSE SEISMIC STOPPER:-


BAR MKD.	DIA (mm)	SPACING/Nos.	SHAPE
TS1	25	10 nos	
TS2	12	8 nos	
TS3	12	3x2 nos	
TS4	16	100	4 LEGGED STIRRUPS

LEGEND:


——	TOP/EARTH FACE
----	BOTTOM/OUTER FACE
B/F	BOTH FACE
V.L	VARYING LENGTH



SECTION 3-3
(MESH REINFORCEMENT NOT SHOWN FOR CLARITY)
(SCALE 1:30)



SECTION AT G-G
(SCALE 1:25)



PLAN SHOWING REINF. DETAILS OF
SEISMIC TRANSVERSE STOPPER
(SCALE 1:25)



Project Title:-

CONSULTANCY SERVICES FOR FEASIBILITY STUDY, PREPARATION OF DETAILED PROJECT REPORT AND PROVIDING PRE-CONSTRUCTION SERVICES FOR UP-GRADATION OF SELECTED ROAD STRETCHES / CORRIDORS TO TWO LANE WITH PAVED SHOULDER NH CONFIGURATION UNDER BHARAT MALA PROJECT AND NATIONAL HIGHWAYS CONNECTIVITY TO BACKWARD AREAS/RELIGIOUS/TOURIST PLACES OF THE COUNTRY IN THE STATE OF TRIPURA.

TELIAMURA - SABROOM SECTION

CLIENT:-



NATIONAL HIGHWAYS & INFRASTRUCTURE
DEVELOPMENT CORPORATION LTD

Drawing Title:-

REINFORCEMENT DETAILS
OF PIER CAP (PIER P1)

Drawing No. :- TASPL/NHIDCL/FDPR/GAD/09



Scale :- AS SHOWN

Drn	Dgn.	Appd	Sheet :
D.S	D.P.S	B.Ram	04 OF 04

CONSULTANT:-







Technocrats Advisory Services Private Limited
in association with Vaishnavi Infratech Services Pvt. Ltd
68,Ajanta Apartments, 36, I.P. Extension
Patparganj Delhi-110092.



- NOTES**
1. ALL DIMENSIONS ARE IN MILLIMETERS, AND LEVELS ARE IN METERS UNLESS OTHERWISE SPECIFIED.
 2. DIMENSIONS ARE NOT TO BE SCALED. ONLY WRITTEN DIMENSIONS SHALL BE FOLLOWED.
 3. L-L REPRESENTS LONGITUDINAL AXIS OF THE BRIDGE
T-T REPRESENTS TRANSVERSE AXIS OF THE BRIDGE
 4. TOP LEVEL OF ABUTMENT CAP HAS BEEN WORKED OUT BY ASSUMING MINIMUM THICKNESS OF BEARING + PEDESTAL AS 0.35m THIS SHALL BE RECONFIRMED FROM THE BEARING MANUFACTURER BEFORE
 5. THE LOCATION OF JACK OR LIFTING OF THE SUPERSTRUCTURE TO REPLACE BEARINGS ETC. IS SHOWN I. THUS THIS SHALL BE DISTINCTLY ETCHED FOR EASY IDENTIFICATION ON THE END CROSS GIRDERS AND ABUTMENT CAPS.
 7. CAPACITY OF JACKS SHOULD NOT BE LESS THAN 100 TONS.
 8. FOLLOWING DESIGN MIX CONCRETE GRADES SHALL BE USED:-

i) ABUT. AND ABUT. CAP	---M35
ii) PILE AND PILE CAP	---M35
iii) RCC CRASH BARRIER	---M40
iv) PEDESTAL	---M40
v) LEVELLING COURSE	---M15



Project Title:-
CONSULTANCY SERVICES FOR FEASIBILITY STUDY, PREPARATION OF DETAILED PROJECT REPORT AND PROVIDING PRE-CONSTRUCTION SERVICES FOR UP-GRADATION OF SELECTED ROAD STRETCHES / CORRIDORS TO TWO LANE WITH PAVED SHOULDER NH CONFIGURATION UNDER BHARAT MALA PROJECT AND NATIONAL HIGHWAYS CONNECTIVITY TO BACKWARD AREAS/RELIGIOUS/TOURIST PLACES OF THE COUNTRY IN THE STATE OF TRIPURA.
 TELIAMURA - SABROOM SECTION

CLIENT:-


 NATIONAL HIGHWAYS & INFRASTRUCTURE DEVELOPMENT CORPORATION LTD

Drawing Title:-
 DIMENSIONAL DETAILS OF ABUTMENT CAP & ABUTMENT FOUNDATION
Drawing No. :- TASPL/NHIDCL/FDPR/GAD/09
Scale :- AS SHOWN


Drn	Dgn.	Appd	Sheet :
D.S	D.P.S	B.Ram	01 OF 03

CONSULTANT:-


 Technocrats Advisory Services Private Limited
 in association with Vaishnavi Infratech Services Pvt. Ltd
 68,Ajanta Apartments, 36, I.P. Extension
 Patparganj Delhi-110092.




SECTION A-A
(SCALE 1:50)




SECTION B-B
(SCALE 1:50)



SECTION C-C
(SCALE 1:30)



REINF. DETAILS OF PILE CAP
(SCALE 1:75)




PLAN
(DETAILS OF PEDESTAL)
(SCALE 1:20)

SCHEDULE OF PEDESTAL REINFORCEMENT


BAR MKD.	DIA (mm)	SPACING/Nos.	SHAPE
Pd1	12	75	U
Pd2	12	75	U

LEGEND:


—	TOP/EARTH FACE
- - -	BOTTOM/OUTER FACE
B/F	BOTH FACE
V.L	VARYING LENGTH




**8 Ø MESH IN 2 LAYERS
IN PEDESTALS UNDER BEARING**
(SCALE 1:25)



**8 Ø MESH AT JACK
LOCATION IN TWO LAYERS**
(SCALE 1:25)



R.C.DETAILS OF PILE
(SCALE 1:75)



SECTION E-E
(SCALE 1:20)

SCHEDULE OF PILE & PILE CAP REINFORCEMENT

BAR MKD.	DIA (mm)	SPACING/Nos.	SHAPE
1	32	17 Nos.	U
1a	16	100	U
2	32	17 Nos.	U
2a	10	150	U
3	20	100	U
4	20	100	U
5	16	100	U
6	16	100	U
7	16	150	U
8	16	150	U
9	1L-12	100 both ways	U

NOTES

- ALL DIMENSIONS ARE IN MILLIMETERS, AND LEVELS ARE IN METERS UNLESS OTHERWISE SPECIFIED.
- DIMENSIONS ARE NOT TO BE SCALED. ONLY WRITTEN DIMENSIONS SHALL BE FOLLOWED.
- L-L REPRESENTS LONGITUDINAL AXIS OF THE BRIDGE
T-T REPRESENTS TRANSVERSE AXIS OF THE BRIDGE
- HIGH YIELD STRENGTH DEFORMED BARS OF GRADE DESIGNATION Fe-500D CONFORMING TO IS: 1786 SHALL ONLY BE USED.
- REINFORCEMENT OF PIER SHAFT IS TO BE ANCHORED IN THE PILE CAP BEFORE IT'S CONCRETING.
- LAPPING OF REINFORCEMENT SHALL BE AVOIDED AS FAR AS POSSIBLE. IN CASE LAPPING OF BARS BECOMES UNAVOIDABLE, MINIMUM LAP LENGTH OF REINFORCEMENT BARS SHALL BE CALCULATED AS FOLLOWS WITH MAXIMUM ALLOWABLE LAPPING (p) OF 50% ONLY (IRC: 112-2011) (CLAUSE:15.2.5.1)

LAP LENGTH $l_s = \alpha \cdot l_{bnet}$
 $\alpha = 1.0$ FOR $p \leq 25\%$
 $\alpha = 1.15$ FOR $25\% < p \leq 33\%$
 $\alpha = 1.14$ FOR $33\% < p \leq 50\%$
 (IRC:112-2011, CLAUSE:15.2.3.3)

ANCHORAGE LENGTH (l_{bnet})
 $l_{bnet} = \alpha \cdot l_b$ ($\alpha = 1.0$)
 $l_b = k \phi$
 $k = 40$ FOR M30 (Fe500D)
 $k = 36$ FOR M35 (Fe500D)
 $k = 34$ FOR M40 (Fe500D)

FOR UNFAVORABLE BOND CONDITION THE l_b SHOULD BE MULTIPLIED BY FACTOR OF 1.43. FOR $\phi > 32mm$ l_b SHOULD BE INCREASED BY MULTIPLYING FACTOR $\left(\frac{100}{132 - \phi} \right)$



Project Title:-

CONSULTANCY SERVICES FOR FEASIBILITY STUDY, PREPARATION OF DETAILED PROJECT REPORT AND PROVIDING PRE-CONSTRUCTION SERVICES FOR UP-GRADATION OF SELECTED ROAD STRETCHES / CORRIDORS TO TWO LANE WITH PAVED SHOULDER NH CONFIGURATION UNDER BHARAT MALA PROJECT AND NATIONAL HIGHWAYS CONNECTIVITY TO BACKWARD AREAS/RELIGIOUS/TOURIST PLACES OF THE COUNTRY IN THE STATE OF TRIPURA.

TELIAMURA - SABROOM SECTION

CLIENT:-



**NATIONAL HIGHWAYS & INFRASTRUCTURE
DEVELOPMENT CORPORATION LTD**

Drawing Title:-

**REINFORCEMENT DETAILS OF ABUTMENT
CAP & ABUTMENT FOUNDATION**

Drawing No. :- TASPL/NHIDCL/FDPR/GAD/09


Scale :- AS SHOWN

Drn	Dgn.	Appd	Sheet :
D.S	D.P.S	B.Ram	02 OF 03


CONSULTANT:-




Technocrats Advisory Services Private Limited
 in association with Vaishnavi Infratech Services Pvt. Ltd
 68,Ajanta Apartments, 36, I.P. Extension
 Patparganj Delhi-110092.




SECTION A-A
(SCALE 1:60)




R/F DETAILS OF RETURN WALL
(SCALE 1:60)




R/F DETAILS OF DIRT WALL & ABUTMENT CAP
(SCALE 1:30)




SECTION 1-1
(SCALE 1:50)




SECTION AT G-G
(SCALE 1:25)



SECTION 2-2
(SCALE 1:60)




DETAIL AT 'Z'
(SCALE 1:20)




JUNCTION DETAILS OF RCC SOLID RETURN WALL AND DIRT WALL
(SCALE 1:30)

LEGEND:
— TOP/EARTH FACE
--- BOTTOM/OUTER FACE
B/F BOTH FACE
V.L VARYING LENGTH



JUNCTION DETAILS OF RCC ABUTMENT AND SOLID RETURN WALL
(SCALE 1:30)



PLAN SHOWING REINF. DETAILS OF SEISMIC TRANSVERSE STOPPER
(SCALE 1:25)

ABUT. SHAFT REINFT.

BAR MKD.	DIA (mm)	SPACING/Nos.	SHAPE
s1	20	140 Nos.	
s2	16	140 Nos.	
s3	16	200	
s4	16	200	
s5	12	240	
s6	12	150	
s7		NOT USED	
s8	16	5 Nos.	

DIRT WALL. REINFT.

d1	12	150	
d2	10	200	
d3	10	150	
d4	10	200	
d5	12	3 Nos.	
d6	12	3 Nos.	

ABUT.CAP REINFT.

c1	20	12 Nos.	
c2	20	12 Nos.	
c3	16	2 Nos.	
c4	16	5 Nos.	
c5	4L-12	120	

RETURN WALL. REINFT.

r1	16	4 Nos.	
r2	16	4 Nos.	
r3	20	150	
r4	16	150	
r5	16	150	
r5a	16	200	
r6	12	200	
r6a	10	200	
r8	12	4 Nos.	
r9	16	150	
r10	16	150	

TRANSVERSE SEISMIC STOPPER:-

TS1	25	10 Nos.	
TS2	12	8 Nos.	
TS3	12	3x2 Nos.	
TS4	16	100	4 LEGGED




Project Title:-

CONSULTANCY SERVICES FOR FEASIBILITY STUDY, PREPARATION OF DETAILED PROJECT REPORT AND PROVIDING PRE-CONSTRUCTION SERVICES FOR UP-GRADATION OF SELECTED ROAD STRETCHES / CORRIDORS TO TWO LANE WITH PAVED SHOULDER NH CONFIGURATION UNDER BHARAT MALA PROJECT AND NATIONAL HIGHWAYS CONNECTIVITY TO BACKWARD AREAS/RELIGIOUS/TOURIST PLACES OF THE COUNTRY IN THE STATE OF TRIPURA.

TELIAMURA - SABROOM SECTION

CLIENT:-



NATIONAL HIGHWAYS & INFRASTRUCTURE DEVELOPMENT CORPORATION LTD

Drawing Title:-

DIMENSIONAL DETAILS OF ABUTMENT CAP & ABUTMENT FOUNDATION

Drawing No. :- TASPL/NHIDCL/FDPR/GAD/09





Scale :- AS SHOWN

Drn	Dgn.	Appd	Sheet :
D.S	D.P.S	B.Ram	03 OF 03

CONSULTANT:-







Technocrats Advisory Services Private Limited
in association with Vaishnavi Infratech Services Pvt. Ltd
68,Ajanta Apartments, 36, I.P. Extension
Patparganj Delhi-110092.



NOTES:-

1. ALL DIMENSIONS ARE IN MM UNLESS SHOWN OTHERWISE.
2. TOP SURFACE OF GIRDER SHALL BE ROUGHED FOR EFFECTIVE BONDING.
3. ANY DISCREPANCIES MUST BE BROUGHT TO THE NOTICE OF THE CONSULTANT BEFORE EXECUTION OF WORK AT SITE.
4. BEAM SHALL BE KEPT UPRIGHT AT ALL TIMES AND TO BE CLEARLY MARKED INDICATING SPAN, LOCATION, AND RESPECTIVE ENDS BEFORE REMOVAL FROM CASTING BED.
5. CONCRETE FOR SUPERSTRUCTURE SHALL BE DESIGN MIX AND HAVE A MINIMUM 28 DAYS CHARACTERISTIC STRENGTH OF M40.
6. THE JACK FOR LIFTING THE SUPER STRUCTURE DURING BEARING REPLACEMENT SHALL HAVE A MINIMUM CAPACITY OF 200t.




Project Title:-

CONSULTANCY SERVICES FOR FEASIBILITY STUDY, PREPARATION OF DETAILED PROJECT REPORT AND PROVIDING PRE-CONSTRUCTION SERVICES FOR UP-GRADATION OF SELECTED ROAD STRETCHES / CORRIDORS TO TWO LANE WITH PAVED SHOULDER NH CONFIGURATION UNDER BHARAT MALA PROJECT AND NATIONAL HIGHWAYS CONNECTIVITY TO BACKWARD AREAS/RELIGIOUS/TOURIST PLACES OF THE COUNTRY IN THE STATE OF TRIPURA.

TELIAMURA - SABROOM SECTION

CLIENT:-



NATIONAL HIGHWAYS & INFRASTRUCTURE DEVELOPMENT CORPORATION LTD

Drawing Title:-

DIMENSION DETAIL OF PRECAST PSC I-GIRDER SUPERSTRUCTURE FOR 25.354m SPAN

Drawing No. :- TASPL/NHIDCL/FDPR/GAD/09


Scale :- AS SHOWN

Drn	Dgn.	Appd	Sheet :
D.S	D.P.S	B.Ram	01 OF 02


CONSULTANT:-




Technocrats Advisory Services Private Limited
in association with Vaishnavi Infratech Services Pvt. Ltd
68,Ajanta Apartments, 36, I.P. Extension
Patparganj Delhi-110092.



ELEVATION OF PRECAST GIRDER
(SCALE 1:50)



PLAN OF PRECAST GIRDER
(SCALE 1:50)



NOTES:-

1. ALL DIMENSIONS ARE IN MM UNLESS SHOWN OTHERWISE.
2. TOP SURFACE OF GIRDER SHALL BE ROUGHED FOR EFFECTIVE BONDING.
3. ANY DISCREPANCIES MUST BE BROUGHT TO THE NOTICE OF THE CONSULTANT BEFORE EXECUTION OF WORK AT SITE.
4. BEAM SHALL BE KEPT UPRIGHT AT ALL TIMES AND TO BE CLEARLY MARKED INDICATING SPAN, LOCATION, AND RESPECTIVE ENDS BEFORE REMOVAL FROM CASTING BED.
5. CONCRETE FOR SUPERSTRUCTURE SHALL BE DESIGN MIX AND HAVE A MINIMUM 28 DAYS CHARACTERISTIC STRENGTH OF M40.



Project Title:-
CONSULTANCY SERVICES FOR FEASIBILITY STUDY, PREPARATION OF DETAILED PROJECT REPORT AND PROVIDING PRE-CONSTRUCTION SERVICES FOR UP-GRADATION OF SELECTED ROAD STRETCHES / CORRIDORS TO TWO LANE WITH PAVED SHOULDER NH CONFIGURATION UNDER BHARAT MALA PROJECT AND NATIONAL HIGHWAYS CONNECTIVITY TO BACKWARD AREAS/RELIGIOUS/TOURIST PLACES OF THE COUNTRY IN THE STATE OF TRIPURA.
TELIAMURA - SABROOM SECTION

CLIENT:-

NATIONAL HIGHWAYS & INFRASTRUCTURE DEVELOPMENT CORPORATION LTD

Drawing Title:- DIMENSION DETAIL OF PRECAST PSC I-GIRDER SUPERSTRUCTURE FOR 25.354m SPAN			
Drawing No. :- TASPL/NHIDCL/FDPR/GAD/09			
Scale :- AS SHOWN			
Drn	Dgn.	Appd	Sheet :
D.S	D.P.S	B.Ram	02 OF 02

CONSULTANT:-

Technocrats Advisory Services Private Limited
in association with Vaishnavi Infratech Services Pvt. Ltd
68,Ajanta Apartments, 36, I.P. Extension
Patparganj Delhi-110092.

PRESTRESSING NOTES:–

1. ALL DIMENSIONS ARE IN MILLIMETERS, LEVELS ARE IN METERS UNLESS OTHERWISE MENTIONED.
2. DIMENSIONS ARE NOT TO BE SCALED. ONLY WRITTEN DIMENSIONS SHALL BE FOLLOWED.
3. ANY DISCREPANCIES MUST BE BROUGHT TO THE NOTICE OF THE CONSULTANT BEFORE EXECUTION OF WORK AT SITE.

4. PRESTRESSING SYSTEM

- a) ALL PRESTRESSING STRANDS SHALL HAVE 7 PLY UNCOATED STRESS RELIEVED LOW RELAXATION HIGH TENSILE STRANDS OF 15.2mm DIA. CONFORMING TO CLASS 2 OF IS 14268–1995.
- b) THE PARAMETERS ADOPTED FOR DESIGN ARE AS FOLLOWS:–

i) ANCHORAGE TYPE -----12 K 15

ii) SLIP AT EACH END ----- 6mm

iii) CO–EFFICIENT OF FRICTION(μ) ----- 0.17/ RADIANT

iv) WOBBLE CO–EFFICIENT (K)----- 0.0020/m

v) NOMINAL AREA OF EACH STRAND ----- 140 sq.mm

vi) NOMINAL ULTIMATE BREAKING LOAD OF EACH STRAND ----- 260.7KN

vii) MODULUS OF ELASTICITY OF HIGH TENSILE STEEL ----- 1.95X10⁵ MPa

viii) SHEATHING THICKNESS----- 0.5 mm
- c) HDPE SHEATHING DUCT OF 86mm DIA (ID) SHALL BE USED FOR ALL CABLES.
- d) ALL THE DESIGN PARAMETERS ADOPTED SHALL BE VERIFIED AT SITE.

5. PRESTRESSING OPERATIONS

- a) ALL CABLES SHALL BE LAID IN SMOOTH PROFILE PASSING THROUGH THE GIVEN ORDINATES. FIRM SUPPORT SHALL BE INSTALLED AT EVERY METRE AS SHOWN.
- b) CABLE LENGTHS MENTIONED IN THE DRAWING ARE INCLUSIVE OF 1000 MILLIMETRE EXTRA AT EACH END. THE TOTAL LENGTH OF CABLE SHALL BE VERIFIED AT SITE.
- c) ABCISSA (DISTANCE "X") OF CABLE GIVEN IN THE DRAWING ARE EVALUATED WITH REFERENCE TO END OF GIRDER. ORDINATES DISTANCE 'Y' ARE WITH REFERENCE TO SOFFIT OF THE GIRDER.
- d) ALL STRANDS OF CABLES SHALL BE STRESSED FROM BOTH ENDS SIMULTANEOUSLY. ONLY MULTIPULL JACKS SHALL BE USED FOR STRESSING.
- e) GROUTING OF CABLES SHALL BE DONE IN SAME SEQUENCE AS STRESSING AND SHALL CONFIRM TO TECHNICAL SPECIFICATIONS. ANCHORAGE POCKET SHALL BE FILLED WITH EPOXY MORTAR AFTER STRESSING & GROUTING.
- f) TIME LAG BETWEEN STRESSING OF EACH CABLE SHALL BE AVOIDED.
- g) EXTENSIONS SHALL BE RECHECKED AT 24 HOURS AFTER ANCHORING TO OBSERVE SLOW SLIPPAGE. INCASE OF EXCESSIVE SLIPPAGE THE MATTER SHALL BE REPORTED TO THE ENGINEER–IN–CHARGE.
- h) EXTENSIONS ARE GIVEN FOR HALF CABLE LENGTHS INCLUSIVE OF 600 MILLIMETRE GRIP LENGTH AT EACH END. LOSS UPTO 6mm DUE TO SLIP OF ANCHORAGES ARE NOT TO BE COMPENSATED DURING SITE OPERATIONS. JACK PRESSURE AND EXTENSIONS OF CABLES AT EACH END GIVEN IN THE DRAWING SHALL BE VERIFIED AT SITE.
- i) INITIAL SLACKNESS IN CABLES SHALL BE REMOVED BY APPLYING SMALL TENSION. THE INITIAL TENSION REQUIRED TO REMOVE SLACKNESS SHALL BE TAKEN AS THE STARTING POINT FOR MEASURING ELONGATION AND CORRECTION SHALL BE APPLIED AS PER CL. 12.2.1.3 OF IS:1343–1980.
- j) IN CASE THE CALCULATED ELONGATION AND THE JACK PRESSURE ARE NOT ACHIEVED SIMULTANEOUSLY DURING PRESTRESSING OPERATION STRESSING SHALL BE CONTINUED / DISCONTINUED AS PER NOTE NO. 9 GIVEN BELOW.
- k) EXCESS STRANDS AS SHOWN IN TABLE–2 SHALL BE STRESSED IF ANY SHORTFALL IN PRESTRESSING.
6. THE EXTENSIONS GIVEN IN TABLE SHALL BE MODIFIED AT SITE IN CASE ACTUAL VALUE OF AREA OF STRANDS 'A' AND MODULUS OF ELASTICITY 'E' VARIES FROM THOSE ASSUMED IN DESIGN, REVISED EXTENSION SHALL BE CALCULATED AS UNDER REVISED EXTENSION = (140 X 195 X 10⁵) / (NEW AREA X NEW MODULUS) x ORIGINAL EXTENSION.

7. EXTENSION OF CABLE SHALL BE VERIFIED FOR A FEW CABLES AT SITE. IN CASE OF VALUE OF μ AND K ARE FOUND TO BE DIFFERENT THAN THOSE CONSIDERED FOR DESIGN, EXTENSION SHALL BE SUITABLY MODIFIED AFTER APPROVAL OF DESIGN OFFICE.
8. THE GRIP LENGTH FROM ANCHORAGE FACE UPTO GRIPPING POINT IN JACK ASSUMED IN EXTENSION CALCULATIONS IS 600 mm AND THE ADDITIONAL LENGTH TAKEN FOR CUTTING IS 400 mm. IN CASE GRIP LENGTH VARIES THEN THOSE CONSIDERED, THE EXTENSIONS SHALL BE MODIFIED AS UNDER :

Ex

(New)

=

Ex

(Old)

+

JACK FORCE x (GRIP LENGTH – 600)

AREA x Es

9. SPECIAL NOTE FOR PRESTRESSING

- IF THE CALCULATED ELONGATION IS REACHED BEFORE THE CALCULATED GAUGE PRESSURE IS OBTAINED, CONTINUE TENSIONING TILL ATTAINING THE CALCULATED GAUGE PRESSURE PROVIDED THE ELONGATION DOES NOT EXCEED 1.05 TIMES THE CALCULATED ELONGATION. IF THE CALCULATED ELONGATION HAS NOT BEEN REACHED CONTINUE TENSIONING IN INTERVALS OF 5 kg/sqcm UNTIL THE CALCULATED ELONGATION IS REACHED PROVIDED THE GAUGE PRESSURE DOES NOT EXCEED 1.05 TIMES THE CALCULATED GAUGE PRESSURE. IF THE ELONGATION AT 1.05 TIMES THE CALCULATED GAUGE PRESSURE IS LESS THAN 0.95 TIMES THE CALCULATED ELONGATION THE FOLLOWING MEASURES MUST BE TAKEN :
- i) RECALIBRATE THE PRESSURE GAUGE
- ii) CHECK THE CORRECT FUNCTIONING OF THE JACK PUMP AND LEADS
- iii) DE–TENSION THE CABLE SLIDE IT IN ITS DUCT TO CHECK THAT IT IS NOT BLOCKED BY MORTAR WHICH HAS ENTERED THROUGH IN THE SHEATH. RE–TENSION THE CABLE IF FREE. IF THE REQUIRED ELONGATION IS NOT OBTAINED FURTHER FINISHING OPERATION SUCH AS CUTTING OR SEALING SHOULD NOT BE UNDERTAKEN WITHOUT THE APPROVAL THE ENGINEER.


10. THE GAUGE PRESSURE FOR PRESTRESSING SHALL BE WORKED OUT PRIOR TO ANY STRESSING OPERATION DULY TAKING IN TO ACCOUNT THE RAM AREA OF THE JACK AND THE JACK EFFICIENCY. THE STRESSING EQUIPMENTS SHALL BE WELL MAINTAINED AND THE CALIBRATION CHARTS SHALL BE AVAILABLE AT SITE.
11. THIS DRAWING SHALL BE READ IN CONJUNCTION WITH ALL OTHER RELEVANT DRAWINGS.


CONSTRUCTION SEQUENCE OF OUTER GIRDER

1. AT '0'TH DAY GIRDER SHALL BE CASTED ON CASTING BED.
2. CABLE No. ❸ & ❹ SHALL BE PRESTRESSED AT 5TH DAY OR WHEN CUBE STRENGTH IS 35MPa WHICHEVER IS LATER. AFTER THIS STAGE OF STRESSING THE GIRDER CAN BE LIFTED FROM THE CASTING BED.
3. 4 STRANDS OF CABLE No. ❶ SHALL BE PRESTRESSED AT 21ST DAY OR WHEN CUBE STRENGTH IS 40MPa.
4. AFTER STRESSING 4 STRANDS OF CABLE NO❶ , 8 STRANDS OF CABLE No. ❷ SHALL BE PRESTRESSED.
5. AFTER STRESSING CABLE No. ❷ REMAINING STRANDS OF CABLE No. ❶ SHALL BE PRESTRESSED.
6. GIRDERS SHALL BE PLACED ON TEMPORARY SUPPORTS ON PIER CAP.
7. PERMANENT BEARINGS SHALL BE INSTALLED ON PEDESTALS.
8. CAST WEDGE OVER THE BEARING AS PER RELEVANT WEDGE DETAILS.
9. REMOVE TEMPORARY SUPPORT SO THAT GIRDER CAN BE PLACED OVER STEEL WEDGE AND PERMANENT BEARINGS.
10. DECK SLAB SHALL BE CAST AFTER 28 DAYS OF CASTING OF GIRDER.
11. PARAPET, RAIL PLINTH SHALL BE ERECTED/CAST 28 DAYS AFTER CASTING THE DECK SLAB OR AFTER THE DECK SLAB ATTAINS A STRENGTH OF 40MPa, WHICHEVER IS LATER.

NOTES


1. ALL DIMENSIONS ARE IN MILLIMETERS, LEVELS ARE IN METERS UNLESS OTHERWISE MENTIONED.
2. DIMENSIONS ARE NOT TO BE SCALED. ONLY WRITTEN DIMENSIONS SHALL BE FOLLOWED.
3. ANY DISCREPANCIES MUST BE BROUGHT TO THE NOTICE OF THE CONSULTANT BEFORE EXECUTION OF WORK AT SITE.

	Project Title:-	CLIENT:-	Drawing Title:-				CONSULTANT:-
	CONSULTANCY SERVICES FOR FEASIBILITY STUDY, PREPARATION OF DETAILED PROJECT REPORT AND PROVIDING PRE-CONSTRUCTION SERVICES FOR UP-GRADATION OF SELECTED ROAD STRETCHES / CORRIDORS TO TWO LANE WITH PAVED SHOULDER NH CONFIGURATION UNDER BHARAT MALA PROJECT AND NATIONAL HIGHWAYS CONNECTIVITY TO BACKWARD AREAS/RELIGIOUS/TOURIST PLACES OF THE COUNTRY IN THE STATE OF TRIPURA.	 NATIONAL HIGHWAYS & INFRASTRUCTURE DEVELOPMENT CORPORATION LTD	CABLE LAYOUT OF PRECAST PSC I-GIRDER SUPERSTRUCTURE FOR 25.354m SPAN				 Technocrats Advisory Services Private Limited in association with Vaishnavi Infratech Services Pvt. Ltd 68,Ajanta Apartments, 36, I.P. Extension Patparganj Delhi-110092.
			Drawing No. :- TASPL/NHIDCL/FDPR/GAD/09				
			Scale :- AS SHOWN				
			Drn	Dgn.	Appd	Sheet :	
D.S	D.P.S	B.Ram	02 OF 02				
TELIAMURA - SABROOM SECTION							




SECTION D-D
(SCALE 1:15)


SECTION E-E
(SCALE 1:15)




SECTIONAL ELEVATION OF END BLOCK
(SCALE 1:20)




SECTION Z-Z
(SCALE 1:10)




12MESH TYPE- 1
(SCALE 1:10)



SECTION X-X
(BAR MKD. 2 NOT SHOWN FOR CLARITY)
(SCALE 1:20)



16Spiral REINFORCEMENT FOR CABLE (TYP)
(SCALE 1:5)



SECTION Y-Y
(BAR MKD. 2 NOT SHOWN FOR CLARITY)
(SCALE 1:20)

NOTES:

1. ALL DIMENSIONS ARE IN MILLIMETERS UNLESS OTHERWISE MENTIONED.
2. DONOT SCALE THE DRAWING, DIMENSIONS SHOWN SHALL BE FOLLOWED.
3. ANY DISCREPANCIES MUST BE BROUGHT TO THE NOTICE OF THE CONSULTANT BEFORE EXECUTION OF WORK AT SITE.
4. ANCHORAGE RECESSES SHALL BE SEALED WITH PREPACKAGED NON-SHRINK MORTAR. END FACES OF GIRDERS TO BE COATED WITH TWO COATES OF EPOXY.

DIAMETER AND DIMENSIONS OF SPIRAL REINFORCEMENT
SHALL BE CONFIRMED BY PRESTRESSING SYSTEM SUPPLIER



Project Title:-

CONSULTANCY SERVICES FOR FEASIBILITY STUDY, PREPARATION OF DETAILED PROJECT REPORT AND PROVIDING PRE-CONSTRUCTION SERVICES FOR UP-GRADATION OF SELECTED ROAD STRETCHES / CORRIDORS TO TWO LANE WITH PAVED SHOULDER NH CONFIGURATION UNDER BHARAT MALA PROJECT AND NATIONAL HIGHWAYS CONNECTIVITY TO BACKWARD AREAS/RELIGIOUS/TOURIST PLACES OF THE COUNTRY IN THE STATE OF TRIPURA.

TELIAMURA - SABROOM SECTION

CLIENT:-



**NATIONAL HIGHWAYS & INFRASTRUCTURE
DEVELOPMENT CORPORATION LTD**

Drawing Title:-

**REINFORCEMENT DETAIL OF PRECAST
PSC I-GIRDER SUPERSTRUCTURE
FOR 25.354m SPAN**

Drawing No. :- TASPL/NHIDCL/FDPR/GAD/09







Scale :- AS SHOWN

Drn	Dgn.	Appd	Sheet :
D.S	D.P.S	B.Ram	01 OF 02


CONSULTANT:-



Technocrats Advisory Services Private Limited
in association with Vaishnavi Infratech Services Pvt. Ltd
68,Ajanta Apartments, 36, I.P. Extension
Patparganj Delhi-110092.



REINFORCEMENT FOR CROSS GIRDER SHALL BE LEFT IN PRECAST GIRDER BEFORE CASTING



SCHEDULE OF REINFORCEMENT

BAR MARKED	DIA OF BAR & SPACING/NOS.	BAR SHAPE	REMARKS
1	2L-12 200c/c	150	
2	2L-12 200c/c	150	
3	2L-16 200c/c	150	
4	2L-12 200c/c		
5	10 200 c/c		
6	2L-12 200 c/c		
7	NOT USED		
8	2L-12 200 c/c		
9	10 200 c/c		
10	10 200 c/c		
11	10 6 NOS (ON EACH FACE)		EACH END OF GIRDER
11a	10 4 NOS (ON EACH FACE)		EACH END OF GIRDER
12	10 10 NOS (ON EACH FACE)		
13	10 4 NOS		
14	10 2 NOS		
15	10 4 NOS		
16	10 9 NOS		
17	10 4 NOS		
18	2L-16 100 c/c	150	EACH END OF GIRDER
18a	2L-16 100 c/c	400	EACH END OF GIRDER
19	2L-16 100 c/c	150	EACH END OF GIRDER
19a	2L-16 100 c/c	300	EACH END OF GIRDER
20	16 7 NOS	600	EACH END OF GIRDER
20a	16 2 NOS	1495	EACH END OF GIRDER
20b	16 2 NOS	585	EACH END OF GIRDER
21	12 4 NOS	800	EACH END OF GIRDER
22	12 12X2 NOS	450	
23	2L-12 2 NOS	150	
24	10 2 NOS		EACH END OF GIRDER/
24a	10 2 NOS		BENT AFTER PRESTRESS

- NOTES :
- ALL DIMENSIONS ARE IN MM UNLESS SHOWN OTHERWISE.
 - FIGURED DIMENSIONS SHOULD BE FOLLOWED, DO NO SCALE THE DIMENSIONS.
 - ANY DISCREPANCIES MUST BE BROUGHT TO THE NOTICE OF THE CONSULTANT BEFORE EXECUTION OF WORK AT SITE.
 - THE REINFORCING STEEL SHALL BE DEFORMED TMT BARS (GRADE DESIGNATION Fe500D) CONFORMING TO IS:1786.
 - CLEAR COVER TO ANY REINFORCEMENT IS 50mm.
 - LAP LENGTH SHALL NOT BE LESS THAN 41D (WHERE D IS THE DIA OF THE SMALLER BAR TO BE LAPPED AT A SECTION.)
 - LAPS SHOULD BE STAGGERED & NOT MORE THAN 50% BARS SHOULD BE LAPPED AT A SECTION.
 - ANCHORAGE LENGTH SHALL NOT BE LESS THAN 41 X DIA OF BAR.
 - REINFORCEMENT SHALL BE SUITABLY ADJUSTED WHILE FOULING WITH PRESTRESS CABLE.




Project Title:-
CONSULTANCY SERVICES FOR FEASIBILITY STUDY, PREPARATION OF DETAILED PROJECT REPORT AND PROVIDING PRE-CONSTRUCTION SERVICES FOR UP-GRADATION OF SELECTED ROAD STRETCHES / CORRIDORS TO TWO LANE WITH PAVED SHOULDER NH CONFIGURATION UNDER BHARAT MALA PROJECT AND NATIONAL HIGHWAYS CONNECTIVITY TO BACKWARD AREAS/RELIGIOUS/TOURIST PLACES OF THE COUNTRY IN THE STATE OF TRIPURA.
TELIAMURA - SABROOM SECTION


CLIENT:-
NATIONAL HIGHWAYS & INFRASTRUCTURE DEVELOPMENT CORPORATION LTD

Drawing Title:-
REINFORCEMENT DETAIL OF PRECAST PSC I-GIRDER SUPERSTRUCTURE FOR 25.354m SPAN
Drawing No. :- **TASPL/NHIDCL/FDPR/GAD/09**
Scale :- **AS SHOWN**
Drn Dgn Appd Sheet :
D.S D.P.S B.Ram 02 OF 02


CONSULTANT:-
TASPL
Technocrats Advisory Services Private Limited
in association with Vaishnavi Infratech Services Pvt. Ltd
68,Ajanta Apartments, 36, I.P. Extension
Patparganj Delhi-110092.



INTERMEDIATE DIAPHRAGM
(SCALE 1:30)



SECTION D-D
(SCALE 1:15)



SECTION E-E
(SCALE 1:15)

SCHEDULE OF REINFORCEMENT

BAR MARKED	DIA OF BAR & SPACING/NOS.	BAR SHAPE
1a	25 Ψ 3NOS.	
1b	25 Ψ 3NOS.	
1c	25 Ψ 3NOS.	
1d	25 Ψ 3NOS.	
2	25 Ψ 3NOS.	
2a	25 Ψ 3NOS.	
3a	2L-12 Ψ @ 150c/c	
3b	2Nos.-2L-12 Ψ (EACH LOCATION)	
3c	2Nos.-12 Ψ (EACH LOCATION)	
3d	2Nos.-2L-12 Ψ (EACH LOCATION)	
3e	2Nos.-2L-12 Ψ (EACH LOCATION)	
3f	2Nos.-2L-12 Ψ (EACH LOCATION)	
4a	12 Ψ 10NOS.(EACH FACE)	
4b	12 Ψ 10NOS.(EACH FACE)	

NOTES :

1. ALL DIMENSIONS ARE IN MM UNLESS SHOWN OTHERWISE.
2. FIGURED DIMENSIONS SHOULD BE FOLLOWED, DO NOT SCALE THE DIMENSIONS.
3. ANY DISCREPANCIES MUST BE BROUGHT TO THE NOTICE OF THE CONSULTANT BEFORE EXECUTION OF WORK AT SITE.
4. THE REINFORCING STEEL SHALL BE DEFORMED TMT BARS (GRADE DESIGNATION Fe:500D) CONFORMING TO IS:1786.

BAR MARKED (1a) (1b) (1c) (1d) (3a) (3b) (3c) (3d) (3e) (3f) (4a) (4b) SHALL BE PLACED IN PRECAST GIRDER.



Project Title:-
CONSULTANCY SERVICES FOR FEASIBILITY STUDY, PREPARATION OF DETAILED PROJECT REPORT AND PROVIDING PRE-CONSTRUCTION SERVICES FOR UP-GRADATION OF SELECTED ROAD STRETCHES / CORRIDORS TO TWO LANE WITH PAVED SHOULDER NH CONFIGURATION UNDER BHARAT MALA PROJECT AND NATIONAL HIGHWAYS CONNECTIVITY TO BACKWARD AREAS/RELIGIOUS/TOURIST PLACES OF THE COUNTRY IN THE STATE OF TRIPURA.
TELIAMURA - SABROOM SECTION


CLIENT:-

NATIONAL HIGHWAYS & INFRASTRUCTURE DEVELOPMENT CORPORATION LTD


Drawing Title:- **REINFORCEMENT DETAIL OF CAST-IN-SITU END CROSS GIRDER FOR PRECAST PSC I-GIRDER SUPERSTRUCTURE FOR 25.354m SPAN**
Drawing No. :- **TASPL/NHIDCL/FDPR/GAD/09**
Scale :- **AS SHOWN**
Drn :- **D.S**
Dgn. :- **D.P.S**
Appd :- **B.Ram**
Sheet :- **01 OF 02**

CONSULTANT:-


Technocrats Advisory Services Private Limited
in association with Vaishnavi Infratech Services Pvt. Ltd
68,Ajanta Apartments, 36, I.P. Extension
Patparganj Delhi-110092.




END DIAPHRAGM
(SCALE 1:30)



SECTION D-D
(SCALE 1:15)



SECTION E-E
(SCALE 1:15)



SCHEDULE OF REINFORCEMENT

BAR MARKED	DIA OF BAR & SPACING/NOS.	BAR SHAPE
1a	16 Ψ 4NOS.	
1b	16 Ψ 4NOS.	
1c	16 Ψ 4NOS.	
1d	16 Ψ 4NOS.	
1e	16 Ψ 2NOS.	
1f	16 Ψ 2NOS.	
2	20 Ψ 2NOS.	
2a	20 Ψ 2NOS.	
3a	2L-12 Ψ @ 150c/c	
3b	2Nos.-4L-16 Ψ (EACH LOCATION)	
3c	2Nos.-16 Ψ (EACH LOCATION)	
3d	2Nos.-4L-16 Ψ (EACH LOCATION)	
3e	2Nos.-4L-16 Ψ (EACH LOCATION)	
3f	2Nos.-4L-16 Ψ (EACH LOCATION)	
4a	12 Ψ 10NOS.(EACH FACE)	
4b	12 Ψ 10NOS.(EACH FACE)	

NOTES :

- ALL DIMENSIONS ARE IN MM UNLESS SHOWN OTHERWISE.
- FIGURED DIMENSIONS SHOULD BE FOLLOWED, DO NOT SCALE THE DIMENSIONS.
- ANY DISCREPANCIES MUST BE BROUGHT TO THE NOTICE OF THE CONSULTANT BEFORE EXECUTION OF WORK AT SITE.
- THE REINFORCING STEEL SHALL BE DEFORMED TMT BARS (GRADE DESIGNATION Fe:500D) CONFORMING TO IS:1786.
- CLEAR COVER TO ANY REINFORCEMENT IS 50mm.
- NO LAPS ARE PERMITTED IN CROSS GIRDER UNLESS SPECIFIED IN DRAWING.

BAR MARKED (1a, 1b, 1c, 1d, 1e, 1f, 3c, 3e, 3f, 4a, 4b) SHALL BE PLACED IN PRECAST GIRDER.




Project Title:-

CONSULTANCY SERVICES FOR FEASIBILITY STUDY, PREPARATION OF DETAILED PROJECT REPORT AND PROVIDING PRE-CONSTRUCTION SERVICES FOR UP-GRADATION OF SELECTED ROAD STRETCHES / CORRIDORS TO TWO LANE WITH PAVED SHOULDER NH CONFIGURATION UNDER BHARAT MALA PROJECT AND NATIONAL HIGHWAYS CONNECTIVITY TO BACKWARD AREAS/RELIGIOUS/TOURIST PLACES OF THE COUNTRY IN THE STATE OF TRIPURA.

TELIAMURA - SABROOM SECTION

CLIENT:-



NATIONAL HIGHWAYS & INFRASTRUCTURE DEVELOPMENT CORPORATION LTD

Drawing Title:-

REINFORCEMENT DETAIL OF CAST-IN-SITU INTER. CROSS GIRDER FOR PRECAST PSC I-GIRDER SUPERSTRUCTURE FOR 25.354m SPAN

Drawing No. :- TASPL/NHIDCL/FDPR/GAD/09


Scale :- AS SHOWN

Drn	Dgn.	Appd	Sheet :
D.S	D.P.S	B.Ram	02 OF 02

CONSULTANT:-





Technocrats Advisory Services Private Limited
in association with Vaishnavi Infratech Services Pvt. Ltd
68,Ajanta Apartments, 36, I.P. Extension
Patparganj Delhi-110092.



MESH DETAILS '1' OF ACUTE CONNER
(SCALE 1:60)

MESH DETAILS '2' OF OBTUSE CONNER
(SCALE 1:60)

L= SQUARE SPAN & B= SKEW WIDTH



SCHEDULE OF REINFORCEMENT			
BAR MKD.	DIA OF BAR	SPACING/ NO. OF BAR	BAR SHAPE
1	10	240	
1a	10	240	V.L.
2	12	240	
2a	20	240	
2b	12	240	V.L.
3	16	240	
3a	12	240	
3b	16	240	V.L.
3c	12	240	V.L.
4	10	10 NOS.	
4a	10	6 NOS.	
5	10	10 NOS.	
5a	10	6 NOS.	
6	10	4 NOS.	
7	10	10 NOS.	
8	NOT USED		
9	10	4 NOS.	
10	10	4 NOS.	
11	12	5 NOS.	
11a	12	5 NOS.	
12	10	6 NOS.	
13	10	75	
14	10	75	
15	10	75	
16	10	75	

- NOTES:**
- ALL DIMENSIONS ARE IN MM UNLESS SHOWN OTHERWISE.
 - THIS DRAWING IS TO BE READ IN CONJUNCTION WITH ALL OTHER RELEVANT DRG.
 - STEEL REINFORCEMENT SHALL BE HYSD TMT BARS OF GRADE DESIGNATION Fe 500D CONFORMING TO IS 1786-2008.
 - CLEAR COVER TO ANY REINFORCEMENT IS 40MM.
 - LAP LENGTH SHALL CONFIRM TO CLAUSE 15.2 IRC-112 2011.
 - LAP SHOULD BE STAGGERED AND NOT MORE THAN 50% BARS SHOULD BE LAPPED AT ANY SECTION & LAP SHOULD BE LOCATED AT POINT ALONG THE SPAN WHERE STRESSES ARE LOW.
 - ANCHORAGE LENGTH OF REINF. BARS SHALL BE 36xDIA OF BAR & SHALL CONFIRM TO CLAUSE 15.2.3 OF IRC-112 2011.
 - 32 DIA SPACER BARS SHALL BE PROVIDED @ 1M C/C BETWEEN TWO TIERS OF LONGITUDINAL BARS OF GIRDERS.
 - CONDITION OF EXPOSURE IS MODERATE.

Project Title:-
CONSULTANCY SERVICES FOR FEASIBILITY STUDY, PREPARATION OF DETAILED PROJECT REPORT AND PROVIDING PRE-CONSTRUCTION SERVICES FOR UP-GRADATION OF SELECTED ROAD STRETCHES / CORRIDORS TO TWO LANE WITH PAVED SHOULDER NH CONFIGURATION UNDER BHARAT MALA PROJECT AND NATIONAL HIGHWAYS CONNECTIVITY TO BACKWARD AREAS/RELIGIOUS/TOURIST PLACES OF THE COUNTRY IN THE STATE OF TRIPURA.

Project Location:-
TELIAMURA - SABROOM SECTION

CLIENT:-
NATIONAL HIGHWAYS & INFRASTRUCTURE DEVELOPMENT CORPORATION LTD

Drawing Title:-
REINFORCEMENT DETAIL OF CAST-IN-SITU DECK SLAB FOR PRECAST PSC I-GIRDER SUPERSTRUCTURE FOR 25.354m SPAN

Drawing No. :- TASPL/NHIDCL/FDPR/GAD/09

Scale :- AS SHOWN


Drn	Dgn.	Appd	Sheet :
D.S	D.P.S	B.Ram	01 OF 01

CONSULTANT:-


Technocrats Advisory Services Private Limited
in association with Vaishnavi Infratech Services Pvt. Ltd
68,Ajanta Apartments, 36, I.P. Extension
Patparganj Delhi-110092.

in association with Vaishnavi Infratech Services Pvt. Ltd
68, Ajanta Apartments, 36, I.P. Extension
Patparganj Delhi-110092.

MINOR BRIDGE AT CH. 98+240 (2X22.7m SPAN) ►



LONGITUDINAL SECTION A-A (SCALE 1:200) SKEW DIMENSIONS ARE IN BRACKET









NOTES:-

1. ALL DIMENSIONS ARE IN MILLIMETERS, LEVELS ARE IN METERS UNLESS OTHERWISE MENTIONED.
2. NO DIMENSION SHALL BE MEASURED FROM THE DRAWINGS. ONLY WRITTEN DIMENSIONS SHALL BE FOLLOWED.
3. CHAINAGE & LEVEL SHALL BE VERIFIED WITH THE RELEVANT PLAN & PROFILE DRAWINGS. VARIATION (IF ANY) SHALL BE REPORTED TO ENGINEER FOR MODIFICATION.
4. CHAINAGE OF THE STRUCTURE IS AT THE CENTER LINE OF THE PROPOSED STRUCTURE.
5. THE REINFORCEMENT SHALL BE HYSD BARS OF GRADE DESIGNATION Fe 500D CONFORMING TO IS 1786-2008.
6. CONCRETE SHALL BE DESIGN MIX WITH WITH A MINIMUM 28 DAYS CHARACTERISTIC CUBE STRENGTH FOR DIFFERENT ELEMENTS AS FOLLOWS:
 - a. RCC-I GIRDER, RCC DECK SLAB & END CROSS GIRDER M35
 - b. ABUT. & ABUT CAP M35
 - c. PILE & PILE CAP M35
 - d. PIER & PIER CAP M35
 - e. RETAINING WALL M35
 - f. CRASH BARRIER M40
 - g. APPROACH SLAB M30
 - h. LEVELING COURSE M15
 - i. PEDESTALS M40
7. CLEAR COVER TO OUTER STEEL SHALL BE AS FOLLOWS:-
 - a. SUPERSTRUCTURE 40MM
 - b. ABUTMENT EARTH FACE 75MM
 - c. ABUTMENT OUTER FACE/PIER 50MM
 - d. FOUNDATION 75MM
 - e. CRASH BARRIER 40MM
8. BACK FILLING BEHIND WALLS/ABUTMENT SHALL CONSISTS OF SELECTED EARTH CONFORMING TO APPENDIX 6 OF IRC:78-2014 HAVING PROPERTIES $C=0$, $\phi \geq 30^\circ$, $\gamma=2.0t/cu.m$.
9. 65MM THICK WEARING COURSE COMPRISING OF BITUMINOUS CONCRETE 40MM THICK OVERLAID WITH 25MM THICK BITUMEN MASTIC ASPHALTIC SHALL BE PROVIDED AS PER SECTION 500 OF MORTH SPECIFICATION.
10. ALL SOLID WALLS RETAINING THE EARTH SHALL HAVE WEEP HOLES STARTING 150MM ABOVE THE GROUND LEVEL AND SPACED 1000MM HORIZONTALLY AND VERTICALLY IN STAGGERED MANNER.
11. 600MM THICK FILTER MEDIA SHALL BE PROVIDED BEHIND SOLID ABUTMENT WALLS AND RETURN/RETAINING WALL.
12. CONDITION OF EXPOSURE IS MODERATE.
13. THIS STRUCTURE LIES IN SEISMIC ZONE V.
14. THE STRUCTURE SHALL BE DESIGNED FOR LIVE LOAD COMBINATION CONFORMING TO IRC-6-2017.
15. SINGLE STRIP SEAL TYPE EXPANSION JOINT SHALL BE PROVIDED AS PER MODIFIED INTERIM SPECIFICATION FOR EXPANSION JOINTS ISSUED VIDE "MORTH" CIRCULAR NO. RW/NH-34059/1/98-S&R DATED 30-11-2000 & 25-01-2001.
16. FOR DETAILS OF DRAINAGE SPOUT, CRASH BARRIER, JOINTS,APPROACH SLAB & RETAINING WALL REFER SEPARATE DRAWING.

LOAD CARRYING CAPACITY OF 1.2m DIA PILE AS PER GEOTECH REPORT.

DESCPTION	NORMAL CASE	
	VERTICAL (T)	HORIZONTAL (T)
ABUTMENT (A1)	638.52	35
PIER (P1)	638.52	35
ABUTMENT (A2)	638.52	35




Project Title:-

CONSULTANCY SERVICES FOR FEASIBILITY STUDY, PREPARATION OF DETAILED PROJECT REPORT AND PROVIDING PRE-CONSTRUCTION SERVICES FOR UP-GRADATION OF SELECTED ROAD STRETCHES / CORRIDORS TO TWO LANE WITH PAVED SHOULDER NH CONFIGURATION UNDER BHARAT MALA PROJECT AND NATIONAL HIGHWAYS CONNECTIVITY TO BACKWARD AREAS/RELIGIOUS/TOURIST PLACES OF THE COUNTRY IN THE STATE OF TRIPURA.

TELIAMURA - SABROOM SECTION

CLIENT:-



NATIONAL HIGHWAYS & INFRASTRUCTURE DEVELOPMENT CORPORATION LTD

Drawing Title:-

GENERAL ARRANGEMENT DRAWING OF MINOR BRIDGE AT CH. 98+240

Drawing No. :- TASPL/NHIDCL/FDPR/GAD/09



Scale :- AS SHOWN

Drn	Dgn.	Appd	Sheet :
D.S	D.P.S	B.Ram	02 OF 02




CONSULTANT:-



Technocrats Advisory Services Private Limited
in association with Vaishnavi Infratech Services Pvt. Ltd
68,Ajanta Apartments, 36, I.P. Extension
Patparganj Delhi-110092.



- NOTES**
1. ALL DIMENSIONS ARE IN MILLIMETRES, UNLESS OTHERWISE MENTIONED. ONLY WRITTEN DIMENSIONS ARE TO BE FOLLOWED.
 2. THE REINFORCING STEEL SHALL BE OF DEFORMED TMT BARS (GRADE DESIGNATION Fe:500) CONFORMING TO IS:1786
 3. CLEAR COVER TO OUTER MOST STEEL IS 50mm FOR SUPERSTRUCTURE : 50mm, & FOUNDATION 75mm.
 4. THE GRADE OF CONCRETE FOR PIER CAP, PIER WALL SHALL BE M-35 AND PEDESTAL M-40. PILE M-35.
 5. LL REPRESENTS LONGITUDINAL AXIS OF BRIDGE AND TT REPRESENTS TRANSVERSE AXIS OF BRIDGE.
 6. THE LOCATION OF JACK OR LIFTING OF THE SUPERSTRUCTURE TO REPLACE BEARINGS ETC. IS SHOWN. THIS SHALL BE DISTINCTLY ETCHED FOR EASY IDENTIFICATION ON THE END CROSS GIRDERS AND PIER CAPS.
 8. CAPACITY OF JACKS SHOULD NOT BE LESS THAN 300 TONS.
 9. FOR RE WALL DETAILS REFER SEPARATE DRAWINGS FROM MANUFACTURE.
 10. THE PIER CAP LEVEL IS CALCULATED ASSUMING BEARING & PEDASTAL HEIGHT 350mm. FOR ANY CHANGE IN THE FINAL OF BEARING PROVIDE MANUFACTURER THE CAP LEVEL SHALL BE CHANGED ACCORDINGLY.



Project Title:-

CONSULTANCY SERVICES FOR FEASIBILITY STUDY, PREPARATION OF DETAILED PROJECT REPORT AND PROVIDING PRE-CONSTRUCTION SERVICES FOR UP-GRADATION OF SELECTED ROAD STRETCHES / CORRIDORS TO TWO LANE WITH PAVED SHOULDER NH CONFIGURATION UNDER BHARAT MALA PROJECT AND NATIONAL HIGHWAYS CONNECTIVITY TO BACKWARD AREAS/RELIGIOUS/TOURIST PLACES OF THE COUNTRY IN THE STATE OF TRIPURA.

TELIAMURA - SABROOM SECTION

CLIENT:-

NATIONAL HIGHWAYS & INFRASTRUCTURE DEVELOPMENT CORPORATION LTD

Drawing Title:- DIMENSIONAL DETAILS OF PIER, PIER CAP & PIER FOUNDATION (PIER P1)

Drawing No. :- TASPL/NHIDCL/FDPR/GAD/09

Scale :- AS SHOWN

Drn	Dgn.	Appd	Sheet :
D.S	D.P.S	B.Ram	01 OF 04

CONSULTANT:-


TASPL

Technocrats Advisory Services Private Limited


in association with Vaishnavi Infratech Services Pvt. Ltd

68, Ajanta Apartments, 36, I.P. Extension


Patparganj Delhi-110092.




SECTION A-A
(SCALE 1:50)




SECTION B-B
(SCALE 1:50)




**8 Ø MESH IN 2 LAYERS
IN PEDESTALS UNDER BEARING**
(SCALE 1:25)




**8 Ø MESH AT JACK
LOCATION IN TWO LAYERS**
(SCALE 1:25)



REINF. DETAILS OF PILE CAP
(SCALE 1:100)



SECTION D-D
(SCALE 1:30)




R.C.DETAILS OF PILE
(SCALE 1:75)

LEGEND:

——	TOP/INNER FACE
----	BOTTOM/OUTER FACE
B/F	BOTH FACE
V.L	VARYING LENGTH

PILE & PILE CAP REINFORCEMENT

BAR MKD.	DIA (mm)	SPACING/Nos.	SHAPE
1	32	30 Nos. in pair	
1a	12	100	○
2	10	100	○
3	20	120	└┘
4	20	240	└┘
4a	20	240	└┘
5	16	240	└┘
5a	16	240	└┘
6	16	240	└┘
6a	16	240	└┘
7	12	150	└┘
8	12	150	└┘
9	12	75	└┘
10	12	75	└┘
11	1L-12	120	└┘



PLAN
(DETAILS OF PEDESTAL)
(SCALE 1:20)


NOTES

- ALL DIMENSIONS ARE IN MILLIMETERS, AND LEVELS ARE IN METERS UNLESS OTHERWISE SPECIFIED.
- DIMENSIONS ARE NOT TO BE SCALED. ONLY WRITTEN DIMENSIONS SHALL BE FOLLOWED.
- L-L REPRESENTS LONGITUDINAL AXIS OF THE BRIDGE
T-T REPRESENTS TRANSVERSE AXIS OF THE BRIDGE
- HIGH YIELD STRENGTH DEFORMED BARS OF GRADE DESIGNATION Fe-500D CONFORMING TO IS: 1786 SHALL ONLY BE USED.
- REINFORCEMENT OF PIER SHAFT IS TO BE ANCHORED IN THE PILE CAP BEFORE IT'S CONCRETING.
- LAPPING OF REINFORCEMENT SHALL BE AVOIDED AS FAR AS POSSIBLE. IN CASE LAPPING OF BARS BECOMES UNAVOIDABLE, MINIMUM LAP LENGTH OF REINFORCEMENTBARS SHALL BE CALCULATED AS FOLLOWS WITH MAXIMUM ALLOWABLE LAPPING (p) OF 50% ONLY (IRC: 112-2011) (CLAUSE:15.2.5.1)

LAP LENGTH IS $\alpha \cdot l_{bnet}$
 α = 1.0 FOR $p\% < 25\%$
 α = 1.15 FOR $25\% < p\% < 25\%$
 α = 1.14 FOR $33\% < p\% < 50\%$
 (IRC:112-2011, CLAUSE:15.2.3.3)

DEVELOPMENT LENGTH (l_{bnet})
 $l_{bnet} = \alpha \cdot l_b$ ($\alpha = 1.0$)
 $l_b = k \phi$
 $k = 40$ FOR M30 (Fe500D)
 $k = 36$ FOR M35 (Fe500D)
 $k = 34$ FOR M40 (Fe500D)

FOR UNFAVORABLE BOND CONDITION THE l_b SHOULD BE MULTIPLIED BY FACTOR OF 1.43. FOR $\phi > 32mm$ l_b SHOULD BE INCREASED BY MULTIPLYING FACTOR $\left(\frac{100}{132 - \phi} \right)$



SECTION E-E
(SCALE 1:20)



Project Title:-

CONSULTANCY SERVICES FOR FEASIBILITY STUDY, PREPARATION OF DETAILED PROJECT REPORT AND PROVIDING PRE-CONSTRUCTION SERVICES FOR UP-GRADATION OF SELECTED ROAD STRETCHES / CORRIDORS TO TWO LANE WITH PAVED SHOULDER NH CONFIGURATION UNDER BHARAT MALA PROJECT AND NATIONAL HIGHWAYS CONNECTIVITY TO BACKWARD AREAS/RELIGIOUS/TOURIST PLACES OF THE COUNTRY IN THE STATE OF TRIPURA.

TELIAMURA - SABROOM SECTION

CLIENT:-



**NATIONAL HIGHWAYS & INFRASTRUCTURE
DEVELOPMENT CORPORATION LTD**

Drawing Title:-

**REINFORCEMENT DETAILS OF
PILE CAP & PILE (PIER P1)**

Drawing No. :- TASPL/NHIDCL/FDPR/GAD/09


Scale :- AS SHOWN

Drn	Dgn.	Appd	Sheet :
D.S	D.P.S	B.Ram	02 OF 04


CONSULTANT:-



Technocrats Advisory Services Private Limited
 in association with Vaishnavi Infratech Services Pvt. Ltd
 68,Ajanta Apartments, 36, I.P. Extension
 Patparganj Delhi-110092.



REINFT. SECTION A-A
(SCALE 1:50)



SECTION B-B
(SCALE 1:50)

REINFORCEMENT DETAIL:


BAR MKD.	DIA (mm)	SPACING/Nos.	SHAPE
p5	25	2x120 nos	
p6	25	2x8 nos	
p7	12	100	
L1	10	200	EVERY ALT. BAR AND STAGGERED

LEGEND:

——	TOP/EARTH FACE
----	BOTTOM/OUTER FACE
B/F	BOTH FACE
V.L	VARYING LENGTH

NOTES:-

1. ALL DIMENSIONS ARE IN MILLIMETRES UNLESS OTHERWISE MENTIONED.
2. THE REINFORCING STEEL SHALL BE DEFORMED TMT BARS (GRADE DESIGNATION Fe:500) CONFORMING TO IS:1786.
3. L-L REPRESENTS LONGITUDINAL AXIS OF THE BRIDGE AND T-T REPRESENTS TRANSVERSE AXIS OF THE BRIDGE.
4. THIS DRAWING SHALL BE READ IN CONJUNCTION WITH RELEVANT DRAWINGS.
5. CLEAR COVER TO ANY REINFORCEMENT SHALL BE 50mm.



SECTION 1-1
(SCALE 1:50)



Project Title:-

CONSULTANCY SERVICES FOR FEASIBILITY STUDY, PREPARATION OF DETAILED PROJECT REPORT AND PROVIDING PRE-CONSTRUCTION SERVICES FOR UP-GRADATION OF SELECTED ROAD STRETCHES / CORRIDORS TO TWO LANE WITH PAVED SHOULDER NH CONFIGURATION UNDER BHARAT MALA PROJECT AND NATIONAL HIGHWAYS CONNECTIVITY TO BACKWARD AREAS/RELIGIOUS/TOURIST PLACES OF THE COUNTRY IN THE STATE OF TRIPURA.

TELIAMURA - SABROOM SECTION

CLIENT:-



NATIONAL HIGHWAYS & INFRASTRUCTURE
DEVELOPMENT CORPORATION LTD

Drawing Title:-

REINFORCEMENT DETAILS OF
PIER SHAFT (PIER P1)

Drawing No. :- TASPL/NHIDCL/FDPR/GAD/09


Scale :- AS SHOWN

Drn	Dgn.	Appd	Sheet :
D.S	D.P.S	B.Ram	03 OF 04


CONSULTANT:-




Technocrats Advisory Services Private Limited
in association with Vaishnavi Infratech Services Pvt. Ltd
68,Ajanta Apartments, 36, I.P. Extension
Patparganj Delhi-110092.



SECTION 1-1
(SCALE 1:50)



SECTION 3-3
(MESH REINFORCEMENT NOT SHOWN FOR CLARITY)
(SCALE 1:30)



REINFORCEMENT IN PLAN AT PIER CAP TOP
(SCALE 1:75)

NOTES:-

1. ALL DIMENSIONS ARE IN MILLIMETRES UNLESS OTHERWISE MENTIONED.
2. THE REINFORCING STEEL SHALL BE DEFORMED TMT BARS (GRADE DESIGNATION Fe:500) CONFORMING TO IS:1786.
3. L-L REPRESENTS LONGITUDINAL AXIS OF THE BRIDGE AND T-T REPRESENTS TRANSVERSE AXIS OF THE BRIDGE.
4. THIS DRAWING SHALL BE READ IN CONJUNCTION WITH RELEVANT DRAWINGS.
5. CLEAR COVER TO ANY REINFORCEMENT SHALL BE 50mm.

REINFORCEMENT DETAIL:-


BAR MKD.	DIA (mm)	SPACING/Nos.	SHAPE
1	32	120 (IN TWO LAYERS)	
2	25	120	
3	6L-20	160	STIRR.
3a	2L-20	160	STIRR.
4	6L-20	160	STIRR.
4a	2L-20	160	STIRR.
5	16	100	
5a	32	1000	SPACER BAR

TRANSVERSE SEISMIC STOPPER:-


BAR MKD.	DIA (mm)	SPACING/Nos.	SHAPE
TS1	25	10 nos	
TS2	12	8 nos	
TS3	12	3x2 nos	
TS4	16	100	4 LEGGED STIRRUPS

LEGEND:

——	TOP/EARTH FACE
----	BOTTOM/OUTER FACE
B/F	BOTH FACE
V.L	VARYING LENGTH



SECTION AT G-G
(SCALE 1:25)



PLAN SHOWING REINF. DETAILS OF SEISMIC TRANSVERSE STOPPER
(SCALE 1:25)



Project Title:-

CONSULTANCY SERVICES FOR FEASIBILITY STUDY, PREPARATION OF DETAILED PROJECT REPORT AND PROVIDING PRE-CONSTRUCTION SERVICES FOR UP-GRADATION OF SELECTED ROAD STRETCHES / CORRIDORS TO TWO LANE WITH PAVED SHOULDER NH CONFIGURATION UNDER BHARAT MALA PROJECT AND NATIONAL HIGHWAYS CONNECTIVITY TO BACKWARD AREAS/RELIGIOUS/TOURIST PLACES OF THE COUNTRY IN THE STATE OF TRIPURA.

TELIAMURA - SABROOM SECTION

CLIENT:-



NATIONAL HIGHWAYS & INFRASTRUCTURE DEVELOPMENT CORPORATION LTD

Drawing Title:-

REINFORCEMENT DETAILS OF PIER CAP (PIER P1)

Drawing No. :- TASPL/NHIDCL/FDPR/GAD/09



Scale :- AS SHOWN

Drn	Dgn.	Appd	Sheet :
D.S	D.P.S	B.Ram	04 OF 04

CONSULTANT:-






Technocrats Advisory Services Private Limited
in association with Vaishnavi Infratech Services Pvt. Ltd
68,Ajanta Apartments, 36, I.P. Extension
Patparganj Delhi-110092.



- NOTES**
1. ALL DIMENSIONS ARE IN MILLIMETERS, AND LEVELS ARE IN METERS UNLESS OTHERWISE SPECIFIED.
 2. DIMENSIONS ARE NOT TO BE SCALED. ONLY WRITTEN DIMENSIONS SHALL BE FOLLOWED.
 3. L-L REPRESENTS LONGITUDINAL AXIS OF THE BRIDGE
T-T REPRESENTS TRANSVERSE AXIS OF THE BRIDGE
 4. TOP LEVEL OF ABUTMENT CAP HAS BEEN WORKED OUT BY ASSUMING MINIMUM THICKNESS OF BEARING + PEDESTAL AS 0.35m THIS SHALL BE RECONFIRMED FROM THE BEARING MANUFACTURER BEFORE
 5. THE LOCATION OF JACK OR LIFTING OF THE SUPERSTRUCTURE TO REPLACE BEARINGS ETC. IS SHOWN I. THUS THIS SHALL BE DISTINCTLY ETCHED FOR EASY IDENTIFICATION ON THE END CROSS GIRDERS AND ABUTMENT CAPS.
 7. CAPACITY OF JACKS SHOULD NOT BE LESS THAN 100 TONS.
 8. FOLLOWING DESIGN MIX CONCRETE GRADES SHALL BE USED:-

i) ABUT. AND ABUT. CAP	----M35
ii) PILE AND PILE CAP	----M35
iii) RCC CRASH BARRIER	----M40
iv) PEDESTAL	----M40
v) LEVELLING COURSE	----M15



Project Title:-

CONSULTANCY SERVICES FOR FEASIBILITY STUDY, PREPARATION OF DETAILED PROJECT REPORT AND PROVIDING PRE-CONSTRUCTION SERVICES FOR UP-GRADATION OF SELECTED ROAD STRETCHES / CORRIDORS TO TWO LANE WITH PAVED SHOULDER NH CONFIGURATION UNDER BHARAT MALA PROJECT AND NATIONAL HIGHWAYS CONNECTIVITY TO BACKWARD AREAS/RELIGIOUS/TOURIST PLACES OF THE COUNTRY IN THE STATE OF TRIPURA.

TELIAMURA - SABROOM SECTION

CLIENT:-

NATIONAL HIGHWAYS & INFRASTRUCTURE DEVELOPMENT CORPORATION LTD

Drawing Title:-

DIMENSIONAL DETAILS OF ABUTMENT CAP & ABUTMENT FOUNDATION

Drawing No. :- TASPL/NHIDCL/FDPR/GAD/09

Scale :- AS SHOWN

Drn	Dgn.	Appd	Sheet :
D.S	D.P.S	B.Ram	01 OF 03


CONSULTANT:-

TASPL


Technocrats Advisory Services Private Limited

in association with Vaishnavi Infratech Services Pvt. Ltd


68,Ajanta Apartments, 36, I.P. Extension
Patparganj Delhi-110092.




SECTION A-A
(SCALE 1:50)




SECTION B-B
(SCALE 1:75)



SECTION C-C
(SCALE 1:30)



REINF. DETAILS OF PILE CAP
(SCALE 1:150)



PLAN
(DETAILS OF PEDESTAL)
(SCALE 1:20)

SCHEDULE OF PEDESTAL REINFORCEMENT


BAR MKD.	DIA (mm)	SPACING/Nos.	SHAPE
Pd1	12	75	
Pd2	12	75	

LEGEND:

—	TOP/EARTH FACE
- - -	BOTTOM/OUTER FACE
B/F	BOTH FACE
V.L	VARYING LENGTH

SCHEDULE OF PILE & PILE CAP REINFORCEMENT


BAR MKD.	DIA (mm)	SPACING/Nos.	SHAPE
1	25	17 Nos.	
1a	16	100	
2	25	17 Nos.	
2a	8	150	
3	20	100	
4	20	100	
5	16	100	
6	16	100	
7	16	150	
8	16	150	
9	1L-12	100 both ways	



R.C.DETAILS OF PILE
(SCALE 1:75)

8 Ø MESH IN 2 LAYERS
IN PEDESTALS UNDER BEARING
(SCALE 1:25)

8 Ø MESH AT JACK
LOCATION IN TWO LAYERS
(SCALE 1:25)



SECTION E-E
(SCALE 1:20)

NOTES

- ALL DIMENSIONS ARE IN MILLIMETERS, AND LEVELS ARE IN METERS UNLESS OTHERWISE SPECIFIED.
- DIMENSIONS ARE NOT TO BE SCALED. ONLY WRITTEN DIMENSIONS SHALL BE FOLLOWED.
- L-L REPRESENTS LONGITUDINAL AXIS OF THE BRIDGE
T-T REPRESENTS TRANSVERSE AXIS OF THE BRIDGE
- HIGH YIELD STRENGTH DEFORMED BARS OF GRADE DESIGNATION Fe-500D CONFORMING TO IS: 1786 SHALL ONLY BE USED.
- REINFORCEMENT OF PIER SHAFT IS TO BE ANCHORED IN THE PILE CAP BEFORE IT'S CONCRETING.
- LAPPING OF REINFORCEMENT SHALL BE AVOIDED AS FAR AS POSSIBLE. IN CASE LAPPING OF BARS BECOMES UNAVOIDABLE, MINIMUM LAP LENGTH OF REINFORCEMENT BARS SHALL BE CALCULATED AS FOLLOWS WITH MAXIMUM ALLOWABLE LAPPING (p) OF 50% ONLY (IRC: 112-2011) (CLAUSE:15.2.5.1)

LAP LENGTH $l_s = \alpha \cdot l_{bnet}$
 $\alpha = 1.0$ FOR $p \leq 25\%$
 $\alpha = 1.15$ FOR $25\% < p \leq 25\%$
 $\alpha = 1.14$ FOR $33\% < p \leq 50\%$
(IRC:112-2011, CLAUSE:15.2.3.3)

ANCHORAGE LENGTH (l_{bnet})
 $l_{bnet} = \alpha \cdot l_b$ ($\alpha = 1.0$)
 $l_b = k \phi$
 $k = 40$ FOR M30 (Fe500D)
 $k = 36$ FOR M35 (Fe500D)
 $k = 34$ FOR M40 (Fe500D)

FOR UNFAVORABLE BOND CONDITION THE l_b SHOULD BE MULTIPLIED BY FACTOR OF 1.43. FOR $\phi > 32mm$ l_b SHOULD BE INCREASED BY MULTIPLYING FACTOR $\left(\frac{100}{132 - \phi} \right)$




Project Title:-

CONSULTANCY SERVICES FOR FEASIBILITY STUDY, PREPARATION OF DETAILED PROJECT REPORT AND PROVIDING PRE-CONSTRUCTION SERVICES FOR UP-GRADATION OF SELECTED ROAD STRETCHES / CORRIDORS TO TWO LANE WITH PAVED SHOULDER NH CONFIGURATION UNDER BHARAT MALA PROJECT AND NATIONAL HIGHWAYS CONNECTIVITY TO BACKWARD AREAS/RELIGIOUS/TOURIST PLACES OF THE COUNTRY IN THE STATE OF TRIPURA.

TELIAMURA - SABROOM SECTION

CLIENT:-



NATIONAL HIGHWAYS & INFRASTRUCTURE
DEVELOPMENT CORPORATION LTD

Drawing Title:-

REINFORCEMENT DETAILS OF ABUTMENT
CAP & ABUTMENT FOUNDATION

Drawing No. :- TASPL/NHIDCL/FDPR/GAD/09


Scale :- AS SHOWN

Drn	Dgn.	Appd	Sheet :
D.S	D.P.S	B.Ram	02 OF 03


CONSULTANT:-




Technocrats Advisory Services Private Limited
in association with Vaishnavi Infratech Services Pvt. Ltd
68,Ajanta Apartments, 36, I.P. Extension
Patparganj Delhi-110092.




SECTION A-A
(SCALE 1:60)




R/F DETAILS OF RETURN WALL
(SCALE 1:60)




R/F DETAILS OF DIRT WALL & ABUTMENT CAP
(SCALE 1:30)




SECTION 1-1
(SCALE 1:50)




SECTION AT G-G
(SCALE 1:25)




SECTION 2-2
(SCALE 1:60)




DETAIL AT 'Z'
(SCALE 1:20)



JUNCTION DETAILS OF RCC SOLID RETURN WALL AND DIRT WALL
(SCALE 1:30)



JUNCTION DETAILS OF RCC ABUTMENT AND SOLID RETURN WALL
(SCALE 1:30)



PLAN SHOWING REINF. DETAILS OF SEISMIC TRANSVERSE STOPPER
(SCALE 1:25)

ABUT. SHAFT REINFT.

BAR MKD.	DIA (mm)	SPACING/Nos.	SHAPE
s1	25	216 Nos.	
s2	16	216 Nos.	
s3	16	200	
s4	16	200	
s5	12	240	
s6	12	150	
s7		NOT USED	
s8	16	8 Nos	

DIRT WALL. REINFT.

d1	12	150	
d2	10	200	
d3	10	150	
d4	10	200	
d5	12	3 Nos.	
d6	12	3 Nos.	

ABUT.CAP REINFT.

c1	20	20 Nos.	
c2	20	20 Nos.	
c3	16	2 Nos.	
c4	16	5 Nos.	
c5	4L-16	120	

RETURN WALL. REINFT.

r1	20	4 Nos.	
r2	20	4 Nos.	
r3	20	150	
r4	16	150	
r5	16	200	
r5a	16	200	
r6	12	200	
r6a	10	200	
r8	12	4 Nos.	
r9	16	150	
r10	16	150	

TRANSVERSE SEISMIC STOPPER:-

TS1	25	10 Nos.	
TS2	12	8 Nos.	
TS3	12	3x2 Nos.	
TS4	16	100	

LEGEND:	TOP/EARTH FACE
---	BOTTOM/OUTER FACE
B/F	BOTH FACE
V.L	VARYING LENGTH




Project Title:-

CONSULTANCY SERVICES FOR FEASIBILITY STUDY, PREPARATION OF DETAILED PROJECT REPORT AND PROVIDING PRE-CONSTRUCTION SERVICES FOR UP-GRADATION OF SELECTED ROAD STRETCHES / CORRIDORS TO TWO LANE WITH PAVED SHOULDER NH CONFIGURATION UNDER BHARAT MALA PROJECT AND NATIONAL HIGHWAYS CONNECTIVITY TO BACKWARD AREAS/RELIGIOUS/TOURIST PLACES OF THE COUNTRY IN THE STATE OF TRIPURA.

TELIAMURA - SABROOM SECTION

CLIENT:-



NATIONAL HIGHWAYS & INFRASTRUCTURE DEVELOPMENT CORPORATION LTD

Drawing Title:-

DIMENSIONAL DETAILS OF ABUTMENT CAP & ABUTMENT FOUNDATION

Drawing No. :- TASPL/NHIDCL/FDPR/GAD/09


Scale :- AS SHOWN




Drn	Dgn.	Appd	Sheet :
D.S	D.P.S	B.Ram	03 OF 03


CONSULTANT:-



Technocrats Advisory Services Private Limited
in association with Vaishnavi Infratech Services Pvt. Ltd
68,Ajanta Apartments, 36, I.P. Extension
Patparganj Delhi-110092.




	<p>Project Title:-</p> <p>CONSULTANCY SERVICES FOR FEASIBILITY STUDY, PREPARATION OF DETAILED PROJECT REPORT AND PROVIDING PRE-CONSTRUCTION SERVICES FOR UP-GRADATION OF SELECTED ROAD STRETCHES / CORRIDORS TO TWO LANE WITH PAVED SHOULDER NH CONFIGURATION UNDER BHARAT MALA PROJECT AND NATIONAL HIGHWAYS CONNECTIVITY TO BACKWARD AREAS/RELIGIOUS/TOURIST PLACES OF THE COUNTRY IN THE <u>STATE OF TRIPURA.</u></p> <p><u>TELIAMURA - SABROOM SECTION</u></p>	<p>CLIENT:-</p> <div><p>NATIONAL HIGHWAYS & INFRASTRUCTURE DEVELOPMENT CORPORATION LTD</p></div>	<p>Drawing Title:-</p> <p>DIMENSION DETAIL OF RCC PRECAST I-GIRDER SUPERSTRUCTURE FOR 1x22.7 M SPAN</p> <p>Drawing No. :- TASPL/NHIDCL/FDPR/GAD/09</p> <p>Scale :- AS SHOWN</p> <table><tr><td>Drn</td><td>Dgn.</td><td>Appd</td><td>Sheet :</td></tr><tr><td>D.S</td><td>D.P.S</td><td>B.Ram</td><td>01 OF 02</td></tr></table>	Drn	Dgn.	Appd	Sheet :	D.S	D.P.S	B.Ram	01 OF 02	<p>CONSULTANT:-</p> <div><p>Technocrats Advisory Services Private Limited</p><p>in association with Vaishnavi Infratech Services Pvt. Ltd</p><p>68,Ajanta Apartments, 36, I.P. Extension</p><p>Patparganj Delhi-110092.</p></div>
Drn	Dgn.	Appd	Sheet :									
D.S	D.P.S	B.Ram	01 OF 02									




ELEVATION OF PRECAST GIRDER

(SCALE 1:50)





PLAN OF PRECAST GIRDER

(SCALE 1:50)



SECTION C-C

(SCALE 1:100)



SECTIONAL ELEVATION B-B

(SCALE 1:75)

NOTES:-

1. ALL DIMENSIONS ARE IN MM UNLESS SHOWN OTHERWISE.
2. TOP SURFACE OF GIRDER SHALL BE ROUGHED FOR EFFECTIVE BONDING.
3. ANY DISCREPANCIES MUST BE BROUGHT TO THE NOTICE OF THE CONSULTANT BEFORE EXECUTION OF WORK AT SITE.
4. BEAM SHALL BE KEPT UPRIGHT AT ALL TIMES AND TO BE CLEARLY MARKED INDICATING SPAN, LOCATION, AND RESPECTIVE ENDS BEFORE REMOVAL FROM CASTING BED.
5. CONCRETE FOR SUPERSTRUCTURE SHALL BE DESIGN MIX AND HAVE A MINIMUM 28 DAYS CHARACTERISTIC STRENGTH OF M40.
6. TOP SURFACE OF GIRDER SHALL BE ROUGHED FOR EFFECTIVE BONDING.



Project Title:-

CONSULTANCY SERVICES FOR FEASIBILITY STUDY, PREPARATION OF DETAILED PROJECT REPORT AND PROVIDING PRE-CONSTRUCTION SERVICES FOR UP-GRADATION OF SELECTED ROAD STRETCHES / CORRIDORS TO TWO LANE WITH PAVED SHOULDER NH CONFIGURATION UNDER BHARAT MALA PROJECT AND NATIONAL HIGHWAYS CONNECTIVITY TO BACKWARD AREAS/RELIGIOUS/TOURIST PLACES OF THE COUNTRY IN THE STATE OF TRIPURA.

TELIAMURA - SABROOM SECTION

CLIENT:-



NATIONAL HIGHWAYS & INFRASTRUCTURE DEVELOPMENT CORPORATION LTD

Drawing Title:-

DIMENSION DETAIL OF RCC PRECAST I-GIRDER SUPERSTRUCTURE FOR 1x22.7 M SPAN

Drawing No. :- **TASPL/NHIDCL/FDPR/GAD/09**

Scale :- **AS SHOWN**


Drn	Dgn.	Appd	Sheet :
D.S	D.P.S	B.Ram	02 OF 02

CONSULTANT:-




Technocrats Advisory Services Private Limited

in association with Vaishnavi Infratech Services Pvt. Ltd
68,Ajanta Apartments, 36, I.P. Extension
Patparganj Delhi-110092.




REINFORCEMENT DETAILS OF LONGITUDINAL GIRDER

(SCALE 1:30)




PLAN SHOWING BULB REINF. DETAILED AT END

(SCALE 1:30)



PLAN SHOWING WEB REINF. DETAILED (TOP) AT END

(SCALE 1:30)



SECTION A-A

(SCALE 1:20)

SECTION B-B


(SCALE 1:20)

SECTION C-C

(SCALE 1:20)

SECTION D-D

(SCALE 1:20)



8 DIA MESH TYPE-A

(SCALE 1:10)

SCHEDULE OF REINFORCEMENT			
BAR MKD.	DIA OF BAR	SPACING/ NO. OF BAR	BAR SHAPE
01	32	6 NOS.	
02	32	4 NOS.	
2a	32	2 NOS.	
03	32	4 NOS.	
04	NOT USED		
05	10	200c/c	
5a	10	200c/c	
06	10	6 NOS.	
6a	10	6 NOS.	
07	10	2+2NOS.	
7a	10	2+2NOS.	
08	10	200c/c	
09	10	200c/c	
10	2L-10	200c/c	
10a	2L-12	200c/c	
11	2L-12	80c/c	
12	10	150c/c	
12b	10	200c/c	
12a	10	200c/c	
13	10	150c/c	
13a	10	200c/c	

NOTES:

- ALL DIMENSIONS ARE IN MM UNLESS SHOWN OTHERWISE.
- THIS DRAWING IS TO BE READ IN CONJUNCTION WITH ALL OTHER RELEVANT DRG.
- FIGURED DIMENSIONS SHOULD BE FOLLOWED. DO NOT SCALE THE DIMENSIONS.
- STEEL REINFORCEMENT SHALL BE HYSD TMT BARS OF GRADE DESIGNATION Fe 500D CONFORMING TO IS 1786-2008.
- CLEAR COVER TO ANY REINFORCEMENT IS 40MM.
- LAP LENGTH SHALL CONFIRM TO CLAUSE 15.2 IRC-112 2011.
- LAPS SHOULD BE STAGGERED & NOT MORE THAN 50% BARS SHOULD BE LAPPED AT A SECTION & LAP SHOULD NOT BE LOCATED IN AREA OF HIGHEST STRESSES.
- ANCHORAGE LENGTH OF REINF. BARS SHALL BE 36xDIA OF BAR & SHALL CONFIRM TO CLAUSE 15.2.3 OF IRC-112 2011.
- 32 DIA SPACER BARS SHALL BE PROVIDED @ 1M C/C BETWEEN TWO TIERS OF LONGITUDINAL BARS OF GIRDERS.
- CONDITION OF EXPOSURE IS MODERATE.
- CONC. GRADE M35.



Project Title:-

CONSULTANCY SERVICES FOR FEASIBILITY STUDY, PREPARATION OF DETAILED PROJECT REPORT AND PROVIDING PRE-CONSTRUCTION SERVICES FOR UP-GRADATION OF SELECTED ROAD STRETCHES / CORRIDORS TO TWO LANE WITH PAVED SHOULDER NH CONFIGURATION UNDER BHARAT MALA PROJECT AND NATIONAL HIGHWAYS CONNECTIVITY TO BACKWARD AREAS/RELIGIOUS/TOURIST PLACES OF THE COUNTRY IN THE STATE OF TRIPURA.

TELIAMURA - SABROOM SECTION

CLIENT:-



NATIONAL HIGHWAYS & INFRASTRUCTURE DEVELOPMENT CORPORATION LTD

Drawing Title:-

REINFORCEMENT DETAILS OF RCC PRECAST INNER & OUTER GIRDER FOR 1X22.7M SPAN

Drawing No. :- **TASPL/NHIDCL/FDPR/GAD/09**





Scale :- **AS SHOWN**

Drn	Dgn.	Appd	Sheet :
D.S	D.P.S	B.Ram	01 OF 01


CONSULTANT:-



Technocrats Advisory Services Private Limited
in association with Vaishnavi Infratech Services Pvt. Ltd
68,Ajanta Apartments, 36, I.P. Extension
Patparganj Delhi-110092.



SCHEDULE OF REINFORCEMENT			
BAR MKD.	DIA OF BAR	SPACING/ NO. OF BAR	BAR SHAPE
①	25	3 NOS.	150
②	25	2 NOS.	150
③	25	2 NOS.	
④	NOT USED		
⑤	25	3 NOS.	400
⑥	20	3 NOS.	
⑦	20	2 NOS.	
⑧	20	2 NOS.	
⑨	2L-16 (STIRRUPS)	200	
⑨a	2L-16	4 NOS.	
⑨b	2L-16 (BOTH FACE)	4 NOS.	400
⑩	2L-16 (STIRRUPS)	200	
⑪	16	4 NOS. (ON EACH FACE)	
⑪a	16	4 NOS. (ON EACH FACE)	



NOTES:

- ALL DIMENSIONS ARE IN MILLIMETERS AND LEVELS ARE IN METERS.
- NO DIMENSIONS SHALL BE SCALED OFF FROM THE DRAWING AND WRITTEN DIMENSIONS SHALL BE FOLLOWED
- STEEL REINFORCEMENT SHALL BE HYSD TMT BARS OF GRADE DESIGNATION Fe 500D CONFORMING TO IS 1786-2008.
- THE LOCATION OF JACKS FOR LIFTING UP THE SUPERSTRUCTURE TO REPLACE BEARING ETC. IS SHOWN THUS ↓. THESE SHOULD BE DISTINCTLY ETCHED ON THE CROSS GIRDERS AND ABUTMENT CAPS.
- THE JACK FOR LIFTING THE SUPER STRUCTURE DURING BEARING REPLACEMENT SHALL HAVE A MINIMUM CAPACITY OF 100t.
- THIS DRAWING SHALL BE READ IN CONJUNCTION WITH ALL OTHER RELEVANT DRAWINGS.
- BAR MARK 5 & 6 TO BE LOCALLY ADJUSTED SO AS THAT THEY DO NOT FOUL WITH ANCHORAGES.
- CONC. GRADE M35.



Project Title:-

CONSULTANCY SERVICES FOR FEASIBILITY STUDY, PREPARATION OF DETAILED PROJECT REPORT AND PROVIDING PRE-CONSTRUCTION SERVICES FOR UP-GRADATION OF SELECTED ROAD STRETCHES / CORRIDORS TO TWO LANE WITH PAVED SHOULDER NH CONFIGURATION UNDER BHARAT MALA PROJECT AND NATIONAL HIGHWAYS CONNECTIVITY TO BACKWARD AREAS/RELIGIOUS/TOURIST PLACES OF THE COUNTRY IN THE STATE OF TRIPURA.

TELIAMURA - SABROOM SECTION

CLIENT:-



NATIONAL HIGHWAYS & INFRASTRUCTURE DEVELOPMENT CORPORATION LTD

Drawing Title:-

REINFORCEMENT DETAILS OF
END DIAPHRAGM FOR 1X22.7M SPAN

Drawing No. :- TASPL/NHIDCL/FDPR/GAD/09


Scale :- AS SHOWN

Drn	Dgn.	Appd	Sheet :
D.S	D.P.S	B.Ram	01 OF 01

CONSULTANT:-




Technocrats Advisory Services Private Limited
in association with Vaishnavi Infratech Services Pvt. Ltd
68,Ajanta Apartments, 36, I.P. Extension
Patparganj Delhi-110092.




MESH DETAILS '1' OF ACUTE CONNER
(SCALE 1:60)

MESH DETAILS '2' OF OBTUSE CONNER
(SCALE 1:60)

L= SQUARE SPAN & B= SKEW WIDTH



SECTION D-D
(SCALE 1:25)



SECTION E-E
(SCALE 1:25)

SCHEDULE OF REINFORCEMENT			
BAR MKD.	DIA OF BAR	SPACING/ NO. OF BAR	BAR SHAPE
1	10	240	
1a	10	240	V.L.
2	12	240	
2a	20	240	
2b	12	240	V.L.
3	16	240	
3a	12	240	
3b	16	240	V.L.
3c	12	240	V.L.
4	10	10 NOS.	
4a	10	6 NOS.	
5	10	10 NOS.	
5a	10	6 NOS.	
6	10	4 NOS.	
7	10	10 NOS.	
8	NOT USED		
9	10	4 NOS.	
10	10	4 NOS.	
11	12	5 NOS.	
11a	12	5 NOS.	
12	10	6 NOS.	
13	10	75	
14	10	75	
15	10	75	
16	10	75	

- NOTES:**
- ALL DIMENSIONS ARE IN MM UNLESS SHOWN OTHERWISE.
 - THIS DRAWING IS TO BE READ IN CONJUNCTION WITH ALL OTHER RELEVANT DRG.
 - STEEL REINFORCEMENT SHALL BE HYSD TMT BARS OF GRADE DESIGNATION Fe 500D CONFORMING TO IS 1786-2008.
 - CLEAR COVER TO ANY REINFORCEMENT IS 40MM.
 - LAP LENGTH SHALL CONFIRM TO CLAUSE 15.2 IRC-112 2011.
 - LAP SHOULD BE STAGGERED AND NOT MORE THAN 50% BARS SHOULD BE LAPPED AT ANY SECTION & LAP SHOULD BE LOCATED AT POINT ALONG THE SPAN WHERE STRESSES ARE LOW.
 - ANCHORAGE LENGTH OF REINF. BARS SHALL BE 36xDIA OF BAR & SHALL CONFIRM TO CLAUSE 15.2.3 OF IRC-112 2011.
 - 32 DIA SPACER BARS SHALL BE PROVIDED @ 1M C/C BETWEEN TWO TIERS OF LONGITUDINAL BARS OF GIRDERS.
 - CONDITION OF EXPOSURE IS MODERATE.

Project Title:-
CONSULTANCY SERVICES FOR FEASIBILITY STUDY, PREPARATION OF DETAILED PROJECT REPORT AND PROVIDING PRE-CONSTRUCTION SERVICES FOR UP-GRADATION OF SELECTED ROAD STRETCHES / CORRIDORS TO TWO LANE WITH PAVED SHOULDER NH CONFIGURATION UNDER BHARAT MALA PROJECT AND NATIONAL HIGHWAYS CONNECTIVITY TO BACKWARD AREAS/RELIGIOUS/TOURIST PLACES OF THE COUNTRY IN THE STATE OF TRIPURA.

Project Location:-
TELIAMURA - SABROOM SECTION

CLIENT:-

NATIONAL HIGHWAYS & INFRASTRUCTURE DEVELOPMENT CORPORATION LTD

Drawing Title:-
REINFORCEMENT DETAIL OF CAST-IN-SITU DECK SLAB FOR PRECAST RCC I-GIRDER SUPERSTRUCTURE FOR 22.7m SPAN

Drawing No. :- TASPL/NHIDCL/FDPR/GAD/09

Scale :- AS SHOWN

Drn	Dgn.	Appd	Sheet :
D.S	D.P.S	B.Ram	01 OF 01

CONSULTANT:-

Technocrats Advisory Services Private Limited
in association with Vaishnavi Infratech Services Pvt. Ltd
68,Ajanta Apartments, 36, I.P. Extension
Patparganj Delhi-110092.

MINOR BRIDGE AT CH. 98+420 (1X20m SPAN) ►



Technical drawing showing the plan view of a bridge structure, divided into two halves by a vertical centerline (A-A).

Left Half (Half Plan at Pilecap Top Lvl.):

- Shows the bridge piers and abutments.
- Dimensions: 750 (TYP.), 3600 (TYP.), 4125, 4125, 4125, 4125, 18000.
- Labels: INDEPENDENT RETAINING WALL.

Right Half (Half Plan at Deck Lvl.):

- Shows the bridge deck, abutment, and approach slopes.
- Dimensions: 500, 1500, 500, 13000, 18000 (DECK WIDTH).
- Labels: RCC CRASH BARRIER, DRAINAGE SPOUT (TYP.), METAL BEAM CRASH BARRIER, Q. OF PROPOSED BRIDGE / ABUTMENT, SLOPE 1:1.5, SLOPE 2:1.


Centerline (A-A):

- Indicated by a dashed line with arrows pointing to the centerline.
- Dimension: 20000.

Scale: 1:200.



DESIGN DISCHARGE	61.075 CUMecs
HFL	44.869m
DESIGN VELOCITY	2.55 M/s
MSL AT ABUTMENT	38.877m





DETAIL-'1'
(SCALE 1:75)

1. ALL DIMENSIONS ARE IN MILLIMETERS, LEVELS ARE IN METERS UNLESS OTHERWISE MENTIONED.
2. NO DIMENSION SHALL BE MEASURED FROM THE DRAWINGS. ONLY WRITTEN DIMENSIONS SHALL BE FOLLOWED.
3. CHAINAGE & LEVEL SHALL BE VERIFIED WITH THE RELEVANT PLAN & PROFILE DRAWINGS. VARIATION (IF ANY) SHALL BE REPORTED TO ENGINEER FOR MODIFICATION.
4. CHAINAGE OF THE STRUCTURE IS AT THE CENTER LINE OF THE PROPOSED STRUCTURE.
5. THE REINFORCEMENT SHALL BE HYSD BARS OF GRADE DESIGNATION Fe 500D CONFORMING TO IS 1786-2008.
6. CONCRETE SHALL BE DESIGN MIX WITH WITH A MINIMUM 28 DAYS CHARACTERISTIC CUBE STRENGTH FOR DIFFERENT ELEMENTS AS FOLLOWS:
 - a. RCC-I GIRDER, RCC DECK SLAB & END CROSS GIRDER M45
 - b. ABUT. & ABUT CAP M35
 - c. PILE & PILE CAP M35
 - d. PIER & PIER CAP M35
 - e. RETAINING WALL M35
 - f. CRASH BARRIER M40
 - g. APPROACH SLAB M30
 - h. LEVELLING COURSE M15
 - i. PEDESTALS M40
7. CLEAR COVER TO OUTER STEEL SHALL BE AS FOLLOWS:-
 - a. SUPERSTRUCTURE 40MM
 - b. ABUTMENT EARTH FACE 75MM
 - c. ABUTMENT OUTER FACE/PIER 50MM
 - d. FOUNDATION 75MM
 - e. CRASH BARRIER 40MM
8. BACK FILLING BEHIND WALLS/ABUTMENT SHALL CONSISTS OF SELECTED EARTH CONFORMING TO APPENDIX 6 OF IRC:78-2014 HAVING PROPERTIES $C=0$, $\phi=30^\circ$, $\gamma=2.0t/cu.m$.
9. 65MM THICK WEARING COURSE COMPRISING OF BITUMINOUS CONCRETE 40MM THICK OVERLAID WITH 25MM THICK BITUMEN MASTIC ASPHALTIC SHALL BE PROVIDED AS PER SECTION 500 OF MORTH SPECIFICATION.
10. ALL SOLID WALLS RETAINING THE EARTH SHALL HAVE WEEP HOLES STARTING 150MM ABOVE THE GROUND LEVEL AND SPACED 1000MM HORIZONTALLY AND VERTICALLY IN STAGGERED MANNER.
11. 600MM THICK FILTER MEDIA SHALL BE PROVIDED BEHIND SOLID ABUTMENT WALLS AND RETURN/RETAINING WALL.
12. CONDITION OF EXPOSURE IS MODERATE.
13. BRIDGE IS DESIGN FOR SEISMIC ZONE V OF SEISMIC MAP OF INDIA.
14. THE STRUCTURE SHALL BE DESIGNED FOR LIVE LOAD COMBINATION CONFORMING TO IRC:6-2017.
15. SINGLE STRIP SEAL TYPE EXPANSION JOINT SHALL BE PROVIDED AS PER MODIFIED INTERIM SPECIFICATION FOR EXPANSION JOINTS ISSUED VIDE "MORTH" CIRCULAR NO. RW/NH-34059/1/98-S&R DATED 30-11-2000 & 25-01-2001.
16. FOR DETAILS OF DRAINAGE SPOUT, CRASH BARRIER, JOINTS, APPROACH SLAB & RETAINING WALL REFER SEPARATE DRAWING.

LOAD CARRYING CAPACITY OF 1.2m DIA PILE AS PER GEOTECH REPORT.

DESCRIPTION	NORMAL CASE		SEISMIC CASE	
	VERTICAL (T)	HORIZONTAL (T)	VERTICAL (T)	HORIZONTAL (T)
ABUTMENT (A1)	673	48	841.25	60
ABUTMENT (A2)	673	48	841.25	60






1. ALL DIMENSIONS ARE IN MILLIMETERS, AND LEVELS ARE IN METERS UNLESS OTHERWISE SPECIFIED.
2. DIMENSIONS ARE NOT TO BE SCALED. ONLY WRITTEN DIMENSIONS SHALL BE FOLLOWED.
3. L-L REPRESENTS LONGITUDINAL AXIS OF THE BRIDGE
T-T REPRESENTS TRANSVERSE AXIS OF THE BRIDGE
4. TOP LEVEL OF ABUTMENT CAP HAS BEEN WORKED OUT BY ASSUMING MINIMUM THICKNESS OF BEARING + PEDESTAL AS 0.35m THIS SHALL BE RECONFIRMED FROM THE BEARING MANUFACTURER BEFORE
5. THE LOCATION OF JACK OR LIFTING OF THE SUPERSTRUCTURE TO REPLACE BEARINGS ETC. IS SHOWN J. THUS THIS SHALL BE DISTINCTLY ETCHED FOR EASY IDENTIFICATION ON THE END CROSS GIRDERS AND ABUTMENT CAPS.
7. CAPACITY OF JACKS SHOULD NOT BE LESS THAN 100 TONS.
8. FOLLOWING DESIGN MIX CONCRETE GRADES SHALL BE USED:-
 - i) ABUT. AND ABUT. CAP ---M35
 - ii) PILE AND PILE CAP ---M35
 - iii) RCC CRASH BARRIER ---M40
 - iv) PEDESTAL ---M40
 - v) LEVELLING COURSE ---M15


CONSULTANCY SERVICES FOR FEASIBILITY STUDY, PREPARATION OF DETAILED PROJECT REPORT AND PROVIDING PRE-CONSTRUCTION SERVICES FOR UP-GRADATION OF SELECTED ROAD STRETCHES / CORRIDORS TO TWO LANE WITH PAVED SHOULDER NH CONFIGURATION UNDER BHARAT MALA PROJECT AND NATIONAL HIGHWAYS CONNECTIVITY TO BACKWARD AREAS/RELIGIOUS/TOURIST PLACES OF THE COUNTRY IN THE STATE OF TRIPURA.



Technocrats Advisory Services Private Limited
in association with Vaishnavi Infratech Services Pvt. Ltd
68, Ajanta Apartments, 36, I.P. Extension
Patparganj Delhi-110092.



SECTION A-A
(SCALE 1:50)



SECTION B-B
(SCALE 1:50)

SCHEDULE OF PEDESTAL REINFORCEMENT


BAR MKD.	DIA (mm)	SPACING/Nos.	SHAPE
Pd1	12	75	
Pd2	12	75	

LEGEND:


——	TOP/EARTH FACE
----	BOTTOM/OUTER FACE
B/F	BOTH FACE
V.L	VARYING LENGTH

SCHEDULE OF PILE & PILE CAP REINFORCEMENT

BAR MKD.	DIA (mm)	SPACING/Nos.	SHAPE
1	25	19 Nos.	
1a	16	100	
2	25	19 Nos.	
2a	10	150	
3	20	100	
4	20	100	
5	16	100	
6	16	100	
7	16	150	
8	16	150	
9	NA	NA both ways	




SECTION E-E
(SCALE 1:20)




PLAN
(DETAILS OF PEDESTAL)
(SCALE 1:20)


8 Ø MESH AT JACK LOCATION IN TWO LAYERS
(SCALE 1:25)



R.C.DETAILS OF PILE
(SCALE 1:75)



SECTION C-C
(SCALE 1:30)



SECTION D-D
(SCALE 1:30)

NOTES

- ALL DIMENSIONS ARE IN MILLIMETERS, AND LEVELS ARE IN METERS UNLESS OTHERWISE SPECIFIED.
- DIMENSIONS ARE NOT TO BE SCALED. ONLY WRITTEN DIMENSIONS SHALL BE FOLLOWED.
- L-L REPRESENTS LONGITUDINAL AXIS OF THE BRIDGE
T-T REPRESENTS TRANSVERSE AXIS OF THE BRIDGE
- HIGH YIELD STRENGTH DEFORMED BARS OF GRADE DESIGNATION Fe-500D CONFORMING TO IS: 1786 SHALL ONLY BE USED.
- REINFORCEMENT OF PIER SHAFT IS TO BE ANCHORED IN THE PILE CAP BEFORE IT'S CONCRETING.
- LAPPING OF REINFORCEMENT SHALL BE AVOIDED AS FAR AS POSSIBLE. IN CASE LAPPING OF BARS BECOMES UNAVOIDABLE, MINIMUM LAP LENGTH OF REINFORCEMENT BARS SHALL BE CALCULATED AS FOLLOWS WITH MAXIMUM ALLOWABLE LAPPING (p) OF 50% ONLY (IRC: 112-2011) (CLAUSE:15.2.5.1)

LAP LENGTH $l_s = \alpha \cdot l_{bnet}$
 $\alpha = 1.0$ FOR $p \leq 25\%$
 $\alpha = 1.15$ FOR $25\% < p \leq 33\%$
 $\alpha = 1.14$ FOR $33\% < p \leq 50\%$
 (IRC:112-2011, CLAUSE:15.2.3.3)

ANCHORAGE LENGTH (l_{bnet})

$l_{bnet} = \alpha \cdot l_b$ ($\alpha = 1.0$)
 $l_b = k \phi$
 $k = 40$ FOR M30 (Fe500D)
 $k = 36$ FOR M35 (Fe500D)
 $k = 34$ FOR M40 (Fe500D)

FOR UNFAVORABLE BOND CONDITION THE l_b SHOULD BE MULTIPLIED BY FACTOR OF 1.43. FOR $\phi > 32mm$ l_b SHOULD BE INCREASED BY MULTIPLYING FACTOR $\left(\frac{100}{132 - \phi} \right)$



Project Title:-

CONSULTANCY SERVICES FOR FEASIBILITY STUDY, PREPARATION OF DETAILED PROJECT REPORT AND PROVIDING PRE-CONSTRUCTION SERVICES FOR UP-GRADATION OF SELECTED ROAD STRETCHES / CORRIDORS TO TWO LANE WITH PAVED SHOULDER NH CONFIGURATION UNDER BHARAT MALA PROJECT AND NATIONAL HIGHWAYS CONNECTIVITY TO BACKWARD AREAS/RELIGIOUS/TOURIST PLACES OF THE COUNTRY IN THE STATE OF TRIPURA.

TELIAMURA - SABROOM SECTION

CLIENT:-



NATIONAL HIGHWAYS & INFRASTRUCTURE DEVELOPMENT CORPORATION LTD

Drawing Title:-

REINFORCEMENT DETAILS OF ABUTMENT CAP & ABUTMENT FOUNDATION

Drawing No. :- TASPL/NHIDCL/FDPR/GAD/09

Scale :- AS SHOWN

Drn	Dgn.	Appd	Sheet :
D.S	D.P.S	B.Ram	02 OF 03

CONSULTANT:-



Technocrats Advisory Services Private Limited
 in association with Vaishnavi Infratech Services Pvt. Ltd
 68,Ajanta Apartments, 36, I.P. Extension
 Patparganj Delhi-110092.