#### SCHEDULE - H (See Clauses 10.1.4 and 19.3)

# **Contract Price Weightages**

- 1.1 The Contract Price for this Agreement is Rs...... Crore.
- 1.2 Proportions of the Contract Price for different stages of Construction of the Project Highway shall be as specified below:

Item	Weightage in percentage to the	Stage for Payment	Percentage weightage
1	Contract Price	2	4
Road works	<b>2</b> 36.43%	A Widening and	4
including	30.43%	A-Widening and Strengthening of the Existing	
culverts,			
widening and		road (1) Earthwork up to top of the	17.06%
repair of		sub-grade	17.00%
culverts.		(2) Sub- Base Course	15.40%
		(3) Base Course	12.20%
		(4) Non-Bituminous Base	2.87%
		Course Course	2.0770
		(5) Bituminous work	8.72%
			0.00%
		(6) Wearing Coat	0.00%
		(7) Widening and repair of culverts	0.0070
		B.1- Reconstruction/New 2-	
		lane realignment/bypass (Florible Powersent)	
		(Flexible Pavement)	
		(1) Earthwork up to top of the	3.46%
		sub-grade	2.000/
		(2) Sub- Base Course	3.09%
		(3) Base Course	2.45%
		(4) Non-Bituminous Base	1.09%
		Course	1.750/
		(5) Bituminous work	1.75%
		(6) Wearing Coat	0.00%
		DOD A STORY	
		B.2- Reconstruction/New 2-	
		lane realignment/bypass	
		(Rigid Pavement)	0.770/
		(1) Earthwork up to top of the	0.77%

1 1	
sub-grade	
(2) Sub Base Course	0.00%
(3) Non Bituminous Base Course	0.55%
(4) Bituminous Base Course	0.00%
(4) Dry Lean Concrete (DLC)	0.63%
Course	
(4) Pavement Quality Control	
(PQC) Course	2.63%
C.1- Reconstruction/New	
service road (Flexible	
pavement)	
(1) Earthwork up to top of the	0.00%
sub-grade	
(2) Sub Base Course	0.00%
(3) Non-Bituminous Base	0.00%
Course	
(4) Bituminous Base Course	0.00%
(5) Wearing Coat	0.00%
C.2- Reconstruction/New	
Service road (Rigid pavement)	
(1) Earthwork up to top of the	0.00%
sub-grade	
(2) Sub Base Course	0.00%
(3) Non-Bituminous Base	0.00%
Course	
(4) Bituminous Base Course	0.00%
(3) Dry Lean Concrete (DLC)	0.00%
Course	
(4) Pavement Quality Control	
(PQC) Course	0.00%
D- Reconstruction and New	
Culverts on existing road,	
realignments, bypasses:	
Culverts (length <6m)	27.34%
Carrotto (longui voiii)	

Minor	0.00%	A.1- Widening and Repair of	
Bridges/Under	0.00%	•	
passes/Overpas		Minor bridges (Length > 6m	
ses		and < 60m)	
		Minor bridges	0.00%
			0.0070
		A.2- New Minor bridges	
		(Length > 6m and < 60m)	
		(1) Foundation + Sub-	0.00%
		<b>structure:</b> On completion of the	
		foundation work including	
		foundations for wing and return	
		walls, abutments, piers, upto the	
		abutment/pier cap.	
		(2) Super-Structure: On	
		completion of the super-structure	0.00%
		in all respects including wearing	
		coat, bearings, expansion joints,	
		hand rails, crash barriers, road	
		signs & markings, tests on	
		completion etc. complete in all	
		respect.	
		respect.	
			0.00%
		(3) Approaches: On completion	0.0070
		of approaches including	
		retaining walls, stone pitching,	
		protection woeks complete in all	
		respects and fit for use.	
		(4) Guide Bunds and River	
		Training Works:	0.00%
		On completion of Guide Bunds	
		and river Training Works	
		complete in all respects	
		_	
		B.1- Widening and Repair of	
		underpasses/overpasses	0.000/
		Underpasses/Overpasses	0.00%

		B.2- New	
		underpasses/overpasses	
		(1) Foundation + Sub-	
		<b>structure:</b> On completion of the	0.00%
		foundation work including	0.00%
		foundations for wing and return	
		walls, abutments, piers, upto the	
		abutment/pier cap.	
		(2) Super-Structure: On	
		completion of the super-structure	0.000
		in all respects including wearing	0.00%
		coat, bearings, expansion joints,	
		hand rails, crash barriers, road	
		signs & markings, tests on	
		completion etc. complete in all	
		respect.	
		respect.	
		Wearing Coat (a) in case of	
		Overpass- wearing coat	
		including expansion joints	
		complete in all respects as	
		specified and (b) in case of	
		underpass- rigid pavement	
		including drainage facility	
		complete in all respects as	
		specified.	
		(3) <b>Approaches:</b> On completion	
		of approaches including	0.00%
		retaining walls, stone pitching,	
		protection works complete in all	
		respects and fit for use.	
Mojor Deidos	0.000/	14 1771 1 177 1 2	
Major Bridge (length > 60	0.00%	A.1- Widening and Repair of Major Bridges	
m.) works and		(1) Foundation	0.000/
ROB/RUB/ele		(2) Sub-structure	0.00%
vated		(3) Super-Structure	0.00%
sections/		(including bearings)	
flyovers		(4) Wearing Coat including	
including		expansion joints	0.00%
viaducts, if		(5) Miscellaneous Items like	0.000/
any		(3) IVIISCEITAITEOUS ITEIIIS IIKE	0.00%

T		
	hand rails, crash barriers,	
	road markings etc.	
	(6) Wing walls/return walls	0.00%
	(7) Guide Bands, River Training	0.00%
	works etc.	0.00-4
	(8) Approaches (including	0.00%
	Retaining walls, stone	
	pitching and protection	
	works)	
	A.2- New Major Bridges	
	(1) Foundation	0.00%
	(2) Sub-structure	0.00%
	(3) Super-Structure	0.00%
	(including bearings)	
	(4) Wearing Coat including	0.00%
	expansion joints (5) Miscellaneous Items like	0.000/
	hand rails, crash barriers,	0.00%
	road markings etc.	
	(6) Wing walls/return walls	0.00%
	(7) Guide Bands, River Training	0.00%
	works etc.	0.0070
	(8) Approaches (including	0.00%
	Retaining walls, stone	0.0070
	pitching and protection	
	works)	
	B.1- Widening and Repair of	
	(a) ROB (b) RUB	
	(1) Foundation	0.000/
	(2) Sub-structure	0.00%
	(3) Super-Structure	0.00%
	(including bearings)	0.00%
	(4) Wearing coat : (a) in case of	
		0.00%
	ROB- wearing coat including	
	expansion joints complete in	
	all respects as specified and (b)	
	in case of RUB- rigid	
	pavement under RUB	
	including drainage facility	
	complete in respects as	
	specified.	

	0.000/
(5) M: 11 T. 111	0.00%
(5) Miscellaneous Items like	
hand rails, crash barriers, road	
markings etc.	0.00%
(6) Wing walls/return walls	0.00%
(7) Approaches (including	
Retaining walls, stone pitching	
and protection works)	
and protection works)	
B.2- New ROB/RUB	
(a) ROB	
(b) RUB	
(1) Foundation	0.00%
(2) Sub-structure	0.00%
(3) Super-Structure	0.00%
(including bearings)	
(4) Wearing coat : (a) in case of	0.00%
ROB- wearing coat including	0.0070
expansion joints complete in	
all respects as specified and	
(b) in case of RUB- rigid	
pavement under RUB	
including drainage facility	
complete in respects as	
specified.	
(5) Miscellaneous Items like	0.00%
hand rails, crash barriers,	0.0070
road markings etc.	0.000/
(6) Wing walls/return walls	0.00%
(7) Approaches (including	0.00%
Retaining walls/Reinforced	
Earth wall, stone pitching	
and protection works)	
C.1- Widening and repair of	
Elevated	
Section/Flyovers/Grade	
Separators	
_	
(1) Foundation	0.00%
(2) Sub-structure	0.00%
(3) Super-Structure	0.00%
(including bearings)	
(4) Wearing coat including	0.00%
expansion joints.	

			0.000/
		<ul><li>(5) Miscellaneous Items like hand rails, crash barriers, road markings etc.</li><li>(6) Wing walls/return walls</li><li>(7) Approaches (including</li></ul>	0.00% 0.00% 0.00%
		Retaining walls/Reinforced Earth wall, stone pitching and protection works)	
		C.2- New Elevated	
		Section/Flyovers/Grade	
		Separators	0.00%
		(1) Foundation	0.00%
		(2) Sub-structure	0.00%
		(3) Super-Structure	
		(including bearings)	0.00%
		(4) Wearing coat including	
		expansion joints.	0.00%
		(5) Miscellaneous Items like	
		hand rails, crash barriers,	
		road markings etc.	0.00%
		(6) Wing walls/return walls	0.00%
		(7) Approaches (including	
		Retaining walls/Reinforced	
		Earth wall, stone pitching and protection works)	
Major Bridge	0.00%	A-Widening and repairs of	
works	0.0076	Major bridges	
		(1)Foundation	0.00%
		(2) Substructure	0.00%
		(3) Super-Structure (including	0.00%
		crash barriers etc. complete)	
		<b>B-Widening and repairs of</b>	
		(a) ROB	0.00%
		(b) RUB	0.00%
		C- New Major Bridge	

(1) Foundation	0.00%
(2) Substructure	0.00%
(3) Super-Structure (including	0.00%
crash barriers etc. complete)	
D- New rail road Bridge + LOOP	

		(i) Toll Plaza	0.00%
		(ii) Road side drains	6.40%
		(iii) Road signs, markings, km	1.22%
		stones, safety devices,	
Other Works	63.57%	(iv) Project facilities:	
Other Works	03.3770	(a) Bus Bays	0.61%
		(b) Truck lay-byes	0.00%
		(c) Rest areas	0.00%
		(d) others	0.00%
		(v) Road side plantation	0.00%
		(vi) Repair of protection works	0.00%
		other than approaches to the	
		bridges, elevated sections/	
		flyovers/grade separators and	
		ROBs/RUBs.	
		(vii) Safety and traffic	0.00%
		management during	0.00%
		construction	
		(viii) Protection works like	25.17%
		pitching on side slopes,	
		chutes, crash barrier.	
		(ix) Junctions and island	1.61%
		improvement	1.0170
		(x) Retaining Wall & Breast wall	22.10%
		(xi) RE Wall	0.00%
		(xii) Reinforced slope structure	
		(xiii) Miscellaneous items-	42.22%
		, ,	
		Vehicle, photographs,	0.67%
		Lighting etc	

Note: The above list is illustrative and may require modification as per the scope of the work.

- 1.3 Procedure of estimating the value of work done
- 1.3.1 Road works including approaches to minor bridges, Major Bridges and Structures (excluding service roads).

Procedure for estimating the value of road work done shall be as follows:

Table 1.3.1

Stage of Payment	Percentage -weightage	Payment Procedure
A-Widening and Strengthening of the		
Existing road		
(1) Earthwork up to top of the subgrade	17.06%	Unit of measurement is linear length. Payment of each stage
(2) Sub- Base Course	15.40%	shall be made on pro rata basis on
(3) Base Course	12.20%	completion of a stage in a length of not less than 10 (ten) percent
(4) Non-Bituminous Base Course	2.87%	of the total length. @
(5) Bituminous work	8.72%	
(6) Wearing Coat	0.00%	
(7) Widening and repair of culverts	0.00%	Cost of ten completed culverts shall be determined pro rata with respect to the total number of culverts. The payment shall be made on the completion of at least five culverts.
<b>B.1- Reconstruction/New 2-lane</b>		
realignment/bypass (Flexible		
Pavement)		Unit of measurement is linear
(1) Earthwork up to top of the sub-grade	3.46%	length. Payment of each stage shall be made on pro rata basis on
(2) Sub- Base Course	3.09%	completion of a stage in full
(3) Base Course	2.45%	length or 5 (five) km length,
(4) Non-Bituminous Base Course	1.09%	whichever is less.
(5) Bituminous work	1.75%	
(6) Wearing Coat	0.00%	
B.2- Reconstruction/New 2-lane		
realignment/bypass (Rigid Pavement)		
		Unit of measurement is linear
(1) Earthwork up to top of the sub-grade	0.77%	length. Payment of each stage
(2) Sub Base Course	0.00%	shall be made on pro rata basis on completion of a stage in full
(3) Non Bituminous Base Course	0.55%	length or 5 (five) km length,
(4) Bituminous Base Course	0.00%	whichever is less.
(5) Dry Lean Concrete (DLC) Course	0.63%	

Stage of Payment	Percentage -weightage	Payment Procedure
(6) Pavement Quality Control (PQC) Course	2.63%	
C.1- Reconstruction/New service road (Flexible pavement)		Their of management in the con-
(1) Earthwork up to top of the sub-grade	0.00%	Unit of measurement is linear length. Payment of each stage shall be made on pro rata basis on
(2) Sub Base Course	0.00%	completion of a stage in full
(3) Non-Bituminous Base Course	0.00%	length or 5 (five) km length, whichever is less.
(4) Bituminous Base Course	0.00%	whichever is less.
(5) Wearing Coat	0.00%	
C.2- Reconstruction/New Service road (Rigid pavement)		
(1) Earthwork up to top of the sub-grade	0.00%	
(2) Sub Base Course	0.00%	Unit of measurement is linear
(3) Non Bituminous Base Course	0.00%	length. Payment of each stage shall be made on pro rata basis on completion of a stage in full
(4) Bituminous Base Course	0.00%	length or 5 (five) km length, whichever is less.
(5) Dry Lean Concrete (DLC) Course	0.00%	
(6) Pavement Quality Control (PQC) Course	0.00%	
D- Reconstruction and New Culverts on existing road, realignments, bypasses:		Cost of each culvert shall be determined on pro rata basis with respect to the total number of
Culverts (length <6m)	27.34%	culverts. Payment shall be made on the completion of at least five culverts.

@. For example, if the total length of bituminous work to be done is 100 km, the cost per km of bituminous work shall be determined as follows:

Cost per km = P x weightage for road work x weightage for bituminous work x (1/L)

Where P= Contract Price

L = Total length in km

Similarly, the rates per km for other stages shall be worked out accordingly.

Note: The length affected due to law and order problems or litigation during execution due to which the contractor is unable to execute the work, may be deducted from the total project length for payment purposes. The total length claculated here is only for payment purposes and will not affect and referred in other clauses of the Contract Agreement.

1.3.2 Minor Bridges works and Underpasses/Overpasses.

Procedure for estimating the value of Minor Bridge works and Underpasses/Overpasses shall be as stated in table 1.3.2:

Table 1.3.2

Stage of Payment	Weightage	Payment Procedure
A.1- Widening and Repair of		Cost of each Minor Bridge shall be
Minor bridges	0.00%	determined on pro rata basis with
		respect to the total linear length of the
(Length > 6m and < 60m)		minor bridges. Payment shall be made
		on completion of widening & repair
		works of a minor bridge.
A.2- New Minor bridges		(i) Foundation + Sub-structure: Cost
(i) Foundation + Sub-	0.00%	of each Underpass/Overpass shall be
<b>structure:</b> On completion of the		determined on pro rata basis with
foundation work including		respect to the total linear length (m) of
foundations for wing and return		the Underpass/Overpass. Payment
walls, abutments, piers, upto the		against foundation + sub-structure
abutment/pier cap.		shall be made on pro-rata basis on
		completion of s stage i.e. not less than
		25% of the scope of foundation + sub-
		structure of each Underpass/Overpass
		subject to completion of at least two
		foundations along with sub- structure
		upto abutment/pier cap level of each
		Underpass/Overpass.
		In case where load testing is required
		for foundation, the trigger of first
		payment shall include load testing also
		where specified.
(ii) Super-structure: On	0.00%	(ii) Super-structure: Payment shall
completion of the super-structure	0.0070	be made on pro-rata basis on
in all respects including wearing		completion of a stage i.e. completion
coat, bearing, expansion joints,		of super-structure of at least one span
cout, ocuring, expansion joints,		of super-structure of at least one span

Stage of Payment	Weightage	Payment Procedure
hand rails, crash barriers, road signs & markings, tests on completion etc. complete in all respect.		in all respect as specified in the column of "Stage of Payment" in this sub-clause.
(iii) Approaches: On completion of approaches including Retaining walls, stone pitching, protection works complete in all respect and fit for use.	0.00%	(iii) Approaches: Payment shall be made on pro-rata basis on completion of a stage i.e. completion of approaches in all respect as specified.
(iv) Guide Bunds and River Training Works: On completion of Guide Bunds and river Training Works complete in all respects.	0.00%	(iv) Guide Bunds and River Training Works:  Payment shall be made on pro-rata basis on completion of a stage i.e. completion of Guide Bunds and River Training Works in all respects as specified
B.1- Widening and Repair of underpasses/overpasses	0.00%	Cost of each Underpasses/Overpasses shall be determined on pro rata basis with respect to the total linear length of the Underpasses/Overpasses. Payment shall be made on completion of widening & repair works of a Underpasses/Overpasses.

Stage of Payment	Weightage	Payment Procedure	
B.2-New	<del>-</del>	(i) Foundation + Sub-structure: Cost	
underpasses/overpasses		of each minor bridge shall be determined on pro rata basis with	
(1) Foundation + Sub-	0.00%	respect to the total linear length (m) of	
<b>structure:</b> On completion of the		the minor bridges. Payment against	
foundation work including		foundation + sub-structure shall be	
foundations for wing and return		made on pro-rata basis on completion	
walls, abutments, piers, upto the		of s stage i.e. not less than 25% of the	
abutment/pier cap.		scope of foundation + sub-structure of	
		each bridge subject to completion of at	
		least two foundations along with sub-	
		structure upto abutment/pier cap level of each bridge.	
		of each bridge.	
		In case where load testing is required	
		for foundation, the trigger of first	
		payment shall include load testing also	
		where specified.	
(2) Super-Structure: On	0.00%	(ii) Super-structure: Payment shall	
completion of the super-structure		be made on pro-rata basis on	
in all respects including wearing		completion of a stage i.e. completion	
coat, bearings, expansion joints, hand rails, crash barriers, road		of super-structure of at least one span in all respect as specified in the	
signs & markings, tests on		column of "Stage of Payment" in this	
completion etc. complete in all		sub-clause.	
respect.			
Wearing Coat (a) in case of			
Overpass- wearing coat			
including expansion joints			
complete in all respects as			
specified and (b) in case of underpass- rigid pavement			
underpass- rigid pavement including drainage facility			
complete in all respects as			
specified.			
(3) Approaches: On completion	0.00%	(iii) Approaches: Payment shall be	
of approaches including		made on pro-rata basis on completion	
retaining walls, stone pitching,		of a stage i.e. completion of	
protection works complete in all		approaches in all respect as specified	
respects and fit for use.		in the column of "Stage Payment" in	
		this sub-clause.	
CONCEDUCTION OF LIBORADATION	LOC EVICTING	DAD TO 2 LANE WITH DAVED CHOULDED	
CONSTRUCTION OF UPGRADATION OF EXISTING ROAD TO 2-LANE WITH PAVED SHOULDER			

FROM KM. 26.100 KM. 40.000 IN BAGRAKOT TO KAFER OF NH-717A ON EPC BASIS UNDER SARDP-NE PHASE 'Á' IN THE STATE OF WEST BENGAL(PACKAGE-IV D)

## 1.3.3 Major Bridges works.

Procedure for estimating the value of Major Bridges work shall be as stated in table 1.3.3:

Table 1.3.3

Stage of payment	Weightage	Payment procedure
1	2	3
A.1- Widening and Repair of Major Bridges		
(i) Foundation:	0.00%	(i) Foundation: Cost of each Major Bridge shall be determined on pro rata basis with respect to the total linear length (m) of the Major Bridge. Payment against foundation shall be made on pro-rata basis on completion of s stage i.e. not less than 25% of the scope of foundation of the Major Bridge subject to completion of at least two foundations of the Major Bridge.  In case where load testing is required for foundation, the trigger of first payment shall include load testing also where specified.
(ii) Sub-structure:	0.00%	(ii) Sub-Structure: Payment against Substructure shall be made on pro-rata basis on completion of s stage i.e. not less than 25% of the scope of Sub-structure of the Major Bridge subject to completion of at least two Sub-structure of abutment/pier cap level of the Major Bridge .
(iii) Super-structure (Including Bearings)	0.00%	(iii) Super-structure: Payment shall be made on pro-rata basis on completion of s stage i.e. completion of super structure including bearings of at least one span in all respects as specified.
(iv) Wearing Coat including expansion joints	0.00%	(iv) Wearing Coat: Payments shall be made on completion of wearing coat including expansion joints complete in all respects as specified.
(v) Miscellaneous Items like	0.00%	(v) Miscellaneous: Payments shall be

Stage of payment	Weightage	Payment procedure
1	2	3
hand rails, crash barriers, road markings etc.		made on completion of all miscellaneous works like hand rails, crash barriers, road markings, etc. complete in all respects as specified.
(vi) Wing walls/return walls	0.00%	(vi) Wing walls/return walls: Payments shall be made on completion of all wing walls/return walls complete in all respects as specified.
(vii)Guide Bunds, River Training works etc.	0.00%	(vii)Guide Bunds, River Training works: Payments shall be made on completion of all Guide Bunds/River Training works, etc. complete in all respects as specified.
(viii) Approaches (including Retaining walls, stone pitching and protection works)	0.00%	(viii) Approaches: Payments shall be made on completion of both approaches including stone pitching, protection works, etc. complete in all respects as specified.
A.2- New Major Bridges		
(i) Foundation:	0.00%	(i) Foundation: Cost of each Major Bridge shall be determined on pro rata basis with respect to the total linear length (m) of the Major Bridge. Payment against foundation shall be made on pro-rata basis on completion of s stage i.e. not less than 25% of the scope of foundation of the Major Bridge subject to completion of at least two foundations of the Major Bridge.
		In case where load testing is required for foundation, the trigger of first payment shall include load testing also where specified.
(ii) Sub-structure:	0.00%	(ii) Sub-Structure: Payment against Sub- structure shall be made on pro-rata basis on completion of s stage i.e. not less than 25% of the scope of Sub-structure of the Major Bridge subject to completion of at least two Sub-structure of abutment/pier upto abutment/pier cap level of the Major Bridge

Stage of payment	Weightage	Payment procedure
1	2	3
(iii) Super-structure (Including Bearings)	0.00%	(iii) Super-structure: Payment shall be made on pro-rata basis on completion of stage i.e. completion of super structure including bearings of at least one span in all respects as specified.
(iv) Wearing Coat including expansion joints	0.00%	(iv) Wearing Coat: Payments shall be made on completion of wearing coat including expansion joints complete in all respects as specified.
(v) Miscellaneous Items like hand rails, crash barriers, road markings etc.	0.00%	(v) Miscellaneous: Payments shall be made on completion of all miscellaneous works like hand rails, crash barriers, road markings, etc. complete in all respects as specified.
(vi) Wing walls/return walls	0.00%	(vi) Wing walls/return walls: Payments shall be made on completion of all wing walls/return walls complete in all respects as specified.
(vii)Guide Bunds, River Training works etc.	0.00%	(vii) Guide Bunds, River Training works: Payments shall be made on completion of all Guide Bunds/River Training works, etc. complete in all respects as specified.
(viii) Approaches (including Retaining walls, stone pitching and protection works)	0.00%	(viii) Approaches: Payments shall be made on completion of both approaches including stone pitching, protection works, etc. complete in all respects as specified.

Stage of payment	Weightage	Payment procedure
1	2	3
B.1- Widening and Repair of (a) ROB (b) RUB		
(i) Foundation:	0.00%	(i) Foundation: Cost of each ROB/RUB shall be determined on pro rata basis with respect to the total linear length (m) of the ROBs/RUBs. Payment against foundation shall be made on pro-rata basis on completion of s stage i.e. not less than 25% of the scope of foundation of the ROB/RUB subject to completion of at least two foundations of the ROB/RUB.
		In case where load testing is required for foundation, the trigger of first payment shall include load testing also where specified.
(ii) Sub-structure:	0.00%	(ii) Sub-Structure: Payment against Substructure shall be made on pro-rata basis on completion of s stage i.e. not less than 25% of the scope of Sub-structure of the ROB/RUB subject to completion of at least two Sub-structure of abutment/pier upto abutment/pier cap level of the ROB/RUB.
(iii) Super-structure (Including Bearings)	0.00%	(iii) Super-structure: Payment shall be made on pro-rata basis on completion of stage i.e. completion of super structure including bearings of at least one span in all respects as specified.
(iv) Wearing Coat including expansion joints	0.00%	(iv) Wearing Coat: Payments shall be made on completion of (a) in case of ROB-wearing coat including expansion joints complete in all respects as specified and (b) in case of RUB- rigid pavement under RUB including drainage facility complete in all respects as specified.
(v) Miscellaneous Items like hand rails, crash barriers,	0.00%	(v) Miscellaneous: Payments shall be made on completion of all miscellaneous

Stage of payment	Weightage	Payment procedure
1	2	3
road markings etc.  (vi) Wing walls/return walls	0.00%	works like hand rails, crash barriers, road markings, etc. complete in all respects as specified.  (vi) Wing walls/return walls: Payments shall be made on completion of all wing walls/return walls complete in all respects
		as specified.
(vii) Approaches (including Retaining walls, stone pitching and protection works)	0.00%	(vii) Approaches: Payments shall be made on completion of both approaches including stone pitching, protection works, etc. complete in all respects as specified.
B.2- New (a) ROB (b) RUB		
(i) Foundation:	0.00%	(i) Foundation: Cost of each ROB/RUB shall be determined on pro rata basis with respect to the total linear length (m) of the ROBs/RUBs. Payment against foundation shall be made on pro-rata basis on completion of s stage i.e. not less than 25% of the scope of foundation of the ROB/RUB subject to completion of at least two foundations of the ROB/RUB.
		In case where load testing is required for foundation, the trigger of first payment shall include load testing also where specified.
(ii) Sub-structure:	0.00%	(ii) Sub-Structure: Payment against Substructure shall be made on pro-rata basis on completion of s stage i.e. not less than 25% of the scope of Sub-structure of the ROB/RUB subject to completion of at least two Sub-structure of abutment/pier upto abutment/pier cap level of the ROB/RUB.
(iii) Super-structure (Including Bearings)	0.00%	(iii) Super-structure: Payment shall be made on pro-rata basis on completion of stage i.e. completion of super structure including bearings of at least one span in all

Stage of payment	Weightage	Payment procedure
1	2	3
(iv) Wassing Cost	0.000/	respects as specified.
(iv) Wearing Coat including expansion joints	0.00%	(iv) Wearing Coat: Payments shall be made on completion of (a) in case of ROB-wearing coat including expansion joints complete in all respects as specified and (b) in case of RUB- rigid pavement under RUB including drainage facility complete in all respects as specified.
(v) Miscellaneous Items like hand rails, crash barriers, road markings etc.	0.00%	(v) Miscellaneous: Payments shall be made on completion of all miscellaneous works like hand rails, crash barriers, road markings, etc. complete in all respects as specified.
(vi) Wing walls/return walls	0.00%	(vi) Wing walls/return walls: Payments shall be made on completion of all wing walls/return walls complete in all respects as specified.
(vii) Approaches (including Retaining walls, stone pitching and protection works)	0.00%	(vii) Approaches: Payments shall be made on completion of both approaches including stone pitching, protection works, etc. complete in all respects as specified.
C.1- Widening and repairs of Elevated Section/Flyover/Grade Separator		
(i) Foundation:	0.00%	(i) Foundation: Cost of each structure shall be determined on pro rata basis with respect to the total linear length (m) of the structure. Payment against foundation shall be made on pro-rata basis on completion of stage i.e. not less than 25% of the scope of foundation of the structure subject to completion of at least two foundations of the structure.
		In case where load testing is required for foundation, the trigger of first payment shall

Stage of payment	Weightage	Payment procedure
1	2	3
		include load testing also where specified.
(ii) Sub-structure:	0.00%	(ii) Sub-Structure: Payment against Substructure shall be made on pro-rata basis on completion of s stage i.e. not less than 25% of the scope of Sub-structure of structure subject to completion of at least two Substructure of abutment/pier upto abutment/pier cap level of the Major Bridge.
(iii) Super-structure (Including Bearings)	0.00%	(iii) Super-structure: Payment shall be made on pro-rata basis on completion of stage i.e. completion of super structure including bearings of at least one span in all respects as specified.
(iv) Wearing Coat including expansion joints	0.00%	(iv) Wearing Coat: Payments shall be made on completion of wearing coat including expansion joints complete in all respects as specified.
(v) Miscellaneous Items like hand rails, crash barriers, road markings etc.	0.00%	(v) Miscellaneous: Payments shall be made on completion of all miscellaneous works like hand rails, crash barriers, road markings, etc. complete in all respects as specified.
(vi) Wing walls/return walls	0.00%	(vi) Wing walls/return walls: Payments shall be made on completion of all wing walls/return walls complete in all respects as specified.
(vii) Approaches (including Retaining walls, stone pitching and protection works)	0.00%	(vii) Approaches: Payments shall be made on completion of both approaches including stone pitching, protection works, etc. complete in all respects as specified.

Stage of payment	Weightage	Payment procedure
1	2	3
C.2- New Elevated Section/Flyover/Grade Separators		
(i) Foundation:	0.00%	(i) Foundation: Cost of each structure shall be determined on pro rata basis with respect to the total linear length (m) of the structure. Payment against foundation shall be made on pro-rata basis on completion of stage i.e. not less than 25% of the scope of foundation of the structure subject to completion of at least two foundations of the structure.  In case where load testing is required for
		foundation, the trigger of first payment shall include load testing also where specified.
(ii) Sub-structure:	0.00%	(ii) Sub-Structure: Payment against Substructure shall be made on pro-rata basis on completion of s stage i.e. not less than 25% of the scope of Sub-structure of structure subject to completion of at least two Substructure of abutment/pier upto abutment/pier cap level of the Major Bridge.
(iii) Super-structure (Including Bearings)	0.00%	(iii) Super-structure: Payment shall be made on pro-rata basis on completion of stage i.e. completion of super structure including bearings of at least one span in all respects as specified.
(iv) Wearing Coat including expansion joints	0.00%	(iv) Wearing Coat: Payments shall be made on completion of wearing coat including expansion joints complete in all respects as specified.
(v) Miscellaneous Items like hand rails, crash barriers, road markings etc.	0.00%	(v) Miscellaneous: Payments shall be made on completion of all miscellaneous works like hand rails, crash barriers, road markings, etc. complete in all respects as specified.

Stage of payment	Weightage	Payment procedure
1	2	3
(vi) Wing walls/return walls	0.00%	(vi) Wing walls/return walls: Payments shall be made on completion of all wing walls/return walls complete in all respects as specified.
(vii) Approaches (including Retaining walls, stone pitching and protection works)	0.00%	(vii) Approaches: Payments shall be made on completion of both approaches including stone pitching, protection works, etc. complete in all respects as specified.

- Note:(1) In case of innovate Major Bridge projects like cable suspension/cable stayed /Extra Dozed and exceptionally long span bridges, the schedule may be modified as per site requirements before bidding with due approval of DG (RD) & SS, MoRT&H.
  - (2) The Schedule for exclusive tunnel projects may be prepared as per site requirements before biding with due approval of DG(RD)&SS, MoRT&H.

#### 1.3.4 Other works.

Procedure for estimating the value of other works done shall be as stated in table 1.3.4.

Table 1.3.4

Stage of Payment	Weightage	Payment Procedure
(i) Service roads	0.00%	Unit of measurement is linear length in km. Cost per km shall be determined on pro rata basis with respect to the total length of the service roads. Payment shall be made for completed service road in a length of not less than 20 (twenty) percent of the total length of service roads.
(ii) Toll plaza	0.00%	Unit of measurement is each completed toll plaza.  Payment of each toll plaza shall be made on pro rata basis with respect to the total of all toll plazas.

Stage of Payment	Weightage	Payment Procedure
(iii) Road side drains	6.40%	Unit of measurement is linear length in km.  Payment shall be made on pro rata basis on completion of a stage in a length of not less than 10 % (ten per cent) of the total length.
(iv) Road signs, markings, km stones, safety devices,	1.22%	
(v) Project Facilities		
a) Bus bays	0.61%	Payment shall be made on pro rata basis for completed facilities.
b) Bus Shelter	0.00%	
c) Truck lay-byes	0.00%	
d) others	0.00%	
(vi) Repairs to existing bridges/structures		
a) Providing wearing coat	0.00%	
b) Replacement of bearing, joints	0.00%	Payment shall be made for completed items.
c) Providing crash barriers	0.00%	
(d) Other items	0.00%	
(vii) Roadside plantation	0.00%	Unit of measurement is linear length. Payment shall
(viii) Protection works	25.17%	be made on pro rata basis on completion of a stage in a length of not less than 10% (ten per cent) of the total length.
(x) Junctions	1.61%	Unit of measurement is Number. Payment shall be made on pro- rata basis on completion of a stage in a number of not less than 10%

Stage of Payment	Weightage	Payment Procedure
		(ten per cent) of the total
		number.
(xii) Retaining Wall & Breast	22.10%	Unit of measurement is linear
wall		length. Payment shall be
		made on pro-rata basis on
		completion of a stage in a
		length of not less than 10%
		(ten per cent) of the total
		length.
(xii) RE Wall	0.00%	Unit of measurement is linear
		length. Payment shall be
		made on pro-rata basis on
		completion of a stage in a
		length of not less than 10%
		(ten per cent) of the total
		length.
(xii) Reinforced Slope	42.22%	Unit of measurement is linear
Structures		length. Payment shall be
		made on pro-rata basis on
		completion of a stage in a
		length of not less than 10%
		(ten per cent) of the total
		length.
(xiii) Miscellaneous items -	0.67%	Payment shall be made on
Vehicle, Phone, Photographs,		prorata basis every six
Lighting etc.		months
(xiv) Safety and traffic	0.00%	Payment shall be made on
management during construction		prorata basis every six
		months.

### 2. Procedure for payment for Maintenance

- 2.1 The cost for maintenance shall be as stated in Clause 14.1.1.
- 2.2 Payment for Maintenance shall be made in quarterly installments in accordance with the provisions of Clause 19.7.