

**NATIONAL HIGHWAYS & INFRASTRUCTURE DEVELOPMENT CORPORATION LTD.**

**(Ministry of Road, Transport & Highways)**

**Government of India**

**Schedules**

**FOR**

**“Construction of two-Lane with paved shoulders of Joram – Koloriang Road (NH-713) on EPC basis from existing Km 20.000 to Km 35.150 [Design Km. 20.000 to Km. 32.050] (Design Length - 12.05 Km) in the state of Arunachal Pradesh under SARDP-NE”**

**Engineering, Procurement & Construction  
(EPC) Mode**

**BID DOCUMENT**

**December-2016**



**National Highways & Infrastructure Development Corporation Ltd  
(A Government of India Undertaking)**

**SCHEDULE – A**  
*(See Clauses 2.1 and 8.1)*

**SITE OF THE PROJECT**

**1 The Site**

- 1.1 Site of the Two-Laning of Existing Joram – Koloriang Road on EPC basis from design km 20+000 to km 32+050 (Existing km 20+000 to km 35+150) in the state of Arunachal Pradesh under SARDP-NE, Project Highway shall include the land, buildings, structures and road works as described in **Annex-I** of this Schedule-A.  
The Project alignment is approachable for all location for execution of works.
- 1.2 The dates of handing over the Right of Way to the Contractor are specified in **Annex-II** of this Schedule-A.
- 1.3 An inventory of the Site including the land, buildings, structures, road works, trees and any other immovable property on, or attached to, the Site shall be prepared jointly by the Authority's Representative and the Contractor, and such inventory shall form part of the memorandum referred to in Clause 8.2.1 of this Agreement.
- 1.4 The alignment plans of the Project Highway are specified in **Annex-III**. In the case of sections where no modification in the existing alignment of the Project Highway is contemplated, the alignment plan has not been provided. Alignment plans have only been given for sections where the existing alignment is proposed to be modified.
- 1.5 The status of the environment clearances obtained or awaited is given in **Annex-IV**.



## Annex I (Schedule-A)

### 1. Site

The Site of the [Two-Lane] Project Highway comprises the section of Joram – Koloriang road commencing from design km 20+000 to km 32+050(Existing km 20+000 to km 35+150) i.e New Pania – Neelum Section in the State of Arunachal Pradesh. The road is of sub-standard single lane with poor road surface, passing through mountainous terrain, in general. The road is deficient in geometric features at almost all locations. The stretch lies within Lower Subansiri district.

The project corridor i.e. Joram - Koloriang passes through settlements of New Pania, and Neelum

The Index Map is appended at the end of this Schedule–A.

### 2. Chainage References (Existing vs Design)

“Existing Chainage” means Km Stones existing on the Project Highway. During topography survey, observations are made to these Km stones and after finalization of alignment by improving the existing geometry the chainage has been referred to “Design Chainage”. The relationship between the “Existing Chainage” and the “Design Chainage” as per field surveys of the location of existing Km stones for the “Project Highway” is given below:

SI No.	Existing Chainage (Km)	Design chainage (Km)	Remarks
1	20+000	20+000	
2	20+500	20+340	
3	21+000	20+580	
4	21+500	21+000	
5	22+000	21+470	
6	22+500	21+880	
7	23+000	22+290	

“Construction of two-Lane with paved shoulders of Joram – Koloriang Road (NH-713) on EPC basis from existing Km 20.000 to Km 35.150 [Design Km. 20.000 to Km. 32.050] (Design Length - 12.05 Km) in the state of Arunachal Pradesh under SARDP-NE”



8	23+500	22+740	
9	24+000	23+190	
10	24+500	23+630	
11	25+000	23+870	
12	25+500	23+890	
13	26+000	24+240	
14	26+500	24+690	
15	27+000	25+050	
16	27+500	25+490	
17	28+000	25+820	
18	28+500	26+200	
19	29+000	26+630	
20	29+500	27+000	
21	30+000	27+405	
22	30+500	27+850	
23	31+000	28+240	
24	31+500	28+712	
25	32+000	29+190	
26	32+500	29+690	
27	33+000	30+070	
28	33+500	30+520	
29	34+000	31+010	
30	34+500	31+460	
31	35+000	31+890	
32	35+150	32+050	

**3. Land**

The Site of the Project Highway comprises the land described below:

Sl. No.	Existing Chainage (km)		Design Chainage (km)		Length in m (Design)	Existing/Available ROW (m)	Remarks
	From	To	From	To			
1	20+000	35+150	20+000	32+050	12050	9m to 12m	No ROW available in realignment stretches of total 7.83km as given in para 3.3 of

“Construction of two-Lane with paved shoulders of Joram – Koloriang Road (NH-713) on EPC basis from existing Km 20.000 to Km 35.150 [Design Km. 20.000 to Km. 32.050] (Design Length - 12.05 Km) in the state of Arunachal Pradesh under SARDP-NE”

							Annexure-1 Schedule B
--	--	--	--	--	--	--	--------------------------

**4. Carriageway**

The present carriageway of the Project Highway is substandard single lane configuration. The type of the existing pavement is flexible.

Sl. No.	Existing Chainage (km)		Design Chainage (km)		Length in m (Design)	Lane Width (m)	Remarks
	From	To	From	To			
1	20+000	35+150	20+000	32+050	12050	3.0- 3.25	Lane width other than realignment portion

**5. Major Bridges**

The Site includes the following Major Bridges:

Sl. No.	Chainage (km)	Type of Structures			No. of Spans with span length (m)	Width (m)
		Foundation	Sub-Structure	Superstructure		
NIL						

**6. Railway over-bridges (ROB)**

The Site includes the following Railway Over Bridges

Sl. No.	Chainage (km)	Type of Structures			No. of Spans with span length (m)	Width (m)
		Foundation	Sub-Structure	Super structure		
NIL						

**7. Grade Separators**

"Construction of two-Lane with paved shoulders of Joram – Koloriang Road (NH-713) on EPC basis from existing Km 20.000 to Km 35.150 [Design Km. 20.000 to Km. 32.050] (Design Length - 12.05 Km) in the state of Arunachal Pradesh under SARDP-NE"



The Site includes the following Grade separators

The site includes the following grade separators						
Sl. No.	Chainage (km)	Type of Structures			No. of Spans with span length (m)	Width (m)
		Foundation	Sub-Structure	Super structure		
NIL						

## 8. Minor Bridges

The Site includes the following minor Bridges:

Sl. No.	Road Segment	Existing Chainage (km)	Type of Structures			No. of Spans with Span Length (m)	Total Width (m)
			Foundation	Sub-Structure	Super Structure		
NIL							

## 9. Railway level crossings / Railway Track

The Site includes the following railway level crossings:

Sl. No.	Road Segment	Existing Chainage (km)	Remarks
Nil			

## 10. Underpasses (vehicular, Non Vehicular)

The Site includes the following underpasses:

Sl. No.	Road Segment	Existing Chainage (km)	Type of Structure	No. of Spans with Span Length (m)	Width (m)
Nil					

## 11. Culverts

The Site includes the 64 Nos of culverts at the following locations and types:

Sl no.	Existing Chainage	Type of Culvert	Span/Dia (m)	Width (m)	Remarks
--------	-------------------	-----------------	--------------	-----------	---------



"Construction of two-Lane with paved shoulders of Joram – Koloriang Road (NH-713) on EPC basis from existing Km 20.000 to Km 35.150 [Design Km. 20.000 to Km. 32.050] (Design Length - 12.05 Km) in the state of Arunachal Pradesh under SARDP-NE"

Sl no.	Existing Chainage	Type of Culvert	Span/Dia (m)	Width (m)	Remarks
1	20025	Pipe	0.6	6.0	
2	20294	Slab	1.0	5.4	
3	20595	Slab	1.0	6.0	
4	20848	Pipe	0.6	5.7	
5	21005	Not visible	-	5.8	
6	21025	Pipe	0.6	6.3	
7	21125	Slab	1.4	5.4	
8	21296	Slab	1x1.0	6.0	
9	22050	Slab	1.8	6.3	
10	22100	Pipe	0.6	4.8	
11	22300	Not visible	-	5.7	
12	22450	Slab	1.5	6.3	
13	22470	Pipe	0.6	5.8	
14	22560	Slab	1.0	6.0	
15	22700	Slab	1.0	5.7	
16	22800	Pipe	0.6	5.8	
17	22950	Slab	1.0	5.5	
18	23020	Slab	1.0	5.5	
19	23150	Slab	1.0	5.6	
20	23200	Slab	1.0	5.7	
21	24180	Slab	1.0	5.9	
22	24345	Slab	1.0	6.0	
23	24565	Slab	1.0	6.0	
24	25350	Slab	1.0	5.5	
25	25590	Slab	1.5	5.0	
26	25800	Slab	1.0	5.3	
27	25850	Slab	1.0	5.3	
28	26025	Slab	1.5	5.3	
29	26310	Slab	1.0	5.0	
30	26380	Slab	1.0	6.0	
31	26625	Pipe	0.6	5.6	
32	26900	Slab	1.0	5.6	
33	26980	Slab	1.0	5.6	
34	27200	Slab	0.9	5.5	
35	27430	Slab	1.0	5.3	



“Construction of two-Lane with paved shoulders of Joram – Koloriang Road (NH-713) on EPC basis from existing Km 20.000 to Km 35.150 [Design Km. 20.000 to Km. 32.050] (Design Length - 12.05 Km) in the state of Arunachal Pradesh under SARDP-NE”

Sl no.	Existing Chainage	Type of Culvert	Span/Dia (m)	Width (m)	Remarks
36	27600	Slab	1.0	5.4	
37	27650	Slab	1.0	6.0	
38	27740	Slab	1.4	5.3	
39	27850	Slab	1.0	6.0	
40	28080	Slab	1.0	6.0	
41	28300	Slab	3.0	5.5	
42	28380	Pipe	0.6	5.5	
43	28480	Slab	1.0	6.0	
44	28550	Not visible	-	6.0	
45	28610	Slab	1.0	6.0	
46	28910	Not visible	-	6.0	
47	28950	Slab	1.0	5.0	
48	28990	Slab	1.0	5.5	
49	29120	Not visible	-	5.5	
50	29355	Slab	1.0	5.5	
51	29560	Slab	1.0	5.6	
52	29740	Slab	1.0	5.6	
53	30070	Slab	1.0	4.9	
54	30420	Slab	0.9	5.8	
55	30880	Slab	1.0	6.0	
56	31200	Slab	1.0	6.0	
57	33830	Slab	-	5.8	
58	33910	Not visible	-	6.0	
59	33970	Pipe	0.6	5.5	
60	34140	Slab	1.0	5.5	
61	34620	Slab	1.0	6.00	
62	34900	Slab	1.0	6.0	
63	35010	Pipe	0.6	5.8	
64	35150	Slab	1.0	6.0	

## 12. Bus Shelters

The details of bus shelters on the Site are as follows:



“Construction of two-Lane with paved shoulders of Joram – Koloriang Road (NH-713) on EPC basis from existing Km 20.000 to Km 35.150 [Design Km. 20.000 to Km. 32.050] (Design Length - 12.05 Km) in the state of Arunachal Pradesh under SARDP-NE”



S. No.	Road Segment	Existing Chainage (km)	Length (m)	Left Hand Side	Right Hand Side
Nil					

**13. Truck Lay Bye**

The details of truck lay byes on the Site are as follows:

S. No.	Road Segment	Existing Chainage (km)	Length (m)	Left Hand Side	Right Hand Side
Nil					

**14. Road side drains**

The details of the road side drains on the Site are as follows:

Sl. No.	Existing Location		Side	Type	
	From (km)	From (km)		Masonry/CC (Pucca)	Earthen (Kutcha)
1	20.025	20.285	Right	-	✓
2	20.300	20.380	Right	-	✓
3	20.455	20.590	Right	-	✓
4	20.600	20.625	Right	-	✓
5	20.670	20.770	Right	-	✓
6	20.815	20.820	Right	-	✓
7	20.825	20.845	Right	-	✓
8	20.855	20.780	Right	-	✓
9	20.965	20.980	Right	-	✓
10	21.540	21.680	Right	-	✓
11	21.820	22.020	Right	-	✓
12	22.030	22.080	Right	-	✓
13	22.100	22.175	Right	-	✓
14	22.210	22.300	Right	-	✓
15	22.310	22.420	Right	-	✓

"Construction of two-Lane with paved shoulders of Joram – Koloriang Road (NH-713) on EPC basis from existing Km 20.000 to Km 35.150 [Design Km. 20.000 to Km. 32.050] (Design Length - 12.05 Km) in the state of Arunachal Pradesh under SARDP-NE"

Sl. No.	Existing Location		Side	Type	
	From (km)	From (km)		Masonry/CC (Pucca)	Earthen (Kutcha)
16	22.440	22.460	Right	-	✓
17	22.475	22.520	Right	-	✓
18	22.545	22.555	Right	-	✓
19	22.575	22.680	Right	-	✓
20	22.700	22.785	Right	-	✓
21	22.825	22.920	Right	-	✓
22	22.950	23.020	Right	-	✓
23	23.020	23.130	Right	-	✓
24	23.140	23.175	Right	-	✓
25	23.210	23.250	Right	-	✓
26	23.325	23.530	Right	-	✓
27	23.655	24.170	Right	-	✓
28	24.520	24.555	Right	-	✓
29	24.575	24.875	Right	-	✓
30	24.890	25.050	Left	-	✓
31	25.075	25.125	Left	-	✓
32	25.150	25.350	Right	-	✓
33	25.375	25.595	Right	-	✓
34	25.600	25.780	Right	-	✓
35	25.830	25.840	Right	-	✓
36	25.855	26.070	Right	-	✓
37	26.100	26.300	Right	-	✓
38	26.325	26.375	Right	-	✓
39	26.380	26.475	Right	-	✓
40	26.480	26.530	Right	-	✓
41	26.575	26.625	Right	-	✓

“Construction of two-Lane with paved shoulders of Joram – Koloriang Road (NH-713) on EPC basis from existing Km 20.000 to Km 35.150 [Design Km. 20.000 to Km. 32.050] (Design Length - 12.05 Km) in the state of Arunachal Pradesh under SARDP-NE”

Sl. No.	Existing Location		Side	Type	
	From (km)	From (km)		Masonry/CC (Pucca)	Earthen (Kutcha)
42	26.640	26.885	Right	-	✓
43	26.920	26.975	Right	-	✓
44	26.985	27.200	Right	-	✓
45	27.210	27.275	Right	-	✓
46	27.280	27.425	Right	-	✓
47	27.445	27.600	Right	-	✓
48	27.610	27.650	Right	-	✓
49	27.660	27.730	Right	-	✓
50	27.750	27.845	Right	-	✓
51	27.875	27.910	Right	-	✓
52	27.975	28.060	Right	-	✓
53	28.080	28.290	Right	-	✓
54	28.315	28.375	Right	-	✓
55	28.390	28.015	Right	-	✓
56	28.480	28.485	Right	-	✓
57	28.840	28.875	Right	-	✓
58	29.010	29.110	Right	-	✓
59	29.125	29.350	Right	-	✓
60	29.360	29.560	Right	-	✓
61	29.570	29.600	Right	-	✓
62	29.710	29.715	Right	-	✓
63	29.755	30.040	Right	-	✓
64	30.080	30.100	Right	-	✓
65	30.160	30.255	Right	-	✓
66	30.320	30.410	Right	-	✓
67	30.525	30.575	Right	-	✓

“Construction of two-Lane with paved shoulders of Joram – Koloriang Road (NH-713) on EPC basis from existing Km 20.000 to Km 35.150 [Design Km. 20.000 to Km. 32.050] (Design Length - 12.05 Km) in the state of Arunachal Pradesh under SARDP-NE”

Sl. No.	Existing Location		Side	Type	
	From (km)	From (km)		Masonry/CC (Pucca)	Earthen (Kutcha)
68	30.700	30.860	Right	-	✓
69	30.875	30.885	Right	-	✓
70	30.955	31.000	Right	-	✓
71	31.060	31.150	Right	-	✓
72	31.580	31.775	Right	-	✓
73	31.845	32.000	Right	-	✓
74	32.028	32.185	Right	-	✓
75	32.330	32.475	Right	-	✓
76	32.500	32.930	Right	-	✓
77	33.030	33.075	Right	-	✓
78	33.150	33.228	Right	-	✓
79	33.555	33.645	Right	-	✓
80	33.680	33.745	Right	-	✓
81	33.780	33.815	Right	-	✓
82	34.310	34.375	Right	-	✓
83	34.865	34.880	Right	-	✓
84	34.900	35.010	Right	-	✓
85	35.020	35.060	Right	-	✓
86	35.115	35.150	Right	-	✓

## 15. Major Junctions

The details of major junctions are as follows:

Sl. No.	Location		At Grade	Separated	Category of Cross Roads			
	Existing Ch.	Design Ch.			NH	SH	MDR	Others
NIL								

"Construction of two-Lane with paved shoulders of Joram – Koloriang Road (NH-713) on EPC basis from existing Km 20.000 to Km 35.150 [Design Km. 20.000 to Km. 32.050] (Design Length - 12.05 Km) in the state of Arunachal Pradesh under SARDP-NE"

(NH: National Highway, SH: State Highway, MDR: Major District Road)

**16. Minor Junctions**

The details of major junctions are as follows:

S. No.	Existing Chainage	Design Chainage	Type	
	(Km)	(Km)	'T' Junction	Cross Road both sides
1	20+495	20+000	√	-
2	23+550	20+340	√	-
3	23+600	20+580	√	-
4	23+780	21+000	√	-
5	24+300	21+470	√	-
6	24+350	21+880	√	-
7	25+020	22+290	√	-
8	25+175	22+740	√	-
9	30+480	23+190	√	-
10	30+575	23+630	√	-
11	30+680	23+870	√	-
12	31+150	23+890	√	-

**17. Bypasses**

The details of bypasses are as follows:

S. No.	Name of Bypass (Town)	Road Segment	Existing Chainage		Length (km)	Carriageway	
			From (km)	To (km)		Width m)	Type
Nil							

**18. Other Structures/Details**

The details of other structures are as follows:

S No.	Type	Existing Chainage (km)	Length (m)	Width
Nil				

"Construction of two-Lane with paved shoulders of Joram – Koloriang Road (NH-713) on EPC basis from existing Km 20.000 to Km 35.150 [Design Km. 20.000 to Km. 32.050] (Design Length - 12.05 Km) in the state of Arunachal Pradesh under SARDP-NE"

**Annex-II**  
(Schedule-A)

**Details for Providing Right of Way**

The dates on which the Authority shall provide Right of Way (ROW) to the Contractor on Different stretches of the Site are stated below:

Sl. No	Design Chainage		Length	Existing ROW	Proposed ROW Width (m)	Date of Providing proposed ROW
	From	To				
(i) 90% of ROW (full width)	20.00	32.050	12.050	9-12 m	18m - 35 m	At appointed date
(ii) Balance ROW (full width)						Within 90 days after the appointed Date as per clause 8.2 of DCA



“Construction of two-Lane with paved shoulders of Joram – Koloriang Road (NH-713) on EPC basis from existing Km 20.000 to Km 35.150 [Design Km. 20.000 to Km. 32.050] (Design Length - 12.05 Km) in the state of Arunachal Pradesh under SARDP-NE”

**Annex-III**  
*(Schedule-A)*

**Alignment Plans**

It is enclosed.



---

“Construction of two-Lane with paved shoulders of Joram – Koloriang Road (NH-713) on EPC basis from existing Km 20.000 to Km 35.150 [Design Km. 20.000 to Km. 32.050] (Design Length - 12.05 Km)in the state of Arunachal Pradesh under SARDP-NE”

**Annex-IV**  
*(Schedule-A)*

**Environmental Clearances**

The project Highway does not require Environment Clearance as per MoEF corrigendum dated 22.08.2013.

In addition, the Stage-I Clearance is applied online dated 05.10.2016 which is likely to be received shortly. The Money will be deposited with MoEF for final approval on receipt of Stage-I clearance. Temporary working provision will be ensured before appointed date. All conditions imposed by MoEF while issuing the Approval in Principle(AIP) and final forest clearance(FC) to be adhered during construction stage and after construction stage are to be complied with.


The muck dumping sites in forest area stand identified and freezed by Forest department to be abided by agency during dumping of muck as stated in Schedule 'F'





### INDEX MAP OF PROJECT HIGHWAY SECTIONS

It is enclosed.



**SCHEDULE – B***(See Clause 2.1)***DEVELOPMENT OF THE PROJECT HIGHWAY****1 Development of the Project Highway**

Development of the Project Highway shall include design and construction of the 2 Lane with Paved Shoulder Project Highway as described in this Schedule-B and in Schedule-C.

**2 Rehabilitation and augmentation**

Rehabilitation and augmentation shall include [Two-Laning and strengthening] of the Project Highway as described in Annex-I of this Schedule-B and in Schedule-C.

**3 Specifications and Standards**

The Project Highway shall be designed and constructed in conformity with the Specifications and Standards specified in Annex-I of Schedule-D.



## **Annex I**

### *(Schedule-B)*

Project is construction/ improvement of the existing single lane road to two lane with paved shoulder in accordance with IRC-SP: 73:2015, IRC-SP:48:1998 and other relevant codes including standard good practice of the road construction.

## **1. SCOPE OF THE PROJECT**

### **1.1 GENERAL**

The following sections of this schedule briefly highlight the scope of the work of the 'Project'. The descriptions of the requirements for the various elements of the Project Highway given herein under are the bare minimum requirements for the 'Project'.

In the planning, design and execution of the works and other works in connection with the repair, maintenance or improvement of the Project Highway and functions associated with the construction of the Project Highway and roadside facilities, the Construction Contractor shall take all such actions and do all such things (including, but not limiting to, organizing itself, adopting measures and standards, executing procedures, including inspection procedures and highway patrols, and engaging and managing agents and employees) as will;

- a. enable the NHIDCL to provide an acceptably safe highway in respect of its condition (structural safety) and use (road safety);
- b. enable the NHIDCL to fulfill its statutory and common law obligations;
- c. enable the NHIDCL to provide a congestion free uninterrupted flow of traffic on the Project Highway;
- d. enable the NHIDCL to provide a level of highway service to the public not inferior to that provided on the trunk road during construction or improvement works;
- e. enable the police, local authorities, and others with statutory duties or functions in relation to the Project Highway or adjoining roads to fulfill those duties and functions;
- f. minimize the occurrence and adverse effects of accidents and ensure that all accidents and emergencies are responded to as quickly as possible;
- g. minimize the risk of damage, destruction or disturbance to third party property;
- h. ensure that members of the public are treated with all due courtesy and consideration;
- i. provide a safe, clear and informative system of road signs;



- j. comply with any specified programme requirements, including for the completion of the new road;
- k. enable standards of reliability, durability, accessibility, maintainability, quality control and assurance, and fitness for purpose appropriate to a highway of the character of the Project Highway to be achieved throughout the Contract Period;
- l. ensure adequate off-street parking facilities for both passenger and goods vehicles;
- m. provide adequate bus bays for stopping of buses and bus shelters for commuters to wait under protection;
- n. achieve a high standard in the appearance and aesthetic quality of the Project Highway and achieve integration of the Project Highway with the character of the surrounding landscape through both sensitive design and sensitive management of all visible elements including those on the existing road;
- o. Undertake proper safety audit through an appropriate consultant (i.e. apart from the Authority Engineer);
- p. Carry out accident recording and reporting (to NHIDCL) by type on regular basis; and
- q. Ensure adequate safety of the Project Workers on the work site.

## 2 GEOMETRIC DESIGN AND GENERAL FEATURES

### 2.1.1 General

Geometric design and general features of the Project Highway shall be in accordance with Section 2 of the Manual.

### 2.1.2 WIDENING OF THE EXISTING HIGHWAY

Notwithstanding the basic alignment plans enclosed with this document the Construction Contractor shall himself carryout and be responsible for engineering surveys, investigation and detailed engineering designs and prepare the working drawings for all the components relevant for the improvement and up-gradation of the Project Highway to fulfill the scope of the project as envisaged herein under. These shall comply with design specifications and standards given in **Schedule–D**. The designs for different project facilities shall follow the locations and indicative designs given in **Schedule–C** and shall comply with design specifications and standards outlined in **Schedule–D**. All the designs and drawings shall be reviewed by the Authority Engineer prior to execution.



The Project Highway shall follow the existing alignment unless otherwise specified by the Authority and shown in the alignment plans specified in Annex-III of Schedule-A. Geometric deficiencies, if any, in the existing horizontal and vertical profiles shall be corrected as per the prescribed standards for [plain/rolling] terrain to the extent land is available.

### 2.1.3 Improvement of the existing road geometries

[Refer to paragraph 2.1 (v) of the Manual and provide details]

The hilly gradients shall be corrected in such a way so as to attain a limiting gradient of 6% in order to achieve longitudinal drainage. Also vertical curves shall be improved/introduced so that the vertical curves meet IRC: SP-73 - 2015 standards.

The horizontal alignment of the Project Highway shall be improved as per the standards set out in **Schedule-D**.

The improvement shall be done in consultation with the Authority Engineer / Project Company ensuring that the proposed improvements are accommodated within the land width available as far as practical otherwise action to acquire more land shall be resorted to through NHIDCL.

In the following sections, where improvement of the existing road geometrics to the prescribed standards is not possible, the existing road geometrics shall be improved to the extent possible within the given right of way and proper road signs and safety measures shall be provided:

#### Improvement due to Realignment: (PKG-I)

Sl.NO.	DESIGN CHAINAGE		EXISTING CHAINAGE		LENGTH (m)
	FROM	TO	FROM	TO	
1	20200	20600	20280	21018	400
2	20600	20610	21018	21050	10
3	20610	20690	21050	21100	80
4	20690	20700	21100	21145	10
5	20700	21000	21145	21510	300
6	21130	21140	21650	21660	10
7	21240	21270	21760	21790	30

“Construction of two-Lane with paved shoulders of Joram – Koloriang Road (NH-713) on EPC basis from existing Km 20.000 to Km 35.150 [Design Km. 20.000 to Km. 32.050] (Design Length - 12.05 Km) in the state of Arunachal Pradesh under SARDP-NE”



SI.NO.	DESIGN CHAINAGE		EXISTING CHAINAGE		LENGTH (m)
	FROM	TO	FROM	TO	
8	21270	21840	21790	22460	570
9	21840	21850	22460	22480	10
10	21850	21940	22480	22570	90
11	21940	21990	22570	22630	50
12	21990	22000	22630	22640	10
13	22200	22220	22870	22890	20
14	22220	22230	22890	22900	10
15	22230	22300	22900	23000	70
16	22300	22310	23000	23010	10
17	22310	22700	23010	23460	390
18	22850	23000	23610	23805	150
19	23500	24000	24350	25700	500
20	24500	24700	26300	26510	200
21	24700	24710	26510	26520	10
22	24710	25010	26520	26860	300
23	25010	25090	26860	26950	80
24	25090	25500	26950	27550	410
25	25800	27400	27860	29990	1600
26	27600	27630	30195	30225	30
27	27630	27650	30225	30250	20
28	27650	28310	30250	31080	660
29	28310	28350	31080	31140	40
30	28350	28400	31140	31180	50
31	28680	28720	31465	31510	40
32	28720	28920	31510	31710	200
33	28920	28970	31710	31760	50
34	29600	29790	32410	32680	190
35	29790	29820	32680	32722	30
36	29820	30200	32722	33160	380
37	30400	30600	33360	33595	200
38	30800	31300	33803	34335	500
39	31480	31600	34515	34700	120
<b>Total</b>					<b>7830</b>

“Construction of two-Lane with paved shoulders of Joram – Koloriang Road (NH-713) on EPC basis from existing Km 20.000 to Km 35.150 [Design Km. 20.000 to Km. 32.050] (Design Length - 12.05 Km) in the state of Arunachal Pradesh under SARDP-NE”



**Probable location of Sharp Curves: Package-I**

SL. No	Design Chainage(m)		Remarks
	From	To	
1	20+037.178	20+039.551	Radius <300
2	20+153.705	20+345.832	Radius <300
3	20+387.690	20+410.476	Radius <300
4	20+489.719	20+496.692	Radius <300
5	20+580.281	20+603.590	Radius <300
6	20+674.181	20+699.387	Radius <300
7	20+749.700	20+777.486	Radius <300
8	20+862.006	20+873.883	Radius <300
9	20+951.339	21+005.538	Radius <300
10	21+058.354	21+069.160	Radius <300
11	21+127.102	21+137.124	Radius <300
12	21+237.646	21+297.938	Radius <300
13	21+329.603	21+362.927	Radius <300
14	21+407.353	21+411.748	Radius <300
15	21+477.824	21+484.813	Radius <300
16	21+567.689	21+568.270	Radius <300
17	21+635.130	21+652.487	Radius <300
18	21+707.601	21+721.387	Radius <300
19	21+784.831	21+792.985	Radius <300
20	21+839.263	21+940.007	Radius <300
21	21+975.562	22+029.790	Radius <300
22	22+081.441	22+167.257	Radius <300
23	22+220.623	22+346.658	Radius <300
24	22+415.321	22+529.770	Radius <300
25	22+601.252	22+664.284	Radius <300
26	22+782.299	22+813.795	Radius <300
27	22+847.609	23+004.167	Radius <300
28	23+062.815	23+066.225	Radius <300
29	23+128.022	23+136.587	Radius <300
30	23+193.117	23+204.112	Radius <300



“Construction of two-Lane with paved shoulders of Joram – Koloriang Road (NH-713) on EPC basis from existing Km 20.000 to Km 35.150 [Design Km. 20.000 to Km. 32.050] (Design Length - 12.05 Km) in the state of Arunachal Pradesh under SARDP-NE”

SL. No	Design Chainage(m)		Remarks
31	23+265.252	23+295.250	Radius <300
32	23+369.816	23+435.932	Radius <300
33	23+612.688	23+626.652	Radius <300
34	23+868.983	23+897.139	Radius <300
35	23+938.236	23+964.908	Radius <300
36	24+038.816	24+161.250	Radius <300
37	24+208.678	24+238.090	Radius <300
38	24+278.487	24+324.320	Radius <300
39	24+359.951	24+370.865	Radius <300
40	24+404.127	24+442.302	Radius <300
41	24+498.723	24+525.205	Radius <300
42	24+555.022	24+586.084	Radius <300
43	24+625.088	24+676.364	Radius <300
44	24+743.282	24+794.535	Radius <300
45	24+849.799	24+907.234	Radius <300
46	24+943.171	25+003.987	Radius <300
47	25+081.050	25+104.357	Radius <300
48	25+168.576	25+199.118	Radius <300
49	25+268.470	25+302.142	Radius <300
50	25+411.445	25+413.390	Radius <300
51	25+418.730	25+532.977	Radius <300
52	25+551.587	25+619.777	Radius <300
53	25+671.986	25+674.072	Radius <300
54	25+708.090	25+731.980	Radius <300
55	25+769.977	25+785.543	Radius <300
56	25+838.783	25+868.565	Radius <300
57	25+969.350	26+002.287	Radius <300
58	26+168.356	26+226.720	Radius <300
59	26+323.066	26+452.944	Radius <300
60	26+517.834	26+598.464	Radius <300
61	26+652.669	26+667.366	Radius <300
62	26+807.270	26+823.408	Radius <300
63	26+864.487	26+873.390	Radius <300
64	26+929.084	26+958.418	Radius <300
65	27+008.227	27+085.206	Radius <300
66	27+225.676	27+321.497	Radius <300



“Construction of two-Lane with paved shoulders of Joram – Koloriang Road (NH-713) on EPC basis from existing Km 20.000 to Km 35.150 [Design Km. 20.000 to Km. 32.050] (Design Length - 12.05 Km) in the state of Arunachal Pradesh under SARDP-NE”



SL. No	Design Chainage(m)		Remarks
67	27+398.276	27+474.209	Radius <300
68	27+543.830	27+609.959	Radius <300
69	27+738.410	27+779.837	Radius <300
70	27+872.194	27+962.301	Radius <300
71	28+028.627	28+101.333	Radius <300
72	28+168.776	28+243.494	Radius <300
73	28+301.330	28+441.364	Radius <300
74	28+574.879	28+632.942	Radius <300
75	28+916.087	29+015.159	Radius <300
76	29+203.305	29+246.137	Radius <300
77	29+338.059	29+353.274	Radius <300
78	29+391.178	29+412.805	Radius <300
79	29+497.165	29+560.291	Radius <300
80	29+595.135	29+636.953	Radius <300
81	29+683.569	29+742.079	Radius <300
82	29+811.740	29+826.511	Radius <300
83	29+920.284	29+933.738	Radius <300
84	30+089.767	30+165.539	Radius <300
85	30+226.267	30+249.166	Radius <300
86	30+424.078	30+501.819	Radius <300
87	30+627.179	30+636.334	Radius <300
88	30+714.272	30+885.959	Radius <300
89	30+997.379	31+053.375	Radius <300
90	31+090.993	31+122.228	Radius <300
91	31+243.133	31+277.632	Radius <300
92	31+338.900	31+378.578	Radius <300
93	31+449.817	31+478.655	Radius <300
94	31+542.058	31+583.658	Radius <300
95	31+630.258	31+655.280	Radius <300
96	31+711.209	31+800.862	Radius <300
97	31+862.256	31+899.152	Radius <300
98	31+960.919	31+994.335	Radius <300



“Construction of two-Lane with paved shoulders of Joram – Koloriang Road (NH-713) on EPC basis from existing Km 20.000 to Km 35.150 [Design Km. 20.000 to Km. 32.050] (Design Length - 12.05 Km) in the state of Arunachal Pradesh under SARDP-NE”

## 2.2 Design speed

The design speed shall be as per IRC 73 : 2015 however in exceptional cases the minimum design speed of [30 km per hr for hilly and mountainous terrain].

## 2.3 Proposed Right of Way

[Refer to paragraph 2.3 of the Manual]. Details of the proposed Right of Way are tabulated below.

Sl. No	Design Chainage		Length	Width (m)
	From	To		
1.	20.000	32.050	12.050	18m – 35m

2.3.1 The Scheduled date on which the Authority Shall provide ROW to the contractor is given in Annexure-II of Schedule A.

## 2.4 Type of Shoulders

[Refer to paragraph 2.6.1 of the Manual and specify]

- (a) In built-up sections, 1.5m paved shoulders with footpath have been considered as TCS-4.
- (b) In open country, paved shoulders of 1.5m in width shall be provided and 1.0m earthen shoulder shall be covered with 150mm thick compacted layer of granular material.
- (c) Design and specifications of paved shoulders and granular material shall conform to the requirements specified in paragraphs 5.9.9 and 5.9.10 of the Manual.



**2.5 Width of Carriageway/Roadway width**

2.5.1 Two-Laning with paved shoulders shall be undertaken. The paved carriageway shall be [7(seven) m] wide and paved shoulder in accordance with the typical cross sections drawings in the Manual.

2.5.2 Except as otherwise provided in this Agreement, the width of the paved carriageway and cross-sectional features shall conform to Para 2.7 of the manual.

**2.6 Lateral and vertical clearances at underpasses**

2.6.1 Lateral and vertical clearances at underpasses and provision of guardrails/crash barriers shall be as per paragraph 2.11 of the Manual.

2.6.2 *Lateral clearance:* The width of the opening at the underpasses shall be as follows:

Sl No.	Location [Chainage (km)]		Span/Opening (m)	Remarks
	From	To		
Nil				

**2.7 Lateral and vertical clearances at overpasses**

2.7.1 Lateral and vertical clearances at overpasses shall be as per paragraph 2.12 of the Manual.

2.7.2 *Lateral clearance:* The width of the opening at the overpasses shall be as follows:

Sl No.	Location [Chainage (km)]		Span/Opening (m)	Remarks
	From	To		
Nil				

**2.8 Service roads**

Service roads shall be constructed at the locations and for the lengths indicated below:[Refer to paragraph 2.13 of the Manual and provide details]



“Construction of two-Lane with paved shoulders of Joram – Koloriang Road (NH-713) on EPC basis from existing Km 20.000 to Km 35.150 [Design Km. 20.000 to Km. 32.050] (Design Length - 12.05 Km)in the state of Arunachal Pradesh under SARDP-NE”

SI No.	Location of Service Road (km)		Right Hand Side (RHS) / Left Hand Side (LHS) / Both Sides	Length (km) of Service Road
	From	To		
Nil				

## 2.9 Grade Separated Structures

2.9.1 Grade separated structures shall be provided as per paragraph 2.14 of the Manual. The requisite particulars are given below:

[Refer to paragraphs 2.14.1 of the Manual and provide details]

SI No.	Location of Structure	Length (m)	Number and Length of Spans (m)	Approach Gradient	Remarks, if any
Nil					

2.9.2 In the case of grade separated structures, the type of structure and the level of the Project Highway and the cross roads shall be as follows: [Refer to paragraphs 2.14.2 of the Manual and specify the type of vehicular under pass/ overpass structure and whether the cross road is to be carried at the existing level, raised or lowered].

SI No.	Location	Type of Structure/Length (m)	Cross Road at			Remarks, if any
			Existing Level	Raised Level	Lowered Level	
Nil						

## 2.9.3 Cattle and pedestrian underpass / Overpass

Cattle and pedestrian underpass/overpass shall be constructed as follows: [Refer to paragraph 2.14.3 of the Manual and specify the requirements of cattle and pedestrian underpass/overpass.

SI No.	Location	Type of Crossing
Nil		

## 2.10 Typical cross-sections of the Project Highway

Typical cross-sections to be followed as per IRC: SP-73-2015 and in addition the proposed cross section for various situations are given in Fig.B-1 to B-4. These illustrate the widening proposals



“Construction of two-Lane with paved shoulders of Joram – Koloriang Road (NH-713) on EPC basis from existing Km 20.000 to Km 35.150 [Design Km. 20.000 to Km. 32.050] (Design Length - 12.05 Km) in the state of Arunachal Pradesh under SARDP-NE”

for the project highway. The Project Highway (length 12.050 km) shall be 2-lane carriageway with 1.5m wide paved and 1.0m wide earthen shoulders facility.

Following typical cross sections shall be provided for the Project Highway:

- TCS –1 : Typical cross section of 2-lane carriageway with retaining wall  
 TCS –2 : Typical cross section of 2-lane carriageway without retaining wall  
 TCS –3 : Typical cross section of 2-lane carriageway at realignment stretches in hill cutting  
 TCS – 4 : Typical cross section of 2-lane carriageway at built up areas

The cross section schedule shall be as follows:

SI.NO.	DESIGN CHAINAGE		LENGTH (m)	TYPE TCS	Remarks / Location
	FROM	TO			
1	20000	20010	10	1	Reconstruction and widening with Retaining wall
2	20010	20200	190	2	Reconstruction and widening
3	20200	20600	400	3	Realignment
4	20600	20610	10	1	Realignment with Retaining wall
5	20610	20690	80	3	Realignment
6	20690	20700	10	1	Realignment with Retaining wall
7	20700	21000	300	3	Realignment
8	21000	21130	130	1	Reconstruction and widening
9	21130	21140	10	1	Realignment with Retaining wall
10	21140	21240	100	2	Reconstruction and widening
11	21240	21270	30	1	Realignment with Retaining wall
12	21270	21840	570	3	Realignment
13	21840	21850	10	1	Realignment with Retaining wall



14	21850	21940	90	3	Realignment
15	21940	21990	50	1	Realignment with Retaining wall
16	21990	22000	10	3	Realignment
17	22000	22200	200	1	Reconstruction and widening
18	22200	22220	20	3	Realignment
19	22220	22230	10	1	Realignment with Retaining wall
20	22230	22300	70	3	Realignment
21	22300	22310	10	1	Realignment with Retaining wall
22	22310	22700	390	3	Realignment
23	22700	22850	150	1	Reconstruction and widening
24	22850	23000	150	3	Realignment
25	23000	23500	500	1	Reconstruction and widening
26	23500	24000	500	3	Realignment
27	24000	24500	500	1	Reconstruction and widening
28	24500	24700	200	3	Realignment
29	24700	24710	10	1	Realignment with Retaining wall
30	24710	25010	300	1	Realignment
31	25010	25090	80	1	Realignment with Retaining wall
32	25090	25500	410	3	Realignment
33	25500	25800	300	1	Reconstruction and widening
34	25800	27400	1600	3	Realignment
35	27400	27520	120	1	Reconstruction and widening



“Construction of two-Lane with paved shoulders of Joram – Koloriang Road (NH-713) on EPC basis from existing Km 20.000 to Km 35.150 [Design Km. 20.000 to Km. 32.050] (Design Length - 12.05 Km) in the state of Arunachal Pradesh under SARDP-NE”

36	27520	27590	70	1	Reconstruction and widening with Retaining wall
37	27590	27600	10	1	Reconstruction and widening
38	27600	27630	30	3	Realignment
39	27630	27650	20	1	Realignment with Retaining wall
40	27650	28310	660	3	Realignment
41	28310	28350	40	1	Realignment with Retaining wall
42	28350	28400	50	3	Realignment
43	28400	28680	280	1	Reconstruction and widening
44	28680	28720	40	1	Realignment with Retaining wall
45	28720	28920	200	3	Realignment
46	28920	28970	50	1	Realignment with Retaining wall
47	28970	29260	290	1	Reconstruction and widening
48	29260	29280	20	1	Reconstruction and widening with Retaining wall
49	29280	29340	60	1	Reconstruction and widening
50	29340	29400	60	1	Reconstruction and widening with Retaining wall
51	29400	29600	200	1	Reconstruction and widening
52	29600	29790	190	3	Realignment
53	29790	29820	30	1	Realignment with Retaining wall
54	29820	30200	380	3	Realignment
55	30200	30400	200	1	Reconstruction and widening
56	30400	30600	200	3	Realignment
57	30600	30800	200	1	Reconstruction and widening



“Construction of two-Lane with paved shoulders of Joram – Koloriang Road (NH-713) on EPC basis from existing Km 20.000 to Km 35.150 [Design Km. 20.000 to Km. 32.050] (Design Length - 12.05 Km) in the state of Arunachal Pradesh under SARDP-NE”

58	30800	31300	500	3	Realignment
59	31300	31480	180	1	Reconstruction and widening
60	31480	31600	120	3	Realignment
61	31600	32050	450	1	Reconstruction and widening
<b>Total</b>			<b>12050</b>		

Note: The extent of cross section type is indicative and shall be reviewed in consultation with the Authority Engineer at the time of construction as per the site condition.

The alternative cross section of the Project Highway at the cross drainage structures shall follow the typical cross section in consultation with the Authority Engineer at the time of construction.

### 2.11 Longitudinal Section

As a minimum, the Construction Contractor shall achieve the proposed finished road level as indicated in the plan and profile drawings for this purpose in FFSR. However, the final finished road levels (FRL) will be finalized as per site conditions in consultation with NHIDCL.

### 2.12 Built-Up Areas

The alignment passes through Built up areas as tabulated below.

Sno	Location/Chainage		Name of Village/town etc
	From ( Km)	To (Km)	
Nil			

## 3 INTERSECTIONS AND GRADE SEPARATORS


### 3.1 Introduction

All intersections shall be as per Section 3 of the Manual. Existing intersections which are deficient shall be improved to the prescribed standards.

[Refer to paragraphs 3.1.1, 3.1.2 and 3.3 of the Manual and specify the requirements. Explain where necessary with drawings/sketches/general arrangement].

There are no intersections with cross roads having bituminous surfacing. The cross roads fall into the category VRs. The Construction Contractor has to construct the following:

“Construction of two-Lane with paved shoulders of Joram – Koloriang Road (NH-713) on EPC basis from existing Km 20.000 to Km 35.150 [Design Km. 20.000 to Km. 32.050] (Design Length - 12.05 Km) in the state of Arunachal Pradesh under SARDP-NE”





- i) Typical junction treatments as specified in Final Project Report shall be applied. Design types of intersections are as given below:

Properly designed intersections shall be provided at the locations and of the types and features given in the tables below:

### 3.2 At-grade Intersections

#### (a) Major Intersections

SI No.	Location of Intersection	Intersection Towards	Existing Configurations				Type of Intersection	Figure No.	Other Features
			Location	Type	Width (m)	Surface			
Nil									

Details of junction improvements shall be as per IRC SP: 73-2015.

#### (b) Minor Intersections

SI No.	Location of Intersection	Type of Intersection	Side
1	20+320	3-Legged	Left side
2	20+460	3-Legged	Left side
3	22+780	3-Legged	Right side
4	22+940	3-Legged	Left side
5	23+010	3-Legged	Left side
6	23+440	3-Legged	Left side
7	23+500	3-Legged	Right side
8	27+800	3-Legged	Right side
9	27+820	3-Legged	Left side
10	28+000	3-Legged	Left side
11	28+360	3-Legged	Left side
12	28+420	3-Legged	Right side
13	28+740	3-Legged	Right side
14	29+060	3-Legged	Left side



“Construction of two-Lane with paved shoulders of Joram – Koloriang Road (NH-713) on EPC basis from existing Km 20.000 to Km 35.150 [Design Km. 20.000 to Km. 32.050] (Design Length - 12.05 Km) in the state of Arunachal Pradesh under SARDP-NE”

SI No.	Location of Intersection	Type of Intersection	Side
15	29+380	3-Legged	Right side
16	29+450	3-Legged	Left side
17	29+670	3-Legged	Left side
18	29+980	3-Legged	Left side
19	30+140	3-Legged	Right side
20	30+960	3-Legged	Left side
21	31+120	3-Legged	Right side
22	31+400	3-Legged	Left side
23	31+500	3-Legged	Left side
24	31+570	3-Legged	Left side
25	31+580	3-Legged	Right side
26	31+740	3-Legged	Left side

Details of junction improvements shall be as per IRC SP: 73-2015.

### 3.3 Grade Separated Intersections with/without Ramps

SI No.	Location (km)	Salient Features	Minimum Length of Viaduct to be Provided (m)	Road to be Carried Over/Under the Structures
Nil				

## 4 ROAD EMBANKMENT AND CUT SECTION


4.1 Widening and improvement of the existing road embankment/cuttings and construction of new road embankment/ cuttings shall conform to the Specifications and Standards given in section 4 of the Manual and the specified cross sectional details. Deficiencies in the plan and profile of the existing road shall be corrected.

4.2 Raising of the existing road [Refer to paragraph 4.2.2 of the Manual and specify sections to be raised].

The existing road shall be raised in the following sections:

Sl No.	Section (km)		Length (km)	Extent of Raising*	Remarks
	From	To			
Nil					

"Construction of two-Lane with paved shoulders of Joram – Koloriang Road (NH-713) on EPC basis from existing Km 20.000 to Km 35.150 [Design Km. 20.000 to Km. 32.050] (Design Length - 12.05 Km) in the state of Arunachal Pradesh under SARDP-NE"



\* Difference between levels at proposed c/l and existing road/ground below proposed c/l

## **5 PAVEMENT DESIGN**

### **5.1 General**

Pavement design shall be carried out in accordance with section 5 of the Manual. The detailed pavement design including overlay and pavement characteristics requirements of the Project Highway shall be done in accordance with Schedule D. Flexible pavement shall be considered for the project road. Flexible Pavement design shall be carried out in accordance with Section 5 of the Two Lane Manual (IRC: SP 73 -2015).

### **5.2 Type of pavement**

Flexible pavement shall be adopted for Project Highway in accordance with IRC: 37-2012. Clause 2.2 of IRC:37-2012 identifies five type of flexible pavements. The estimated cost of civil works is based on flexible pavements consisting of Granular base, Sub base, DBM and Be. Since, the successful bidders under EPC mode can use any type of five flexible pavements mentioned Clause 2.2 of IRC: 37-2012, they may carry out their own diligence to arrive at project cost before submitting bids.

### **5.3 Design requirements**

[Refer to paragraph 5.4, 5.9 and 5.10 of the Manual and specify design requirements and strategy]

#### **5.3.1 Design Period and strategy**

Flexible pavement for new pavement or for widening and strengthening of the existing pavement shall be designed for a minimum design period of 15 years. Stage construction shall not be permitted.

### **5.4 Design Traffic**

Notwithstanding anything to the contrary contained in this Agreement or the Manual, the Contractor shall design the pavement for design traffic of 20 million standard axles as follows.



PACKAGE	Design Chainage (km)		Length (km)	15Year MSA*
	From	To		
I	20+000	32+050	12.050	20

\*As per 5.4.1 of IRC:SP:73-2015

## 5.5 Design Parameters

The flexible pavement for the main carriageway is a 2-lane carriageway having 1.5 m wide paved shoulder and 1.0 m wide earthen shoulder in some stretches. This shall be designed using the IRC 37: 2012 Method for the projected traffic levels and the following indicative design input parameters:

### Indicative Design Parameters

(i)	Performance Period	15 years + Construction Period of 24 months
(ii)	Traffic on Design Lane	Minimum 20msa as per IRC-SP-73. Design should take care of the maximum wheel load derived from the axle load survey on the design lane
(iii)	Reliability	90%
(iv)	Effective Roadblock Soil Resilient Modulus	Corresponding to 4-day soaked CBR value of 8.0% to 10.0%
(v)	Layer Coefficients	As per the IRC 37 : 2012 procedures
(vi)	Drainage quality of Pavement	Good

- 5.5.1 The Project highway will be a light-trafficked section connecting the major arterial network of the country. The design exercise should therefore duly take into account the importance of the road, the performance level and the maintenance requirements during the performance period. The provision of Wet Mix Macadam (granular base)/cement-treated base/ sub-base (crushed stone only)/ sub grade layer(s) and the use of 60/70 Bitumen in bituminous base layers and preferably polymer modified bitumen in wearing course shall be considered while deciding about the composition of the pavement structure. The design should also accompany the Quality Assurance Plan (QAP) along with its implementation scheme for the construction of the pavement structure.
- 5.5.2 However, in case of a change in the pavement design at the detailed engineering stage, the same shall not be considered as a change in scope of work nor shall qualify for a variation order.
- 5.5.3 Paved shoulders of 1.5 m width shall have same thickness of the pavement as that of the main carriageway with same composition as that of main carriageway for monolithic construction.

"Construction of two-Lane with paved shoulders of Joram – Koloriang Road (NH-713) on EPC basis from existing Km 20.000 to Km 35.150 [Design Km. 20.000 to Km. 32.050] (Design Length - 12.05 Km) in the state of Arunachal Pradesh under SARDP-NE"



5.5.4 Contractor shall design the pavement for design traffic of 20 million standard axles (msa) corresponding subgrade CBR.

#### 5.5.5 Rigid Pavement

No rigid pavement has been considered for the Project Highway.

### 5.6 Reconstruction / Realignment / Bypass of sections

[Refer to paragraph 5.9.7 of the Manual and specify the sections, if any, to be reconstructed.]

The following sections of the existing road shall be reconstructed. These shall be designed as new pavement.

SI No.	Section (km)		Remarks
	From	To	
1	20+000	32+050	Poor condition of existing pavement

## 6 ROADSIDE DRAINAGE

Drainage system including surface and subsurface drains for the Project Highway shall be provided as per section 6 of the Manual.

The improvements in the drainage and the slope erosion shall be made as per the following norms:

### 6.1 Drainage Measures

Following measures shall be adopted:

- i) Open side Trapezoidal drains at the hill side for widening at hill sides.
- ii) Open side Trapezoidal drains at both sides in realignment stretches by hill cut.

Open side trapezoidal cross section drain shall be provided on hill sides of the project highway in order to intercept surface water from the carriageway, shoulders and hill slopes. RCC Lined



drains have slopes also been proposed in urban/semi urban/intersection stretches. The concrete drains shall be covered in reaches along commercial establishments and intersections. The drains outfall into the natural water courses i.e. either in culverts or bridges. Table below gives the location of lined drains.

These are guidelines for minimum provisions. However, contractor has to design as per requirement of road in accordance with manual.

#### Details of Lined Drains

Sl. No	Design Chainage(m)		Length(m)	Side	Remarks
	From	To			
1	20000	20010	10	One	Widening
2	20010	20200	190	One	Widening
3	20200	20600	800	Both	Realignment
4	20600	20610	10	One	Widening
5	20610	20690	160	Both	Realignment
6	20690	20700	10	One	Widening
7	20700	21000	600	Both	Realignment
8	21000	21130	130	One	Widening
9	21130	21140	10	One	Widening
10	21140	21240	100	One	Widening
11	21240	21270	30	One	Widening
12	21270	21840	1140	Both	Realignment
13	21840	21850	10	One	Widening
14	21850	21940	180	Both	Realignment
15	21940	21990	50	One	Widening
16	21990	22000	20	Both	Realignment
17	22000	22200	200	One	Widening
18	22200	22220	40	Both	Realignment
19	22220	22230	10	One	Widening
20	22230	22300	140	Both	Realignment
21	22300	22310	10	One	Widening
22	22310	22700	780	Both	Realignment
23	22700	22850	150	One	Widening
24	22850	23000	300	Both	Realignment
25	23000	23500	500	One	Widening



"Construction of two-Lane with paved shoulders of Joram – Koloriang Road (NH-713) on EPC basis from existing Km 20.000 to Km 35.150 [Design Km. 20.000 to Km. 32.050] (Design Length - 12.05 Km) in the state of Arunachal Pradesh under SARDP-NE"

26	23500	24000	1000	Both	Realignment
27	24000	24500	500	One	Widening
28	24500	24700	400	Both	Realignment
29	24700	24710	10	One	Widening
30	24710	25010	600	One	Realignment
31	25010	25090	80	One	Widening
32	25090	25500	820	Both	Realignment
33	25500	25800	300	One	Widening
34	25800	27400	3200	Both	Realignment
35	27400	27520	120	One	Widening
36	27520	27590	70	One	Widening
37	27590	27600	10	One	Widening
38	27600	27630	60	Both	Realignment
39	27630	27650	20	One	Widening
40	27650	28310	1320	Both	Realignment
41	28310	28350	40	One	Widening
42	28350	28400	100	Both	Realignment
43	28400	28680	280	One	Widening
44	28680	28720	40	One	Widening
45	28720	28920	400	Both	Realignment
46	28920	28970	50	One	Widening
47	28970	29260	290	One	Widening
48	29260	29280	20	One	Widening
49	29280	29340	60	One	Widening
50	29340	29400	60	One	Widening
51	29400	29600	200	One	Widening
52	29600	29790	380	Both	Realignment
53	29790	29820	30	One	Widening
54	29820	30200	760	Both	Realignment
55	30200	30400	200	One	Widening
56	30400	30600	400	Both	Realignment
57	30600	30800	200	One	Widening
58	30800	31300	1000	Both	Realignment
59	31300	31480	180	One	Widening
60	31480	31600	480	Both	Realignment

“Construction of two-Lane with paved shoulders of Joram – Koloriang Road (NH-713) on EPC basis from existing Km 20.000 to Km 35.150 [Design Km. 20.000 to Km. 32.050] (Design Length - 12.05 Km) in the state of Arunachal Pradesh under SARDP-NE”



61	31600	32050	450	One	Widening
<b>Total Length</b>			<b>19710</b>		

**Note:** (The above locations shall be reviewed in consultation with the Authority Engineer at the time of construction as per the site condition).

Trapezoidal section for the drain/ditch has been proposed as it is more economical and efficient as compared to rectangular cross section V-Shaped. These road side drains have been designed of adequate capacity to carry 100% surface runoff of the drainage area of highway ROW and the adjoining land. The side slopes have been kept as 1H:1V in case of unlined drain/ditches. However, successful bidder may adopt any type of PCC drain as per IRC and accordingly they may carry out their own diligence to arrive at project cost before submitting the bid.

## 7 DESIGN OF STRUCTURES

### 7.1 General

The Project road from New Pania to Deed, includes provision of no major bridges (span $\geq$ 60m), no minor bridges (span $<$ 60m) and 62 RCC Box/ Slab culverts. All culverts and other structures shall be designed and constructed in accordance with section 7 of the Manual and shall conform to the cross-sectional features and other details specified therein. New bridges and culverts shall be constructed wide enough to accommodate the adjacent road cross section as given in this Schedule-B. The details of existing culverts are given in Schedule-A.

The details of culverts shall be provided by the EPC Contractor and locations are given in Clause 8.2 of Schedule-B.

All the cross-drainage structures and other structures shall be designed in accordance with the design standards set out in **Schedule-D**.

The following guidelines shall be followed:

- i) All the cross drainage structures for the new carriageway shall be designed in such a way so that the outer most face of railing/parapet shall be in line with the out most edge of shoulder.
- ii) The existing culverts shall be extended to match the new road cross sections.

"Construction of two-Lane with paved shoulders of Joram – Koloriang Road (NH-713) on EPC basis from existing Km 20.000 to Km 35.150 [Design Km. 20.000 to Km. 32.050] (Design Length - 12.05 Km) in the state of Arunachal Pradesh under SARDP-NE"





- iii) The adequacy of the vent size for all culverts/bridges shall be ascertained through detailed hydrological surveys and finalized in consultation with the IC/Project Company. The highest flood level/maximum supply level shall be properly assessed after collecting flood histories from local authorities/interviews with locals/irrigation authorities.
- iv) For drainage purpose the new/to be reconstructed box culverts of minimum span 2.0 m shall be provided.
- v) Suitable river training works, bank protection and embankment protection works ensuring safety of bridge structure and its approaches against damage by flood water / rain water shall be provided.

The cross drainage plan of the highway shall be finalized in consultation with IC/Project Company and if required additional culverts shall be provided.

Cross-section of the new culverts and bridges at deck level for the Project Highway shall conform to the typical cross-sections given in section 7 of the Manual.

## 7.2 Culverts

7.2.1 Overall width of all culverts shall be equal to the roadway width of the approaches.

7.2.2 Reconstruction of existing culverts

The existing culverts at the following locations shall be re-constructed as new culverts:

[Refer to paragraph 7.3 (i) of the Manual and provide details]. These are guidelines for minimum provisions. However, contractor has to design as per requirement of road in accordance with manual.

Sl. No.	Existing Chainage (km)	Design Chainage (km)	Proposal	Proposed Span (m)
1	20+294	20+220	RCC Box/ Slab	2.0
2	21+005	20+580	RCC Box/ Slab	2.0
3	21+125	20+690	RCC Box/ Slab	2.0
4	21+296	20+800	RCC Box/ Slab	2.0

“Construction of two-Lane with paved shoulders of Joram – Koloriang Road (NH-713) on EPC basis from existing Km 20.000 to Km 35.150 [Design Km. 20.000 to Km. 32.050] (Design Length - 12.05 Km) in the state of Arunachal Pradesh under SARDP-NE”



5	22+300	21+710	RCC Box/ Slab	2.0
6	22+470	21+840	RCC Box/ Slab	2.0
7	22+700	22+050	RCC Box/ Slab	2.0
8	23+150	22+400	RCC Box/ Slab	2.0
9	23+200	22+460	RCC Box/ Slab	2.0
10	24+180	23+350	RCC Box/ Slab	2.0
11	24+345	23+490	RCC Box/ Slab	2.0
12	25+850	24+120	RCC Box/ Slab	2.0
13	26+025	24+300	RCC Box/ Slab	2.0
14	26+310	24+500	RCC Box/ Slab	2.0
15	26+380	24+580	RCC Box/ Slab	2.0
16	26+625	24+680	RCC Box/ Slab	2.0
17	26+900	25+050	RCC Box/ Slab	2.0
18	27+200	25+230	RCC Box/ Slab	2.5
19	27+600	25+550	RCC Box/ Slab	2.0
20	27+650	25+600	RCC Box/ Slab	2.0
21	27+740	25+680	RCC Box/ Slab	2.0
22	27+850	25+800	RCC Box/ Slab	2.0
23	28+550	26+250	RCC Box/ Slab	2.0
24	28+610	26+310	RCC Box/ Slab	2.0
25	29+355	26+900	RCC Box/ Slab	2.0
26	29+560	27+030	RCC Box/ Slab	2.0
27	29+740	27+210	RCC Box/ Slab	2.0
28	30+070	27+470	RCC Box/ Slab	2.0
29	30+880	28+100	RCC Box/ Slab	2.0
30	31+200	28+400	RCC Box/ Slab	2.0
31	33+830	30+820	RCC Box/ Slab	2.0
32	34+140	31+140	RCC Box/ Slab	2.0
33	34+900	31+790	RCC Box/ Slab	2.0
34	35+010	31+900	RCC Box/ Slab	2.0
35	35+150	32+020	RCC Box/ Slab	2.0

\* Specify modifications, if any, required in the road level etc.

7.2.3 Additional new culverts shall be constructed as per particulars given in the table below:

Sl. No.	Existing Chainage (km)	Design Chainage (km)	Proposal	Span (m)
---------	------------------------	----------------------	----------	----------

“Construction of two-Lane with paved shoulders of Joram – Koloriang Road (NH-713) on EPC basis from existing Km 20.000 to Km 35.150 [Design Km. 20.000 to Km. 32.050] (Design Length - 12.05 Km) in the state of Arunachal Pradesh under SARDP-NE”



Sl. No.	Existing Chainage (km)	Design Chainage (km)	Proposal	Span (m)
1	20+595	20+400	RCC Box/ Slab	2.0
2	20+848	20+470	RCC Box/ Slab	2.0
3	21+025	20+600	RCC Box/ Slab	2.0
4	22+050	21+480	RCC Box/ Slab	2.0
5	22+100	21+530	RCC Box/ Slab	2.0
6	22+450	21+810	RCC Box/ Slab	2.0
7	22+800	22+140	RCC Box/ Slab	2.0
8	22+950	22+250	RCC Box/ Slab	2.0
9	23+020	22+320	RCC Box/ Slab	2.0
10	24+565	23+650	RCC Box/ Slab	2.0
11	25+350	23+870	RCC Box/ Slab	2.0
12	25+590	23+930	RCC Box/ Slab	2.0
13	25+800	24+060	RCC Box/ Slab	2.0
14	26+980	25+100	RCC Box/ Slab	2.0
15	27+430	25+447	RCC Box/ Slab	2.0
16	28+080	25+870	RCC Box/ Slab	2.0
17	28+300	26+030	RCC Box/ Slab	3.0
18	28+380	26+090	RCC Box/ Slab	2.0
19	28+480	26+170	RCC Box/ Slab	2.0
20	28+910	26+580	RCC Box/ Slab	2.0
21	28+950	26+600	RCC Box/ Slab	2.0
22	28+990	26+630	RCC Box/ Slab	2.0
23	29+120	26+720	RCC Box/ Slab	2.0
24	30+420	27+790	RCC Box/ Slab	2.5
25	33+910	30+900	RCC Box/ Slab	2.0
26	33+970	30+980	RCC Box/ Slab	2.0
27	34+620	31+540	RCC Box/ Slab	2.0

7.2.4 Repairs/replacements of railing/parapets, flooring and protection. works of the existing culverts shall be undertaken as follows:

[Refer to paragraph 7.23 of the Manual and provide details]



“Construction of two-Lane with paved shoulders of Joram – Koloriang Road (NH-713) on EPC basis from existing Km 20.000 to Km 35.150 [Design Km. 20.000 to Km. 32.050] (Design Length - 12.05 Km)in the state of Arunachal Pradesh under SARDP-NE”

Sl. No.	Existing Chainage (km)	Design Chainage (km)	Proposal	Proposed Span
1	22+560	21+920	RCC Box	1x2.0

7.2.5 Floor protection works shall be as specified in the relevant IRC Codes and Specifications.

### 7.3 Bridges

7.3.1 The existing bridges to be reconstructed/widened

- (i) The existing bridges at the following locations shall be reconstructed as new structures (Minor Bridge)

Sl No.	Existing Chainage	Design Chainage	Proposed Span(m)	Proposed Width(m)	Remarks
Nil					

Sl No	Bridge Location (km)	Salient Details of Existing Bridge					Adequacy or Otherwise of the Existing Waterway, Vertical Clearance etc.	Remarks
		Span Arrangement (m)	Carriageway Width (m)	Total Width (m)	Type of Superstructure	Type of Foundation		
Nil								

7.3.2 The following structures shall be provided with footpaths:

Sl No.	Location (km)	Remarks
Nil		

### 7.3.3 Additional New Minor Bridges

New minor bridges at the following locations on the project highways shall be constructed

Sl No.	Bridge at km	Utility Services to be Carried	Remarks
Nil			

"Construction of two-Lane with paved shoulders of Joram – Koloriang Road (NH-713) on EPC basis from existing Km 20.000 to Km 35.150 [Design Km. 20.000 to Km. 32.050] (Design Length - 12.05 Km) in the state of Arunachal Pradesh under SARDP-NE"



**7.3.4 Additional new bridges**

[Specify additional new bridges if required, and attach GAD]

No new bridges at the following locations on the Project Highway shall be constructed.

SI No.	Location (km)	Total Length (m)	Remarks
Nil			

- 7.3.5 The railings of existing bridges shall be replaced by crash barriers at the following locations:  
[Refer to paragraph 7.18 (iv) of the Manual and provide details]

SI No.	Location (km)	Remarks
Nil		

- 7.3.6 Repairs/replacements of railings/parapets of the existing bridges shall be undertaken as follows:  
[Refer to paragraph 7.18 (v) of the Manual and provide details]

SI No.	Location (km)	Remarks
Nil		

**7.3.7 Drainage system for bridge decks**

An effective drainage system for bridge decks shall be provided as specified in paragraph 7.21 of the Manual

**7.3.8 Structures in marine environment**


[Refer to paragraph 7.22 of the Manual and specify the necessary measures / treatments for protecting structures in marine environment, where applicable]

**7.4 Rail-road Bridges**

- 7.4.1 Design, construction and detailing of ROB/RUB shall be as specified in section 7 of the Manual. [Refer to paragraph 7.19 of the Manual and specify modification, if any]

**7.4.2 Road over-bridges**

"Construction of two-Lane with paved shoulders of Joram – Koloriang Road (NH-713) on EPC basis from existing Km 20.000 to Km 35.150 [Design Km. 20.000 to Km. 32.050] (Design Length - 12.05 Km) in the state of Arunachal Pradesh under SARDP-NE"



Road over-bridges (road over rail) shall be provided at the following level crossings, as per GAD drawings attached:

SI No.	Location of Level Crossing (km)	Length of Bridge (m)
Nil		

#### 7.4.3 Road under-bridges

Road under-bridges (road under railway line) shall be provided at the following level crossings, as per GAD drawings attached:

SI No.	Location of Level Crossing (km)	Number and Length of Span (m)
Nil		

#### 7.5 Grade Separated Structures

[Refer to paragraph 7.20 of the Manual]

The grade separated structures shall be provided at the locations and of the type and length specified in paragraphs 2.9 and 3 of this Annex-I.

#### 7.6 Underpasses/Overpasses

There is no Underpass/Overpass proposed on the Project Highway.

#### 7.7 Repairs and strengthening of bridges and structures

[Refer to paragraph 7.23 of the Manual and provide details]

The existing bridges and structures to be repaired/strengthened, and the nature and extent of repairs/strengthening required are given below:

##### A. Bridges

SI No.	Location of Bridge (km)	Nature and Extent of Repairs/Strengthening to be Carried out
Nil		

##### B. ROB / RUB

"Construction of two-Lane with paved shoulders of Joram – Koloriang Road (NH-713) on EPC basis from existing Km 20.000 to Km 35.150 [Design Km. 20.000 to Km. 32.050] (Design Length - 12.05 Km) in the state of Arunachal Pradesh under SARDP-NE"

SI No.	Location of Bridge (km)	Nature and Extent of Repairs/Strengthening to be Carried out
Nil		

### C. Overpasses / Underpasses and Other Structures

SI No.	Location of Bridge (km)	Nature and Extent of Repairs/Strengthening to be Carried out
Nil		

## 7.8 List of Major Bridges and Structures

The following is the list of Major Bridges

SI No.	Location (km)
Nil	

## 8 TRAFFIC CONTROL DEVICES AND ROAD SAFETY WORKS

### 8.1 General

Traffic control devices and road safety works shall be provided in accordance with Section 9 of the Manual.

Specifications of the reflective sheeting [Refer to paragraph 9.3 of the Manual and specify]

Traffic signs and pavements markings shall include roadside signs, overhead signs, curve amount signs and road marking along the Project Highway. The design and marking for the project Highway shall be as per design standards indicated in **Schedule-D** and the location for various treatments shall be finalized in consultation with the Authority Engineer and Project Company.

The road markings shall be applied to lane lines, road center lines, edge lines, continuity line, stop lines, give way lines, directional arrows, diagonal/chevron markings, and Zebra crossings at parking areas.



PCC kerbs (duly painted) approximately 460 RM (minimum) shall be provided by EPC Contractor in bus bays and Islands.

## 8.2 Road/Traffic Signs

- (i) A complete range of permanent retro-reflective traffic signs as per the requirements defined in but not limited to the FPR, for the safe and efficient movement of traffic. These sign are to be of regulatory, warning and informatory types and placed on the roadside except at the start and end of the project road and start and end of two bypasses where overhead directional and lane designation signs shall be mounted on the steels portals.
- (ii) Temporary traffic and construction signs are to be provided during construction and maintenance operations for traffic diversion and pedestrian safety.

## 8.3 Pavement Marking

- (i) Retro-reflective thermoplastic paint is proposed for use.  
The road markings shall be applied to lane lines, road center lines, edge lines, continuity line, stop lines, give way lines, diagonal/chevron markings, Zebra crossings and at parking areas.
- i) Delineators bollards and other safety devices shall be provided on entire project Highway and other locations as directed by NHIDCL.
- ii) All signs shall be the reflectorized type with high intensity retro-reflective sheeting conforming to ASTM D 4956-01, type VIII and /or type IX of micro prismatic type. All sign boards of size more than 1.2 m and less than 0.9 m shall be provided at the locations finalized in consultation with NHIDCL.
- iii) Cautionary sign boards (900mm Equilateral Triangle), stop sign (900mm Octagonal) mandatory sign boards(600mm dia), Village name boards (600X900mm), Hazard Plate (300X900mm), chevron signboard (600X750mm), Facility information sign (600X800mm), Advance direction sign (1800X1200mm), Place identification sign (1200X900mm) shall be provided by the Construction Contractor with suitable interval in consultation with NHIDCL.





The minimum quantity of Traffic signages and pavement marking are tabulated here

<b>Traffic Signages, Road Marking and other appurtenances</b>	<b>unit</b>	<b>Quantity</b>
Centre line on straight portion	sqm	954.360
Centre line on curve portion	sqm	361.500
Edge Line at Paved Shoulder	sqm	4820
Add 15% for Misc. including Pedestrian X-ings etc	sqm	920.379
Directional Arrows, letter marking etc.	Nos.	45
Advance Direction signs size 1800X1200 mm	Nos.	5
Village name boards size 600X900 mm	Nos.	46
Place Identification signs size 1200X900 mm	Nos.	3
90 cm Triangle	Nos.	7
90 cm Octagon	Nos.	9
Hazard plate 300X900 mm	Nos.	34
800 x 600 mm Size	Nos.	14
Boundary Stone (Clause 13 herein under)	Nos.	120
5th km stone	Nos.	2
Km stone	Nos.	10
W Type metal Crash Barrier	Rm	4015
Riprap	Rm	4630
Convex Mirror	No	60
Delineator	No	190
Enamel Paint	sqm	1445



“Construction of two-Lane with paved shoulders of Joram – Koloriang Road (NH-713) on EPC basis from existing Km 20.000 to Km 35.150 [Design Km. 20.000 to Km. 32.050] (Design Length - 12.05 Km) in the state of Arunachal Pradesh under SARDP-NE”

## 9 ROADSIDE FURNITURE

9.1.1 Roadside furniture shall be provided in accordance with the provisions of Section 11 of the Manual IRC: SP: 73-2007.

9.1.2 Overhead traffic signs: location and size

[Refer to paragraph 11.5 of the Manual and provide details]

The overhead signs shall be the reflectorized type with high intensity retro-reflective sheeting conforming to ASTM D 4956-01, type VIII and /or type IX of micro prismatic type. The retro reflected sheets of Engineering Grade and high intensity grade (ordinary) shall not be used. The height, lateral clearance, location and installation shall be as per relevant clauses of MoRTH specifications. Overhead sign shall be installed ahead of major intersections and urban areas as per detailed design requirements. The minimum number of overhead signs shall be 03 (01 No. of gantry and 02 No. of Cantilever) as per this manual.

Sl No.	Location (km)	Size	Remarks
1	20+000	12m x 2.1m	Overhead Gantry
2	23+630	5.5m x 2.1m	Cantilever
3	29+190	5.5m x 2.1m	Cantilever

## 10 COMPULSORY AFFORESTATION

[Refer to paragraph 11.1 of the Manual and specify the number of trees which are required to be planted by the Contractor as compensatory afforestation.]

Minimum 850 nos. trees are required to be planted.

## 11 HAZARDOUS LOCATIONS

iv) Metal Beam crash barrier length of minimum 10050m (single runner, heavy duty and W-shape) shall be provided at the locations of bridge approaches and high embankments (3.0m and more), at sharp curves on both sides. Heavy duty metal beam crash barriers shall be provided on this project by the Construction Contractor at the locations finalized in consultation with NHIDCL. Typical details of metal crash barrier are given in as per manual.



The safety barriers shall also be provided at the following hazardous locations:

Sl No.	Location		Length (m)	Remarks
	From	To		
1	20+037.178	20+039.551	02.37	Radius<300m
2	20+153.705	20+345.832	192.13	Radius<300m
3	20+387.690	20+410.476	22.79	Radius<300m
4	20+489.719	20+496.692	06.97	Radius<300m
5	20+580.281	20+603.590	23.31	Radius<300m
6	20+674.181	20+699.387	25.21	Radius<300m
7	20+749.700	20+777.486	27.79	Radius<300m
8	20+862.006	20+873.883	11.88	Radius<300m
9	20+951.339	21+005.538	54.20	Radius<300m
10	21+058.354	21+069.160	10.81	Radius<300m
11	21+127.102	21+137.124	10.02	Radius<300m
12	21+237.646	21+297.938	60.29	Radius<300m
13	21+329.603	21+362.927	33.32	Radius<300m
14	21+407.353	21+411.748	04.40	Radius<300m
15	21+477.824	21+484.813	06.99	Radius<300m
16	21+567.689	21+568.270	00.58	Radius<300m
17	21+707.601	21+721.387	13.79	Radius<300m
18	21+784.831	21+792.985	08.15	Radius<300m
19	21+839.263	21+940.007	100.74	Radius<300m
20	21+975.562	22+029.790	54.23	Radius<300m
21	22+081.441	22+167.257	85.82	Radius<300m
22	22+220.623	22+346.658	126.04	Radius<300m
23	22+415.321	22+529.770	114.45	Radius<300m
24	22+601.252	22+664.284	63.03	Radius<300m
25	22+782.299	22+813.795	31.50	Radius<300m
26	22+847.609	23+004.167	156.56	Radius<300m
27	23+062.815	23+066.225	03.41	Radius<300m
28	23+128.022	23+136.587	08.56	Radius<300m
29	23+193.117	23+204.112	11.00	Radius<300m
30	23+369.816	23+435.932	66.12	Radius<300m
31	23+612.688	23+626.652	13.96	Radius<300m
32	23+868.983	23+897.139	28.16	Radius<300m

“Construction of two-Lane with paved shoulders of Joram – Koloriang Road (NH-713) on EPC basis from existing Km 20.000 to Km 35.150 [Design Km. 20.000 to Km. 32.050] (Design Length - 12.05 Km) in the state of Arunachal Pradesh under SARDP-NE”



33	23+938.236	23+964.908	26.67	Radius<300m
34	24+038.816	24+161.250	122.43	Radius<300m
35	24+359.951	24+370.865	10.91	Radius<300m
36	24+555.022	24+586.084	31.06	Radius<300m
37	25+081.050	25+104.357	23.31	Radius<300m
38	25+418.730	25+532.977	114.25	Radius<300m
39	25+671.986	25+674.072	02.09	Radius<300m
40	25+708.090	25+731.980	23.89	Radius<300m
41	25+769.977	25+785.543	15.57	Radius<300m
42	25+838.783	25+868.565	29.78	Radius<300m
43	25+969.350	26+002.287	32.94	Radius<300m
44	26+168.356	26+226.720	58.36	Radius<300m
45	26+323.066	26+452.944	129.88	Radius<300m
46	26+517.834	26+598.464	80.63	Radius<300m
47	26+652.669	26+667.366	14.70	Radius<300m
48	26+807.270	26+823.408	16.14	Radius<300m
49	26+864.487	26+873.390	08.90	Radius<300m
50	26+929.084	26+958.418	29.33	Radius<300m
51	27+008.227	27+085.206	76.98	Radius<300m
52	27+225.676	27+321.497	95.82	Radius<300m
53	27+398.276	27+474.209	75.93	Radius<300m
54	27+543.830	27+609.959	66.13	Radius<300m
55	27+738.410	27+779.837	41.43	Radius<300m
56	27+872.194	27+962.301	90.11	Radius<300m
57	28+028.627	28+101.333	72.71	Radius<300m
58	28+168.776	28+243.494	74.72	Radius<300m
59	28+301.330	28+441.364	140.03	Radius<300m
60	28+574.879	28+632.942	58.06	Radius<300m
61	28+916.087	29+015.159	99.07	Radius<300m
62	29+203.305	29+246.137	42.83	Radius<300m
63	29+338.059	29+353.274	15.22	Radius<300m
64	29+391.178	29+412.805	21.63	Radius<300m
65	29+497.165	29+560.291	63.13	Radius<300m
66	29+595.135	29+636.953	41.82	Radius<300m
67	29+683.569	29+742.079	58.51	Radius<300m
68	29+811.740	29+826.511	14.77	Radius<300m
69	29+920.284	29+933.738	13.45	Radius<300m



“Construction of two-Lane with paved shoulders of Joram – Koloriang Road (NH-713) on EPC basis from existing Km 20.000 to Km 35.150 [Design Km. 20.000 to Km. 32.050] (Design Length - 12.05 Km) in the state of Arunachal Pradesh under SARDP-NE”

70	30+089.767	30+165.539	75.77	Radius<300m
71	30+226.267	30+249.166	22.90	Radius<300m
72	30+424.078	30+501.819	77.74	Radius<300m
73	30+627.179	30+636.334	09.15	Radius<300m
74	30+714.272	30+885.959	171.69	Radius<300m
75	30+997.379	31+053.375	56.00	Radius<300m
76	31+090.993	31+122.228	31.24	Radius<300m
77	31+338.900	31+378.578	39.68	Radius<300m
78	31+449.817	31+478.655	28.84	Radius<300m
79	31+542.058	31+583.658	41.60	Radius<300m
80	31+630.258	31+655.280	25.02	Radius<300m
81	31+711.209	31+800.862	89.65	Radius<300m
82	31+960.919	31+994.335	33.42	Radius<300m

The safety barriers, protective works shall also be provided at the hazardous location/lengths.


## 12 SPECIAL REQUIREMENT FOR HILL ROADS

In accordance with section 13 of the manual (from IRC : SP : 73-2015), IRC :SP-1998 and Recommended practices for Treatment of Embankment and Roadside slopes for Erosion control (First Revision), IRC :56-2011 and relevant IRC codes.

### 12.1 Slope Protection

As the project involves cutting of existing hill slopes, it is imperative that slopes are stabilized for ensuring longevity of the slope and the road. Slope stability, erosion control and landslide correction shall be accomplished in accordance with IRC: SP: 48-1998. Reference may be drawn from IRC: 56-2011.

- (i) The **minimum quantity** of protection work may be taken as below:




---

“Construction of two-Lane with paved shoulders of Joram – Koloriang Road (NH-713) on EPC basis from existing Km 20.000 to Km 35.150 [Design Km. 20.000 to Km. 32.050] (Design Length - 12.05 Km)in the state of Arunachal Pradesh under SARDP-NE”

Type of Protection Work		
Protection Work	Unit	Quantity
1. Parapet Wall	Rm	4060
2. Breast wall with PCC	Rm	9750
3. Breast wall sausage type by gabion/ Specialized treatment for slide protection as specified above-	Rm	500
4. Retaining Wall with PCC	Rm	570
5. Catch water drain	Rm	7800
6. Vetiver Plantation, Hydro Seeding and Hydro Mulching etc. including nets if required or similar works are to be done for slope protection and site mitigation measure upto a height of 12-15 m all along the road on barren slopes except hard rock location which needs to be protected with appropriate applicable technologies, if required		

(ii) Location of existing Slide prone zones-

Sl No.	Design Chainage		Length (m)	Remarks
	From	To		
1	24+900	25+100	200	
2	28+800	29+100	300	

**Note-** - The Contractor shall be responsible for accurate assessment of the actual requirement as per site situation & prepare designs for slope protection & stabilization as per the specifications & standards stipulated in schedule 'D' and submit the same to the AE for review through the proof consultant and implement it accordingly thereafter.

**Any increase in quantity over and above the tentative qty. as mentioned in above table or through change in specifications will not be considered as change of scope. Therefore contractor shall make thorough investigation at site and assess the requirement of slope protection and slide prone zone and other safety features at his own before submission of bid.**

## 12.2 Rip rap Protection:

The **minimum quantity** of riprap protection or similar work to be provided at valley side shoulder in the following locations as special safety feature on valley side on curves.

Sl. No.	Chainage	Length
---------	----------	--------

"Construction of two-Lane with paved shoulders of Joram – Koloriang Road (NH-713) on EPC basis from existing Km 20.000 to Km 35.150 [Design Km. 20.000 to Km. 32.050] (Design Length - 12.05 Km) in the state of Arunachal Pradesh under SARDP-NE"



	From(km)	To(km)	
1	20000	20010	10
2	20010	20200	190
3	20600	20610	10
4	20690	20700	10
5	21000	21130	130
6	21130	21140	10
7	21140	21240	100
8	21240	21270	30
9	21840	21850	10
10	21940	21990	50
11	22000	22200	200
12	22220	22230	10
13	22300	22310	10
14	22700	22850	150
15	23000	23500	500
16	24000	24500	500
17	24700	24710	10
18	25010	25090	80
19	25500	25800	300
20	27400	27520	120
21	27520	27590	70
22	27590	27600	10
23	27630	27650	20
24	28310	28350	40
25	28400	28680	280
26	28680	28720	40
27	28920	28970	50
28	28970	29260	290
29	29260	29280	20
30	29280	29340	60
31	29340	29400	60
32	29400	29600	200
33	29790	29820	30
34	30200	30400	200
35	30600	30800	200
36	31300	31480	180

“Construction of two-Lane with paved shoulders of Joram – Koloriang Road (NH-713) on EPC basis from existing Km 20.000 to Km 35.150 [Design Km. 20.000 to Km. 32.050] (Design Length - 12.05 Km) in the state of Arunachal Pradesh under SARDP-NE”



Sl. No.	Chainage		Length
	From(km)	To(km)	
37	31600	32050	450

**12.3 ROAD LAND BOUNDARY (Clause 12.2 IRC SP: 73: 2015)**

Road land (ROW) boundary shall be demarcated by putting RCC boundary pillars of size 60cm x 15cm x 15 cm embedded in concrete (as per IRC:25) along the Project Highway at 200 m interval on both sides. All the components used in delineating road land boundary shall be aesthetically pleasing, sturdy and vandal proof. The road land boundary shall be demarcated in consultation with NHIDCL.

**12.4 Disposal of Debris: - As per Manual****13 CHANGE OF SCOPE**

The length of Structures, bridges and slope protection works whatsoever in terms of retaining wall, breast wall, gabion wall or under special requirement of hill slope specified hereinabove shall be treated as an approximate assessment. The actual lengths as required on the basis of detailed investigations shall be determined by the Contractor in accordance with the Specifications and Standards. Any variations in the lengths and specifications in this Schedule-B shall not constitute a Change of Scope.





**SCHEDULE – C**  
(See Clause 2.1)**PROJECT FACILITIES****1. Project Facilities**

This schedule indicates the minimum spatial and functional requirements of the facilities to be provided on the Project Highway Package No. **DPR/J-K/AR-2/SARDP-NE**, start from design chainage km 20+000 at New Pania to design chainage km 32+050 at Neelum (total length of 12.050 km) with an aim to cater to the envisaged demand till the end of the concession period.

The Contractor shall construct the Project Facilities in accordance with the provisions of this Agreement. Such Project Facilities shall include:

- (a) Roadside furniture;
- (b) Pedestrian facilities;
- (c) Tree plantation;
- (d) Bus shelters
- (e) Passing Places – 2nos on hilly side
- (f) One truck lay by and
- (g) Others to be specified

**2. Description of Project Facilities****Toll Plaza**

NIL

**Bus Shelters**

To ensure orderly movement of the through traffic, bus shelters have been proposed outside the residential area, away from bridges, and high embankments and not too close to the road intersections. The bus stops have been proposed on one side of the road.

Bus shelters shall be provided on the Project Highway at 3(three) locations as mentioned herein under. Bus shelters shall be constructed as per Manual on both sides of the Project Highway. These bus shelters will also have passenger shelter.

#### Details of Bus shelters

SI No.	Project Facility	Location (km)
1	Bus Shelter	23+600
2	Bus Shelter	28+700
3	Bus Shelter	31+850

#### Pedestrian Facilities

Pedestrian facilities shall be provided at the locations of urban sections in order to ensure safety of pedestrians while crossing in consultation with NHIDCL. This should include (a) minimum Zebra Crossing with flashing Beacon or (b) Zebra Crossing with separate pedestrian phase or (c) any other provision as approved by NHIDCL.

#### Landscaping

Landscape treatment of the Project Highway shall be undertaken through planting of trees and ground cover of appropriate varieties and landscaping on surplus land in the ROW. The Construction Contractor should plant at least 800 nos. of trees of minimum 6 ft. height with tree guard made up of MS sections.

Plantation scheme shall be prepared in consultation with the Forest Department of the Government of Arunachal Pradesh, and the Authority Engineer/ NHIDCL.

#### Environment

The Project Highway during design, construction and maintenance during implementation period shall conform to the environmental rules and regulations in force. The Construction Contractor shall be responsible for the same.




**SCHEDULE – D**  
*(See Clause 2.1)***SPECIFICATIONS AND STANDARDS****1. Construction**

The Contractor shall comply with the Specifications and Standards set forth in Annex – I of this Schedule – D for construction of the Project Highway.

**2. Design Standards**

The Project Highway including Project Facilities shall confirm to design requirements set out in the following documents:

Two Lane Manual (IRC: SP 73 – 2015) of Specifications and Standards for Two Laning published by IRC and Hill Road Manual IRC SP 48:1998



Annex – I  
(Schedule – D)

## Specifications and Standards for Construction

### 1 Specifications and Standards

All materials, works and construction operations shall confirm to the Two Lane Manual (IRC: SP 73 – 2015) of Specifications and Standards for Two Laning (IRC: SP: 73 – 2015), referred as the Two Lane Manual (IRC: SP: 73 – 2015), and MORTH Specifications for Road and Bridge Works, IRC: SP: 48-1998 and IRC 56-2011. Where the specification for a work is not given, Good Industry Practice shall be adopted to the satisfaction of the Authority's Engineer.

### 2 Deviations from the Specifications and Standards

The terms 'Concessionaire', 'Independent Engineer' and 'Concession Agreement' used in the Two Lane Manual (IRC: SP 73- 2015) shall be deemed to be substituted by the terms '**Contractor**', '**Authority's Engineer**' and '**Agreement**' respectively.



**SCHEDULE - E**  
**(See Clauses 2.1 and 14.2)****MAINTENANCE REQUIREMENTS****1 Maintenance Requirements**

- 1.1 The Contractor shall, at all times maintain the Project Highway in accordance with the provisions of this Agreement, Applicable Laws and Applicable Permits.
- 1.2 The Contractor shall repair or rectify any Defect or deficiency set forth in Paragraph 2 of this Schedule-E within the time limit specified therein and any failure in this behalf shall constitute non-fulfillment of the Maintenance obligations by the Contractor. Upon occurrence of any breach hereunder, the Authority shall be entitled to effect reduction in monthly lump sum payment as set forth in Clause 14.6 of this Agreement, without prejudice to the rights of the Authority under this Agreement, including Termination thereof.
- 1.3 All Materials, works and construction operations shall conform to the MORTH Specifications for Road and Bridge Works, and the relevant IRC publications. Where the specifications for a work are not given, Good Industry Practice shall be adopted.

**2 Repair/rectification of Defects and deficiencies**

The obligations of the Contractor in respect of Maintenance Requirements shall include repair and rectification of the Defects and deficiencies specified in Annex - I of this Schedule-E within the time limit set forth therein.

**3 Other Defects and deficiencies**

In respect of any Defect or deficiency not specified in Annex - I of this Schedule-E, the Authority's Engineer may, in conformity with Good Industry Practice, specify the permissible limit of deviation or deterioration with reference to the Specifications and Standards, and any deviation or deterioration beyond the permissible limit shall be repaired or rectified by the Contractor within the time limit specified by the Authority's Engineer.

**4 Extension of time limit**

Notwithstanding anything to the contrary specified in this Schedule-E, if the nature and extent of any Defect or deficiency justifies more time for its repair or rectification than the time specified herein, the Contractor shall be entitled to additional time in conformity with Good Industry Practice. Such additional time shall be determined by the Authority's Engineer and conveyed to the Contractor and the Authority with reasons thereof.

**5 Emergency repairs/restoration**

Notwithstanding anything to the contrary contained in this Schedule-E, if any Defect, deficiency or deterioration in the Project Highway poses a hazard to safety or risk of damage to property, the Contractor shall promptly take all reasonable measures for eliminating or minimizing such danger.

**6 Daily inspection by the Contractor**

The Contractor shall, through its engineer, undertake a daily visual inspection of the Project Highway and maintain a record thereof in a register to be kept in such form and manner as the Authority's Engineer may specify. Such record shall be kept in safe custody of the Contractor and shall be open to inspection by the Authority and the Authority's Engineer at any time during office hours.

**7. Pre-monsoon inspection / Post-monsoon inspection**

The Contractor shall carry out a detailed pre-monsoon inspection of all bridges, culverts and drainage system before [1st June] every year in accordance with the guidelines contained in IRC: SP35. Report of this inspection together with details of proposed maintenance works as required on the basis of this inspection shall be sent to the Authority's Engineer before the [10th June] every year. The Contractor shall complete the required repairs before the onset of the monsoon and send to the Authority's Engineer a compliance report. Post monsoon inspection shall be done by the [30th September] and the inspection report together with details of any damages observed and proposed action to remedy the same shall be sent to the Authority's Engineer.



**8. Repairs on account of natural calamities**

All damages occurring to the Project Highway on account of a Force Majeure Event or default or neglect of the Authority shall be undertaken by the Authority at its own cost. The Authority may instruct the Contractor to undertake the repairs at the rates agreed between the Parties.

**Annex - I**  
**(Schedule -E)**

**Repair/rectification of Defects and deficiencies**

The Contractor shall repair and rectify the Defects and deficiencies specified in this Annex-I of Schedule-E within the time limit set forth in the table below.

Nature of Defects or deficiency		Time limit for repair/rectification
<b>Roads</b>		
<b>a</b>	<b>Carriageway and paved shoulders</b>	
I	Breach or blockade	Temporary restoration of traffic within 24 hours; permanent restoration within 15 (fifteen) days
II	Roughness value exceeding 2,200 mm in a stretch of 1 km (as measured by a calibrated bump integrator)	120 (one hundred and twenty) days
III	Pot holes	24 hours
IV	Any cracks in road surface	15(fifteen) days
V	Any depressions, rutting exceeding 10 mm in road surface	30 (thirty) days
VI	Bleeding/skidding	7 (seven) days
VII	Any other defect/ distress on the road	15(fifteen) days
VIII	Damage to pavement edges	15(fifteen) days
IX	Removal of debris, dead animals	6 hours
<b>b</b>	<b>Granular earth shoulders, side</b>	

“Construction of two-Lane with paved shoulders of Joram – Koloriang Road (NH-713) on EPC basis from existing Km 20.000 to Km 35.150 [Design Km. 20.000 to Km. 32.050] (Design Length - 12.05 Km)in the state of Arunachal Pradesh under SARDP-NE”



Nature of Defects or deficiency		Time limit for repair/rectification
	<b>slopes, drains and culverts</b>	
I	Variation by more than 1 % in the prescribed slope of camber/cross fall (shall not be less than the camber on the main carriageway)	7 (seven) days
Nature of defects or deficiency		Time limit for repair/rectification
II	Edge drop at shoulders exceeding 40mm	7 (seven) days
III	Variation by more than 15% in the prescribed side (embankment) slopes	30 (thirty) days
IV	Rain cuts/gullies in slope	7 (seven) days
V	Damage to or silting of culverts and side drains	7 (seven) days
VI	Desilting of drains in urban/semi-urban areas	24 hours
VII	Railing, parapets, crash barrier	7 (seven) days (restore immediately if causing safety hazard).
<b>c</b>	<b>Road side furniture including road sign and pavement marking</b>	
I	Damage to shape or position, poor visibility or loss of retro-reflectivity	48 hours
II	Painting of km stone, railing, parapets/crash barrier	As and when required /once every year
III	Damaged/missing road signs requiring replacement	7 (seven) days
IV	Damage to road mark ups	7 (seven) days
<b>d</b>	<b>Road lighting</b>	
I	Any major failure of the system	24 hours

“Construction of two-Lane with paved shoulders of Joram – Koloriang Road (NH-713) on EPC basis from existing Km 20.000 to Km 35.150 [Design Km. 20.000 to Km. 32.050] (Design Length - 12.05 Km) in the state of Arunachal Pradesh under SARDP-NE”





Nature of Defects or deficiency		Time limit for repair/rectification
II	Faults and minor failures	8 hours
<b>e</b>	<b>Trees and plantation</b>	
I	Obstruction in a minimum head-room of 5 m above carriageway or obstruction in visibility of road signs	24 hours
II	Removal of fallen trees from carriageway	4 hours
III	Deterioration in health of trees and bushes	Timely watering and treatment
IV	Trees and bushes requiring replacement	30 (thirty) days
V	Removal of vegetation affecting sight line and road structures	15 (fifteen) days
<b>f</b>	<b>Rest Area</b>	
I	Cleaning of toilets	Every 4 hours
II	Defects in electrical, water and sanitary installations	24 hours
<b>g</b>	<b>Toll Plazas</b>	
<b>h</b>	<b>Other project facilities and approach roads</b>	
I	Damage in approach roads, pedestrian facilities, truck lay-byes, bus-bays, bus -shelters, cattle crossings, Traffic Aid Posts, Medical Aid Posts and service roads	15 (fifteen) days
II	Damaged vehicles or debris on the road	4 (Four) hours
III	Malfunctioning crane	4 (Four) hours
<b>BRIDGES</b>		
<b>a</b>	<b>Superstructures</b>	
I	Any damage, cracks, spalling/scaling	



“Construction of two-Lane with paved shoulders of Joram – Koloriang Road (NH-713) on EPC basis from existing Km 20.000 to Km 35.150 [Design Km. 20.000 to Km. 32.050] (Design Length - 12.05 Km) in the state of Arunachal Pradesh under SARDP-NE”

Nature of Defects or deficiency		Time limit for repair/rectification
	Temporary measures Permanent measures	within 48 hours within 15 (fifteen) days or as specified by the Authority's Engineer
<b>b</b>	<b>Foundation</b>	
I	Scouring and/or cavitation	15 (fifteen) days
<b>c</b>	<b>Piers, abutments, return walls and wing walls</b>	
I	Cracks and damages including settlement and tilting, spalling, scaling	30 (thirty) days
<b>d</b>	<b>Bearing (metallic) of bridges</b>	
I	Deformation, damages, tilting or shifting of bearings	14 (fifteen) days Greasing of metallic bearings once in a year
<b>e</b>	<b>Joints</b>	
I	Malfunctioning of joints	15 (fifteen) days
<b>f</b>	<b>Other items</b>	
I	Deforming of pads in elastomeric bearings	7 (seven) days
II	Gathering of dirt in bearings and joints; or clogging of spouts, weep holes and vent-holes	3 (three) days
III	Damage or deterioration in kerbs, parapets, handrails and crash barriers	3 (three) days (immediately within 24 hours if posing danger to safety)
IV	Rain cuts or erosion of banks of the side slopes of approaches	7 (seven) days
V	Damage to wearing coat	15 (fifteen) days
VI	Damage or deterioration in Approach slabs, pitching, apron, toes, floor or guide bunds	30 (thirty) days
VII	Growth of vegetation affecting the Structure or obstructing the waterway	15 (fifteen) days

"Construction of two-Lane with paved shoulders of Joram – Koloriang Road (NH-713) on EPC basis from existing Km 20.000 to Km 35.150 [Design Km. 20.000 to Km. 32.050] (Design Length - 12.05 Km) in the state of Arunachal Pradesh under SARDP-NE"



Nature of Defects or deficiency		Time limit for repair/rectification
<b>g</b>	<b>Hill Roads</b>	
I	Damage to retaining wall/breast wall	7 (seven) days
II	Landslides requiring clearance	12 (Twelve) hours
III	Snow requiring clearance	24 (Twenty four) hours

Note: Where necessary, the Authority may modify the time limit for repair/rectification, or add to the nature of Defect or deficiency before issuing the bidding document, with the approval of the competent authority.


**SCHEDULE - F**  
**(See Clause 3.1.7(a))**

**APPLICABLE PERMITS**

**1 Applicable Permits**

1.1 The Contractor shall obtain, as required under the Applicable Laws, the following Applicable Permits:

- (a) Permission of the State Government for extraction of boulders from quarry;
- (b) Permission of Village Panchayats and Pollution Control Board for installation of crushers;
- (c) License for use of explosives;
- (d) Permission of the State Government for drawing water from river/reservoir;
- (e) License from inspector of factories or other competent Authority for setting up batching plant;
- (f) Clearance of Pollution Control Board for setting up batching plant;



- (g) Clearance of Village Panchayats and Pollution Control Board for setting up asphalt plant;
- (h) Permission of Village Panchayats and State Government for borrow earth; and
- (i) Any other permits or clearances required under Applicable Laws.

**12.5** Applicable Permits, as required, relating to environmental protection and conservation shall have been procured by the Authority in accordance with the provisions of this Agreement.

2.0 The agency need to ensure compliance of AIP and FC stated in schedules 'A' Annexure - IV The necessary certifications need to be obtained from competent local forest department.

3.0 Muck dumping locations in forest area to be freezed in consultation with the forest department, the necessary certifications from local competent forest department is to be submitted.

## SCHEDULE - G

(See Clauses 7.1.1, 7.5.3 and 19.2)

## FORM OF BANK GUARANTEE

Annex-I

(See Clause 7.1.1)

## [Performance Security/Additional Performance Security]

The Managing Director,  
National Highways & Infrastructural Development Corporation Ltd.  
PTI Building, 3<sup>rd</sup> Floor,  
4, Parliament Street  
New Delhi - 110001

WHEREAS:

(A) \_\_\_\_\_ [name and address of contractor] (hereinafter called the

---

"Construction of two-Lane with paved shoulders of Joram – Koloriang Road (NH-713) on EPC basis from existing Km 20.000 to Km 35.150 [Design Km. 20.000 to Km. 32.050] (Design Length - 12.05 Km)in the state of Arunachal Pradesh under SARDP-NE"



"Contractor") and National Highways and Infrastructure Development Corporation Ltd. , (hereinafter called the "Authority") have entered into an agreement (hereinafter called the "Agreement") for the construction of **"Construction of two-Lane with paved shoulders of Joram – Koloriang Road (NH-713) on EPC basis from existing Km 20.000 to Km 35.150 [Design Km. 20.000 to Km. 32.050] (Design Length - 12.05 Km)in the state of Arunachal Pradesh under SARDP-NE"** subject to and in accordance with the provisions of the Agreement

- (B) The Agreement requires the Contractor to furnish a Performance Security for due and faithful performance of its obligations, under and in accordance with the Agreement, during the {Construction Period/ Defects Liability Period and Maintenance Period} (as defined in the Agreement) in a sum of Rs..... cr. (Rupees ..... crore) (**the "Guarantee Amount "**).
- (C) We, ..... through our branch at ..... (the "Bank") have agreed to furnish this bank guarantee (hereinafter called the "Guarantee") by way of Performance Security.

NOW, THEREFORE, the Bank hereby, unconditionally and irrevocably, guarantees and affirms as follows:

1. The Bank hereby unconditionally and irrevocably guarantees the due and faithful performance of the Contractor's obligations during the {Construction Period/ Defects Liability Period and Maintenance Period} under and in accordance with the Agreement, and agrees and undertakes to pay to the Authority, upon its mere first written demand, and without any demur, reservation, recourse, contest or protest, and without any reference to the Contractor, such sum or sums up to an aggregate sum of the Guarantee Amount as the Authority shall claim, without the Authority being required to prove or to show grounds or reasons for its demand and/or for the sum specified therein.
2. A letter from the Authority, under the hand of an officer not below the rank of General Manager in the National Highways Authority of India, that the Contractor has committed default in the due and faithful performance of all or any of its obligations under and in accordance with the Agreement shall be conclusive, final and binding on the Bank. The Bank further agrees that the Authority shall be the sole judge as to

whether the Contractor is in default in due and faithful performance of its obligations during and under the Agreement and its decision that the Contractor is in default shall be final and binding on the Bank, notwithstanding any differences between the Authority and the Contractor, or any dispute between them pending before any court, tribunal, arbitrators or any other authority or body, or by the discharge of the Contractor for any reason whatsoever.

3. In order to give effect to this Guarantee, the Authority shall be entitled to act as if the Bank were the principal debtor and any change in the constitution of the Contractor and/or the Bank, whether by their absorption with any other body or corporation or otherwise, shall not in any way or manner affect the liability or obligation of the Bank under this Guarantee.
4. It shall not be necessary, and the Bank hereby waives any necessity, for the Authority to proceed against the Contractor before presenting to the Bank its demand under this Guarantee.
5. The Authority shall have the liberty, without affecting in any manner the liability of the Bank under this Guarantee, to vary at any time, the terms and conditions of the Agreement or to extend the time or period for the compliance with, fulfillment and/ or performance of all or any of the obligations of the Contractor contained in the Agreement or to postpone for any time, and from time to time, any of the rights and powers exercisable by the Authority against the Contractor, and either to enforce or forbear from enforcing any of the terms and conditions contained in the Agreement and/or the securities available to the Authority, and the Bank shall not be released from its liability and obligation under these presents by any exercise by the Authority of the liberty with reference to the matters aforesaid or by reason of time being given to the Contractor or any other forbearance, indulgence, act or omission on the part of the Authority or of any other matter or thing whatsoever which under any law relating to sureties and guarantors would but for this provision have the effect of releasing the Bank from its liability and obligation under this Guarantee and the Bank hereby waives all of its rights under any such law.
6. This Guarantee is in addition to and not in substitution of any other guarantee or security now or which may hereafter be held by the Authority in respect of or relating to

---

"Construction of two-Lane with paved shoulders of Joram – Koloriang Road (NH-713) on EPC basis from existing Km 20.000 to Km 35.150 [Design Km. 20.000 to Km. 32.050] (Design Length - 12.05 Km) in the state of Arunachal Pradesh under SARDP-NE"



the Agreement or for the fulfillment, compliance and/or performance of all or any of the obligations of the Contractor under the Agreement.

7. Notwithstanding anything contained hereinbefore, the liability of the Bank under this Guarantee is restricted to the Guarantee Amount and this Guarantee will remain in force for the period specified in paragraph 8 below and unless a demand or claim in writing is made by the Authority on the Bank under this Guarantee all rights of the Authority under this Guarantee shall be forfeited and the Bank shall be relieved from its liabilities hereunder.
8. The Guarantee shall cease to be in force and effect on .....<sup>§</sup>. Unless a demand or claim under this Guarantee is made in writing before expiry of the Guarantee, the Bank shall be discharged from its liabilities hereunder.
9. The Bank undertakes not to revoke this Guarantee during its currency, except with the previous express consent of the Authority in writing, and declares and warrants that it has the power to issue this Guarantee and the undersigned has full powers to do so on behalf of the Bank.

<sup>§</sup> Insert date being 2 (two) years from the date of issuance of this Guarantee (in accordance with Clause 7.2 of the Agreement).

10. Any notice by way of request, demand or otherwise hereunder may be sent by post addressed to the Bank at its above referred branch, which shall be deemed to have been duly authorised to receive such notice and to effect payment thereof forthwith, and if sent by post it shall be deemed to have been given at the time when it ought to have been delivered in due course of post and in proving such notice, when given by post, it shall be sufficient to prove that the envelope containing the notice was posted and a certificate signed by an officer of the Authority that the envelope was so posted shall be conclusive.
11. This Guarantee shall come into force with immediate effect and shall remain in force and effect for up to the date specified in paragraph 8 above or until it is released earlier by the Authority pursuant to the provisions of the Agreement.



12. This guarantee shall also be operatable at our..... Branch at New Delhi, from whom, confirmation regarding the issue of this guarantee or extension / renewal thereof shall be made available on demand. In the contingency of this guarantee being invoked and payment thereunder claimed, the said branch shall accept such invocation letter and make payment of amounts so demanded under the said invocation.
13. Bank Guarantee has been sent to authority's bank through SFMS gateway as per the details below: -

Sl. No	Particulars	Details
1	Name of the Beneficiary	National Highways and Infrastructure Development Corporation Limited
2	Beneficiary Bank Account No.	90621010002659
3	Beneficiary Bank Branch	IFSC SYNB0009062
4	Beneficiary Bank Branch Name	Transport Bhawan, New Delhi
5	Beneficiary Bank Address	Syndicate Bank, Transport Bhawan, 1 <sup>st</sup> Parliament street, New Delhi-110001

Signed and sealed this ..... day of ....., 20..... at .....

SIGNED , SEALED AND DELIVERED

For and on behalf of the bank by:

(Signature)

(Name)

(Designation)

(Code Number)

(Adress)



"Construction of two-Lane with paved shoulders of Joram – Koloriang Road (NH-713) on EPC basis from existing Km 20.000 to Km 35.150 [Design Km. 20.000 to Km. 32.050] (Design Length - 12.05 Km)in the state of Arunachal Pradesh under SARDP-NE"



## Notes:

- (i) The bank guarantee should contain the name, designation and code number of the officer(s) signing the guarantee.
- (ii) The address, telephone number and other details of the head office of the Bank as well as of issuing branch should be mentioned on the covering letter of issuing branch.

**Annex – II**  
**(Schedule - G)**  
**(See Clause 7.5.3)**

**Form for Guarantee for Withdrawal of Retention Money**

---

“Construction of two-Lane with paved shoulders of Joram – Koloriang Road (NH-713) on EPC basis from existing Km 20.000 to Km 35.150 [Design Km. 20.000 to Km. 32.050] (Design Length - 12.05 Km) in the state of Arunachal Pradesh under SARDP-NE”



The Managing Director,  
National Highways & Infrastructural Development Corporation Ltd.  
PTI Building, 3<sup>rd</sup> Floor,  
4, Parliament Street  
New Delhi - 110001

WHEREAS:

- (A) [name and address of contractor] (hereinafter called the "Contractor") has executed an agreement (hereinafter called the "Agreement") with the National Highways and Infrastructure Development Corporation Ltd., (hereinafter called the "Authority") for the **"Construction of two-Lane with paved shoulders of Joram – Koloriang Road (NH-713) on EPC basis from existing Km 20.000 to Km 35.150 [Design Km. 20.000 to Km. 32.050] (Design Length - 12.05 Km)in the state of Arunachal Pradesh under SARDP-NE"** subject to and in accordance with the provisions of the Agreement.
- (B) In accordance with Clause 7.5.3 of the Agreement, the Contractor may withdraw the retention money (hereinafter called the "Retention Money") after furnishing to the Authority a bank guarantee for an amount equal to the proposed withdrawal.
- (C) We, ..... through our branch at ..... (the "Bank") have agreed to furnish this bank guarantee (hereinafter called the "Guarantee") for the amount of Rs. --  
-----  
- cr. (Rs.-----crore) (the **"Guarantee Amount"**).

NOW, THEREFORE, the Bank hereby unconditionally and irrevocably guarantees and affirms as follows:

1. The Bank hereby unconditionally and irrevocably undertakes to pay to the Authority, upon its mere first written demand, and without any demur, reservation, recourse, contest or protest, and without any reference to the Contractor, such sum or sums up to an aggregate sum of the Guarantee Amount as the Authority shall claim, without the Authority being required to prove or to show grounds or reasons for its demand and/or for the sum specified therein.
2. A letter from the Authority, under the hand of an officer not below the rank of General

---

"Construction of two-Lane with paved shoulders of Joram – Koloriang Road (NH-713) on EPC basis from existing Km 20.000 to Km 35.150 [Design Km. 20.000 to Km. 32.050] (Design Length - 12.05 Km)in the state of Arunachal Pradesh under SARDP-NE"



Manager in the National Highways Authority of India, that the Contractor has committed default in the due and faithful performance of all or any of its obligations for under and in accordance with the Agreement shall be conclusive, final and binding on the Bank. The Bank further agrees that the Authority shall be the sole judge as to whether the Contractor is in default in due and faithful performance of its obligations during and under the Agreement and its decision that the Contractor is in default shall be final, and binding on the Bank, notwithstanding any differences between the Authority and the Contractor, or any dispute between them pending before any court, tribunal, arbitrators or any other authority or body, or by the discharge of the Contractor for any reason whatsoever.

3. In order to give effect to this Guarantee, the Authority shall be entitled to act as if the Bank were the principal debtor and any change in the constitution of the Contractor and/or the Bank, whether by their absorption with any other body or corporation or otherwise, shall not in any way or manner affect the liability or obligation of the Bank under this Guarantee.
4. It shall not be necessary, and the Bank hereby waives any necessity, for the Authority to proceed against the Contractor before presenting to the Bank its demand under this Guarantee.
5. The Authority shall have the liberty, without affecting in any manner the liability of the Bank under this Guarantee, to vary at any time, the terms and conditions of the Retention Money and any of the rights and powers exercisable by the Authority against the Contractor, and either to enforce or forbear from enforcing any of the terms and conditions contained in the Agreement and/or the securities available to the Authority, and the Bank shall not be released from its liability and obligation under these presents by any exercise by the Authority of the liberty with reference to the matters aforesaid or by reason of time being given to the Contractor or any other forbearance, indulgence, act or omission on the part of the Authority or of any other matter or thing whatsoever which under any law relating to sureties and guarantors would but for this provision have the effect of releasing the Bank from its liability and obligation under this

- Guarantee and the Bank hereby waives all of its rights under any such law.
6. This Guarantee is in addition to and not in substitution of any other guarantee or security now or which may hereafter be held by the Authority in respect of or relating to the Retention Money.
  7. Notwithstanding anything contained hereinbefore, the liability of the Bank under this Guarantee is restricted to the Guarantee Amount and this Guarantee will remain in force for the period specified in paragraph 8 below and unless a demand or claim in writing is made by the Authority on the Bank under this Guarantee all rights of the Authority under this Guarantee shall be forfeited and the Bank shall be relieved from its liabilities hereunder.
  8. The Guarantee shall cease to be in force and effect 90 (ninety) days after the date of the Completion Certificate specified in Clause 12.4 of the Agreement.
  9. The Bank undertakes not to revoke this Guarantee during its currency, except with the previous express consent of the Authority in writing, and declares and warrants that it has the power to issue this Guarantee and the undersigned has full powers to do so on behalf of the Bank.
  10. Any notice by way of request, demand or otherwise hereunder may be sent by post addressed to the Bank at its above referred branch, which shall be deemed to have been duly authorised to receive such notice and to effect payment thereof forthwith, and if sent by post it shall be deemed to have been given at the time when it ought to have been delivered in due course of post and in proving such notice, when given by post, it shall be sufficient to prove that the envelope containing the notice was posted and a certificate signed by an officer of the Authority that the envelope was so posted shall be conclusive.
  11. This Guarantee shall come into force with immediate effect and shall remain in force and effect up to the date specified in paragraph 8 above or until it is released earlier by the Authority pursuant to the provisions of the Agreement.
  12. This guarantee shall also be operatable at our..... Branch at New Delhi, from

---

"Construction of two-Lane with paved shoulders of Joram – Koloriang Road (NH-713) on EPC basis from existing Km 20.000 to Km 35.150 [Design Km. 20.000 to Km. 32.050] (Design Length - 12.05 Km)in the state of Arunachal Pradesh under SARDP-NE"



whom, confirmation regarding the issue of this guarantee or extension / renewal thereof shall be made available on demand. In the contingency of this guarantee being invoked and payment thereunder claimed, the said branch shall accept such invocation letter and make payment of amounts so demanded under the said invocation.

13. Bank Guarantee has been sent to authority's bank through SFMS gateway as per the details below:-

Sl. No	Particulars	Details
1	Name of the Beneficiary	National Highways and Infrastructure Development Corporation Limited
2	Beneficiary Bank Account No.	90621010002659
3	Beneficiary Bank Branch	IFSC SYNB0009062
4	Beneficiary Bank Branch Name	Transport Bhawan, New Delhi
5	Beneficiary Bank Address	Syndicate Bank, Transport Bhawan, 1 <sup>st</sup> Parliament street, New Delhi-110001

Signed and sealed this ..... day of ....., 20..... at .....

SIGNED , SEALED AND DELIVERED

For and on behalf of the bank by:

(Signature)

(Name)

(Designation)

(Code Number)

(Address)



Notes:

- (iii) The bank guarantee should contain the name, designation and code number of the officer(s) signing the guarantee.
- (iv) The address, telephone number and other details of the head office of the Bank as well as of issuing branch should be mentioned on the covering letter of issuing branch

**Annex – III**  
**(Schedule - G)**  
**(See Clause 19.2)**

**Form for Guarantee for Advance Payment**

The Managing Director,  
National Highways & Infrastructural Development Corporation Ltd.  
PTI Building, 3<sup>rd</sup> Floor,  
4, Parliament Street  
New Delhi - 110001

WHEREAS:

- (A) [name and address of contractor] (hereinafter called the “Contractor”) has executed an agreement (hereinafter called the “Agreement”) with the National Highways and Infrastructure Corporation Ltd., (hereinafter called the “Authority”) for the **“Construction of two-Lane with paved shoulders of Joram – Koloriang Road (NH-713) on EPC basis from existing Km 20.000 to Km 35.150 [Design Km. 20.000 to Km. 32.050] (Design Length - 12.05 Km)in the state of Arunachal Pradesh under SARDP-NE”**, subject to and in accordance with the provisions of the Agreement
- (B) In accordance with Clause 19.2 of the Agreement, the Authority shall make to the Contractor an interest bearing (@ Bank Rate) advance payment (herein after called “Advance Payment”) equal to 10% (ten per cent) of the Contract Price; and that the Advance Payment shall be made in two installments subject to the Contractor furnishing an irrevocable and unconditional guarantee by a scheduled bank for an amount equivalent to 110% (one hundred and ten percent) of such installment to remain

---

“Construction of two-Lane with paved shoulders of Joram – Koloriang Road (NH-713) on EPC basis from existing Km 20.000 to Km 35.150 [Design Km. 20.000 to Km. 32.050] (Design Length - 12.05 Km)in the state of Arunachal Pradesh under SARDP-NE”



effective till the complete and full repayment of the installment of the Advance Payment as security for compliance with its obligations in accordance with the Agreement. The amount of {first/second} installment of the Advance Payment is Rs. --- --- cr. (Rupees ----- - crore) and the amount of this Guarantee is Rs. ----- cr. (Rupees ----- crore) (the "Guarantee Amount")<sup>§</sup>.

<sup>§</sup> *The Guarantee Amount should be equivalent to 110% of the value of the applicable instalment.*

(C) We, ..... through our branch at ..... (the "Bank") have agreed to furnish this bank guarantee (hereinafter called the "Guarantee" ) for the Guarantee Amount.

NOW, THEREFORE, the Bank hereby, unconditionally and irrevocably, guarantees and affirms as follows:

1. The Bank hereby unconditionally and irrevocably guarantees the due and faithful repayment on time of the aforesaid installment of the Advance Payment under and in accordance with the Agreement, and agrees and undertakes to pay to the Authority, upon its mere first written demand, and without any demur, reservation, recourse, contest or protest, and without any reference to the Contractor, such sum or sums up to an aggregate sum of the Guarantee Amount as the Authority shall claim, without the Authority being required to prove or to show grounds or reasons for its demand and/or for the sum specified therein.
2. A letter from the Authority, under the hand of an officer not below the rank of General Manager in the National Highways Authority of India, that the Contractor has committed default in the due and faithful performance of all or any of its obligations for the repayment of the instalment of the Advance Payment under and in accordance with the Agreement shall be conclusive, final and binding on the Bank. The Bank further agrees that the Authority shall be the sole judge as to whether the Contractor is in default in due and faithful performance of its obligations during and under the Agreement and its

- decision that the Contractor is in default shall be final and binding on the Bank, notwithstanding any differences between the Authority and the Contractor, or any dispute between them pending before any court, tribunal, arbitrators or any other authority or body, or by the discharge of the Contractor for any reason whatsoever.
3. In order to give effect to this Guarantee, the Authority shall be entitled to act as if the Bank were the principal debtor and any change in the constitution of the Contractor and/or the Bank, whether by their absorption with any other body or corporation or otherwise, shall not in any way or manner affect the liability or obligation of the Bank under this Guarantee.
  4. It shall not be necessary, and the Bank hereby waives any necessity, for the Authority to proceed against the Contractor before presenting to the Bank its demand under this Guarantee.
  5. The Authority shall have the liberty, without affecting in any manner the liability of the Bank under this Guarantee, to vary at any time, the terms and conditions of the Advance Payment or to extend the time or period of its repayment or to postpone for any time, and from time to time, any of the rights and powers exercisable by the Authority against the Contractor, and either to enforce or forbear from enforcing any of the terms and conditions contained in the Agreement and/or the securities available to the Authority, and the Bank shall not be released from its liability and obligation under these presents by any exercise by the Authority of the liberty with reference to the matters aforesaid or by reason of time being given to the Contractor or any other forbearance, indulgence, act or omission on the part of the Authority or of any other matter or thing whatsoever which under any law relating to sureties and guarantors would but for this provision have the effect of releasing the Bank from its liability and obligation under this Guarantee and the Bank hereby waives all of its rights under any such law.
  6. This Guarantee is in addition to and not in substitution of any other guarantee or security now or which may hereafter be held by the Authority in respect of or relating to the Advance Payment.
  7. Notwithstanding anything contained hereinbefore, the liability of the Bank under this Guarantee is restricted to the Guarantee Amount and this Guarantee will remain in force





for the period specified in paragraph 8 below and unless a demand or claim in writing is made by the Authority on the Bank under this Guarantee all rights of the Authority under this Guarantee shall be forfeited and the Bank shall be relieved from its liabilities hereunder.

8. The Guarantee shall cease to be in force and effect on \*\*\*\*.<sup>\$</sup> Unless a demand or claim under this Guarantee is made in writing on or before the aforesaid date, the Bank shall be discharged from its liabilities hereunder.

<sup>\$</sup> Insert a date being 90 (ninety) days after the end of one year from the date of payment of the Advance payment to the Contractor (in accordance with Clause 19.2 of the Agreement).

9. The Bank undertakes not to revoke this Guarantee during its currency, except with the previous express consent of the Authority in writing, and declares and warrants that it has the power to issue this Guarantee and the undersigned has full powers to do so on behalf of the Bank.
10. Any notice by way of request, demand or otherwise hereunder may be sent by post addressed to the Bank at its above referred branch, which shall be deemed to have been duly authorised to receive such notice and to effect payment thereof forthwith, and if sent by post it shall be deemed to have been given at the time when it ought to have been delivered in due course of post and in proving such notice, when given by post, it shall be sufficient to prove that the envelope containing the notice was posted and a certificate signed by an officer of the Authority that the envelope was so posted shall be conclusive.
11. This Guarantee shall come into force with immediate effect and shall remain in force and effect up to the date specified in paragraph 8 above or until it is released earlier by the Authority pursuant to the provisions of the Agreement.
12. This guarantee shall also be operatable at our..... Branch at New Delhi, from whom, confirmation regarding the issue of this guarantee or extension / renewal

thereof shall be made available on demand. In the contingency of this guarantee being invoked and payment there under claimed, the said branch shall accept such invocation letter and make payment of amounts so demanded under the said invocation.

13. Bank Guarantee has been sent to authority's bank through SFMS gateway as per the details below:-

Sl. No	Particulars	Details
1	Name of the Beneficiary	National Highways and Infrastructure Development Corporation Limited
2	Beneficiary Bank Account No.	90621010002659
3	Beneficiary Bank Branch	IFSC SYNB0009062
4	Beneficiary Bank Branch Name	Transport Bhawan, New Delhi
5	Beneficiary Bank Address	Syndicate Bank, Transport Bhawan, 1 <sup>st</sup> Parliament street, New Delhi-110001

Signed and sealed this ..... day of ....., 20..... at .....

SIGNED , SEALED AND DELIVERED

For and on behalf of the bank by:

(Signature)

(Name)

(Designation)

(Code Number)

(Adress)



---

Notes:

- i. The bank guarantee should contain the name, designation and code number of the officer(s) signing the guarantee.
- ii. The address, telephone number and other details of the head office of the Bank as well as of issuing branch should be mentioned on the covering letter of issuing branch.



**SCHEDULE - H****(See Clauses 10.1.4 and 19.3)****Contract Price Weightages**

1.1 The Contract Price for this Agreement is Rs. ....../-

1.2 Proportions of the Contract Price for different stages of Construction of the Project Highway shall be as specified below:

ITEM	WEIGHTAGE IN PERCENTAGE TO THE CONTRACT PRICE	STAGE OF PAYMENT	PERCENTAGE WEIGHTAGE	PERCENTAGE WEIGHTAGE vis a vis OVERALL PROJECT
1	2	3	4	5
<b>Road works including culverts, minor bridges, underpasses, overpasses, approaches to ROB/RUB/ Major Bridges/ Structures (but excluding service roads)</b>	65.39%	<b>A- Widening and strengthening of existing road</b>		
		(1) Earthwork up to top of the sub-grade including excavation in soil, soft rock and hard rock including Cleaning & grubbing with required site clearance etc.	20.04%	13.10%
		(2) Granular work (sub-base, shoulders)	5.63%	3.68%
		(3) Bituminous work		
		a)DBM With Prime coat & Tack coat.	6.25%	4.08%
		b)BC with Tack coat.	3.87%	2.53%
		(4) Rigid Pavement	0.00%	0.00%
		(5)Widening and repair of culvert	0.00%	0.00%
		(6)Protection of existing works	0.00%	0.00%
		(7)Widening and repair of minor bridges	0.00%	0.00%
		<b>B - New 2-Lane alignment</b>		

"Construction of two-Lane with paved shoulders of Joram – Koloriang Road (NH-713) on EPC basis from existing Km 20.000 to Km 35.150 [Design Km. 20.000 to Km. 32.050] (Design Length - 12.05 Km)in the state of Arunachal Pradesh under SARDP-NE"

ITEM	WEIGHTAGE IN PERCENTAGE TO THE CONTRACT PRICE	STAGE OF PAYMENT	PERCENTAGE WEIGHTAGE	PERCENTAGE WEIGHTAGE vis a vis OVERALL PROJECT
1	2	3	4	5
		Earthwork up to top of the sub-grade including excavation in soil, soft rock and hard rock including Cleaning & grubbing with required site clearance etc.	32.61%	21.32%
		(2) Granular work (sub-base, shoulders)	7.83%	5.12%
		(3) Bituminous work		
		a)DBM With Prime coat & Tack coat.	8.82%	5.77%
		b) BC with Tack coat.	5.44%	3.56%
		(4) Rigid Pavement	0.00%	0.00%
		(5)Protection work	0.00%	0.00%
		(6)RCC/Reinf. Earth retaining Wall in approaches of ROB	0.00%	0.00%
		(7)Drainage Works	0.00%	0.00%
		(8)Protection Work	0.00%	0.00%
		<b>C- New culverts, minor bridges, underpasses, overpasses on existing road, realignments, bypasses:</b>		
		(1)Box / Slab Culverts	9.52%	6.23%
		(2) HP Culvert	0.00%	0.00%
		(3) Embankment Protection(New Lane)	0.00%	0.00%
		(4) Grade separated structures	0.00%	0.00%
		(5) Overpass	0.00%	0.00%
		(6) Elephant Underpass	0.00%	0.00%
		(7) Approaches to ROB	0.00%	0.00%

"Construction of two-Lane with paved shoulders of Joram – Koloriang Road (NH-713) on EPC basis from existing Km 20.000 to Km 35.150 [Design Km. 20.000 to Km. 32.050] (Design Length - 12.05 Km)in the state of Arunachal Pradesh under SARDP-NE"



ITEM	WEIGHTAGE IN PERCENTAGE TO THE CONTRACT PRICE	STAGE OF PAYMENT	PERCENTAGE WEIGHTAGE	PERCENTAGE WEIGHTAGE vis a vis OVERALL PROJECT
1	2	3	4	5
		and Viaduct		
		(8) Minor Bridges	0.00%	0.00%
		(9) Cattles/Pedestrian Underpasses	0.00%	0.00%
		(10) Vehicular Underpass	0.00%	0.00%
<b>Major Bridge works and ROB/RUB</b>	0.00%	<b>A- Widening and repairs of Major Bridges</b>		
		(1) Foundation	0.00%	0.00%
		(2) Sub-structure	0.00%	0.00%
		(3) Super-structure (including wearing coat, crash barrier etc. complete in all respect)	0.00%	0.00%
		<b>B- Widening and repair of</b>		
		(a) ROB	0.00%	0.00%
		(b) RUB	0.00%	0.00%
		<b>C- New Major Bridges</b>		
		(1) other Miscellaneous Items	0.00%	0.00%
		(2) Guide Bundh	0.00%	0.00%
		(3) Foundation	0.00%	0.00%
		(4) Sub structure	0.00%	0.00%
		(5) Super-structure (including wearing coats, crash barriers etc. complete)	0.00%	0.00%
		(6) Protection works	0.00%	0.00%
		<b>D- New rail-road bridges including viaduct</b>		
		(a) ROB	0.00%	0.00%
		(b) RUB	0.00%	0.00%
<b>Structures(Elevated</b>	0.00%	(1) Foundation	0.00%	0.00%

"Construction of two-Lane with paved shoulders of Joram – Koloriang Road (NH-713) on EPC basis from existing Km 20.000 to Km 35.150 [Design Km. 20.000 to Km. 32.050] (Design Length - 12.05 Km) in the state of Arunachal Pradesh under SARDP-NE"



ITEM	WEIGHTAGE IN PERCENTAGE TO THE CONTRACT PRICE	STAGE OF PAYMENT	PERCENTAGE WEIGHTAGE	PERCENTAGE WEIGHTAGE vis a vis OVERALL PROJECT
1	2	3	4	5
sections, reinforced earth)		(2) Sub-structure	0.00%	0.00%
		(3) Super-structure (including crash barriers etc. complete)	0.00%	0.00%
		(4) Reinforced Earth Wall (includes Approaches of ROB, Underpasses, Overpasses, Flyover etc.)	0.00%	0.00%
Other Works	34.61%			
		(i)Service roads/Slip roads	0.00%	0.00%
		(ii)Toll Plaza	0.00%	0.00%
		(iii)(a)Road side drain & Toe wall	11.86%	4.10%
		(b)Catch water drain/Chute drain	4.63%	1.60%
		(iv)Road signs, marking, Km stones, Safety devices etc.		
		(a)Pavement Marking	1.10%	0.38%
		(b)Crash barrier/W metal crash barrier	3.73%	1.29%
		(c)Traffic Sign	0.16%	0.06%
		(d)Road Boundary stone, km Stone,5th km stone and hectometer stone	0.03%	0.01%
		(e)Traffic blinker LED delineator,stud,reflective payment marker, tree reflector	0.67%	0.23%
		(f)Solar stud and solar blinking LED	0.00%	0.00%
		(g)Traffic control devices and road safety works	0.00%	0.00%
		(h)Road furniture	0.07%	0.03%

"Construction of two-Lane with paved shoulders of Joram – Koloriang Road (NH-713) on EPC basis from existing Km 20.000 to Km 35.150 [Design Km. 20.000 to Km. 32.050] (Design Length - 12.05 Km)in the state of Arunachal Pradesh under SARDP-NE"



ITEM	WEIGHTAGE IN PERCENTAGE TO THE CONTRACT PRICE	STAGE OF PAYMENT	PERCENTAGE WEIGHTAGE	PERCENTAGE WEIGHTAGE vis a vis OVERALL PROJECT
1	2	3	4	5
		(overhead signboard etc.)		
		(i)Protection Work (Provision of Rip-Rap or similar work in valley side of the curves as special safety features)	0.69 %	0.24%
		<b>(v)Project facilities</b>	0.00%	0.00%
		(a)Truck lay-byes	0.00%	0.00%
		(b)Bus bays and Bus Shelter	0.25%	0.09%
		(c)Major Junction	0.00%	0.00%
		(d)Minor Junction	4.39%	1.52%
		(e)Median filling shrub plantation and maintainance for 1 year	0.00%	0.00%
		(f)Interlocking concrete block pavement	0.00%	0.00%
		(g)CC Kerb	0.00%	0.00%
		(h)Rest area with development of site including one no bus bay and bus shelter, landscaping and tree plantation	0.00%	0.00%
		(i) Others	0.24%	0.08%
		(j)Road Appurtenances	0.24%	0.08%
		<b>(vi)Repairs to bridges/structures</b>		
		(a)Providing wearing coat	0.00%	0.00%
		(b)Replacement of bearings, joints	0.00%	0.00%
		(c)Providing crash barrier	0.00%	0.00%
		(d)Other items	0.00%	0.00%
		<b>(vii) Road Side Plantation</b>	0.00%	0.00%

“Construction of two-Lane with paved shoulders of Joram – Koloriang Road (NH-713) on EPC basis from existing Km 20.000 to Km 35.150 [Design Km. 20.000 to Km. 32.050] (Design Length - 12.05 Km)in the state of Arunachal Pradesh under SARDP-NE”





ITEM	WEIGHTAGE IN PERCENTAGE TO THE CONTRACT PRICE	STAGE OF PAYMENT	PERCENTAGE WEIGHTAGE	PERCENTAGE WEIGHTAGE vis a vis OVERALL PROJECT
1	2	3	4	5
		<b>&amp; Median plantation</b>		
		<b>(viii) Repair of protection works</b>	0.00%	0.00%
		<b>(ix) Traffic diversion, Safety and traffic management during construction</b>	0.00%	0.00%
		<b>(x) Miscellaneous item</b>	0.00%	0.00%
		<b>(xi) Slope Protection Works as special requirement for hill road</b>		
		(a) Breast Wall	53.33%	18.46%
		(b) Retaining Wall/Gabion wall	5.11%	1.77%
		(c) Parapet	3.99%	1.38%
		(d) Plantation (Vetiver, Hydro seeding and Mulching or similar techniques etc.) for slope protection on exposed hill slopes as slide mitigation measure.	9.50%	3.29%
		<b>Total %</b>		<b>100.00%</b>

### 1.3 Procedure of estimating the value of work done

1.3.1 Road works including approaches to minor bridges, Major Bridges and Structures (excluding service roads).

Procedure for estimating the value of road work done shall be as follows:



"Construction of two-Lane with paved shoulders of Joram – Koloriang Road (NH-713) on EPC basis from existing Km 20.000 to Km 35.150 [Design Km. 20.000 to Km. 32.050] (Design Length - 12.05 Km) in the state of Arunachal Pradesh under SARDP-NE"

TABLE 1.3.1

STAGE OF PAYMENT	PERCENTAGE WEIGHTAGE vis a vis overall Project	PAYMENT PROCEDURE
<b>A-Widening and Strengthening</b>		Unit of measurement is linear length. Payment of each stage shall be made on pro rata basis on completion of a stage in a length of not less than 10 (ten) percent of the total length.
(1) Earthwork up to top of the sub-grade including excavation in soil, soft rock and hard rock including Cleaning & grubbing with required site clearance etc.	13.10%	
(2) Granular work (sub- base, base, shoulders)	3.68%	
(3) Bituminous work		
a) DBM with prime coat and Tack coat	4.08%	
b) BC with Tack coat	2.53%	
(4) Concrete Pavement	0.00%	
(6) Widening and repair of culverts	0.00%	Cost of five completed culverts shall be determined pro rata with respect to the total number of culverts. Payment shall be made on the completion of five culverts.
(7) Protection of existing works	0.00%	Unit of measurement is linear length. Payment of each stage shall be made on pro rata basis on completion of a stage in a length of not less than 10 (ten) percent of the total length.
(8) Widening and repair of minor bridges	0.00%	Cost of each minor bridge shall be determined on pro rata basis with respect to the total linear length of the minor bridges. Payment shall be made on the completion of a minor bridge.
<b>B- New 2-lane alignment</b>		Unit of measurement is linear length. Payment of each stage shall be made on pro rata basis on completion of a stage in a length of not less than 10 (ten) percent of the total length.
(1) Earthwork up to top of the sub-grade including excavation in soil, soft rock and hard rock including Cleaning & grubbing with required site	21.32%	

“Construction of two-Lane with paved shoulders of Joram – Koloriang Road (NH-713) on EPC basis from existing Km 20.000 to Km 35.150 [Design Km. 20.000 to Km. 32.050] (Design Length - 12.05 Km) in the state of Arunachal Pradesh under SARDP-NE”



STAGE OF PAYMENT	PERCENTAGE WEIGHTAGE vis a vis overall Project	PAYMENT PROCEDURE
clearance etc.		
(2) Granular work (sub- base, base, shoulders)	5.12%	
(3) Bituminous work	0.00%	
a) DBM with prime coat and Tack coat	5.77%	
b) BC with Tack coat	3.56%	
(4) CC Pavement	0.00%	
(5) Protection Works	0.00%	
(6) RCC / Reinf. Earth ret wall in approaches of RoB	0.00%	
(7) Drainage Works	0.00%	
(8) Protection works	0.00%	
<b>C- New culverts, minor bridges, underpasses, overpasses on existing road, realignments, bypasses:</b>		
(1) Box / Slab Culverts	6.23%	Cost of each culvert shall be determined on pro rata basis with respect to the total number of culverts. Payment shall be made on the completion of five culverts.
(2) HP Culverts	0.00%	
(3) Embankment Protection (New Lane)	0.00%	Unit of measurement is linear length. Payment of each stage shall be made on pro rata basis on completion of a stage in a length of not less than 10 (ten) percent of the total length.
(4) Grade Separated structures	0.00%	Cost of each structure shall be determined on pro rata basis with respect to the total
(5) Overpasses	0.00%	

“Construction of two-Lane with paved shoulders of Joram – Koloriang Road (NH-713) on EPC basis from existing Km 20.000 to Km 35.150 [Design Km. 20.000 to Km. 32.050] (Design Length - 12.05 Km) in the state of Arunachal Pradesh under SARDP-NE”



STAGE OF PAYMENT	PERCENTAGE WEIGHTAGE vis a vis overall Project	PAYMENT PROCEDURE
(6) Elephant underpass	0.00%	number of structures. Payment shall be made on the completion of each number of structures specified.
(7) Approaches to ROB and Viaduct	0.00%	
(8) Minor bridges	0.00%	Cost of each minor bridge/Culvert shall be determined on pro rata basis with respect to the total linear length of the minor bridges/culvert. Payment shall be made on the completion of a minor bridge/culvert.
(9) Cattles/Pedestrian Underpasses	0.00%	Cost of each structure shall be determined on pro rata basis with respect to the total number of structures. Payment shall be made on the completion of each number of structures specified.
(10) Vehicular Underpasses	0.00%	

@. For example, if the total length of bituminous work to be done is 100 km, the cost per km of bituminous work shall be determined as follows:

Cost per km = P x weightage for bituminous work x (1/L)

Where P= Contract Price

L = Total length in km

Similarly, the rates per km for stages (1), (2) and (4) above shall be worked out.

### 1.3 Procedure of estimating the value of work done

#### 1.3.2 Major Bridge works and ROB/RUB.

Procedure for estimating the value of Major Bridge works and of ROB/RUB shall be as stated in table-1.3.2.



"Construction of two-Lane with paved shoulders of Joram – Koloriang Road (NH-713) on EPC basis from existing Km 20.000 to Km 35.150 [Design Km. 20.000 to Km. 32.050] (Design Length - 12.05 Km) in the state of Arunachal Pradesh under SARDP-NE"

TABLE 1.3.2

STAGE OF PAYMENT	WEIGHTAGE	PAYMENT PROCEDURE
<b>A- Widening and repairs of Major Bridges</b>		Cost of each Major Bridge (widening and repairs) shall be determined on pro rata basis with respect to the total linear length (m) of the Major Bridges (widening and repairs). Payment shall be made on completion of each stage of a Major Bridge as per the weightage given in this table.
(1) Foundation	0.00%	
(2) Sub-structure	0.00%	
(3) Super-structure (including wearing coat, crash barriers etc. complete in all respect )	0.00%	
<b>B- Widening and repair of</b>		Cost of each ROB/RUB (widening and repairs) shall be determined on pro rata basis with respect to the total linear length (m) of the ROB/RUB (widening and repairs). Payment shall be made on completion of an ROB/RUB
(a) ROB	0.00%	
(b) RUB	0.00%	
<b>C- New Major Bridges</b>		Payment shall be made on pro rata basis on completion of 25 (twenty five) percent of each stage of a Major Bridge as per the weightage given in this table.
(1) Other Miscellaneous Items	0.00%	
(2) Guide Bund	0.00%	
(3) Foundation	0.00%	
(4) Sub-structure	0.00%	
(5) Super-structure (including wearing coat, crash barriers etc. complete in all respect )	0.00%	
(6) Protection Works	0.00%	
<b>D- New rail-road bridge</b>		Payment shall be made on pro rata basis on completion of 25 (twenty five) percent of each stage of a ROB/RUB as per the weightage given in this table.
(a) ROB	0.00%	
(b) RUB	0.00%	



“Construction of two-Lane with paved shoulders of Joram – Koloriang Road (NH-713) on EPC basis from existing Km 20.000 to Km 35.150 [Design Km. 20.000 to Km. 32.050] (Design Length - 12.05 Km) in the state of Arunachal Pradesh under SARDP-NE”

TABLE: 1.3.3

STAGE OF PAYMENT	WEIGHTAGE	PAYMENT PROCEDURE
(1) Foundation: On completion of the foundation works including foundations for wing and return walls	0.00%	Cost of each structure shall be determined on pro rata basis in respect to the total linear length (m) of all the structures. Payment shall be made on completion of each stage of a structure as per the weightage given in this table.
(2) Sub-structure: On completion of abutments, piers up to the abutment/pier cap	0.00%	
(3) Super-structure: On completion of the Structure along with super structure, including hand rails/crash barriers, wing walls, return walls, tests on completion etc., elevated structure complete in all respects and fit for use.	0.00%	
(4) Reinforced earth work	0.00%	Payment shall be made on pro rata basis on completion of 20 (twenty) percent of total area.



“Construction of two-Lane with paved shoulders of Joram – Koloriang Road (NH-713) on EPC basis from existing Km 20.000 to Km 35.150 [Design Km. 20.000 to Km. 32.050] (Design Length - 12.05 Km) in the state of Arunachal Pradesh under SARDP-NE”

**1.3.4 Other works.**

Procedure for estimating the value of other works done shall be as stated in table 1.3.4:

**TABLE 1.3.4**

STAGE OF PAYMENT	PERCENTAGE WEIGHTAGE vis a vis overall Project	PAYMENT PROCEDURE
<b>Other Engineering Works</b>		
<b>(i)Service roads/slip road</b>	0.00%	Unit of measurement is linear length in km. Cost per km shall be determined on pro rata basis with respect to the total length of the service roads/slip roads. Payment shall be made for completed service roads/slip roads in a length of not less than 20 (twenty) percent of the total length of service roads/slip roads.
<b>(ii)Toll Plaza</b>	0.00%	Unit of measurement is each completed toll plaza. Payment of each toll plaza shall be made on pro rata basis with respect to the total of all toll plazas.
<b>(iii)(a)Road side drain &amp; Toe wall</b>	4.10 %	Unit of measurement is linear length. Payment shall be made on pro rata basis on completion of a stage in a length of not less than 10 (ten) percent of the total length
<b>(b)Catch water drain/Chute drain</b>	1.60 %	



“Construction of two-Lane with paved shoulders of Joram – Koloriang Road (NH-713) on EPC basis from existing Km 20.000 to Km 35.150 [Design Km. 20.000 to Km. 32.050] (Design Length - 12.05 Km)in the state of Arunachal Pradesh under SARDP-NE”

STAGE OF PAYMENT	PERCENTAGE WEIGHTAGE vis a vis overall Project	PAYMENT PROCEDURE
<b>(iv) Road signs, marking, Km stones, Safety devices etc.</b>		Unit of measurement is linear length. Payment shall be made on pro rata basis on completion of a stage in a length of not less than 10 (ten) percent of the total length.
(a) Pavement Marking	0.38 %	
(b) Crash barrier/W metal crash barrier	1.29%	
(c) Traffic Sign	0.06%	
(d) Road Boundary stone, km Stone, 5th km stone and hectometer stone	0.01%	
(e) Traffic blinker LED delineator, stud, reflective payment marker, tree reflector	0.23%	
(f) Solar stud and solar blinking LED	0.00%	
(g) Traffic control devices and road safety works	0.00%	
(h) Road furniture (overhead signboard etc.)	0.03%	
(i) Protection Work (Provision of Rip-Rap or similar work in valley side of the curves as special safety features)	0.24%	
<b>(v) Project facilities</b>	0.00%	
(a) Truck lay-byes	0.00%	



“Construction of two-Lane with paved shoulders of Joram – Koloriang Road (NH-713) on EPC basis from existing Km 20.000 to Km 35.150 [Design Km. 20.000 to Km. 32.050] (Design Length - 12.05 Km) in the state of Arunachal Pradesh under SARDP-NE”



STAGE OF PAYMENT	PERCENTAGE WEIGHTAGE vis a vis overall Project	PAYMENT PROCEDURE
(b)Bus bays and Bus Shelter	0.09%	Payment shall be made on pro rata basis for completed facilities.
(c)Major Junction	0.00%	
(d)Minor Junction	1.52%	
(e)Median filling shrub plantation and maintainance for 1 year	0.00%	
(f)Interlocking concrete block pavement	0.00%	
(g)CC Kerb	0.00%	
(h)Rest area with development of site including one no bus bay and bus shelter, landscaping and tree plantation	0.00%	
(i) Others	0.08%	
(j)Road Appurtenances	0.08%	
<b>(vi)Repairs to bridges/structures</b>		Payment shall be made for completed items.
(a)Providing wearing coat	0.00%	
(b)Replacement of bearings, joints	0.00%	
(c)Providing crash barrier	0.00%	
(d)Other items	0.00%	
<b>(vii) Roadside Plantation &amp; Median Plantation</b>	0.00%	Unit of measurement is linear length. Payment shall be made on pro rata basis on completion of a stage in a

“Construction of two-Lane with paved shoulders of Joram – Koloriang Road (NH-713) on EPC basis from existing Km 20.000 to Km 35.150 [Design Km. 20.000 to Km. 32.050] (Design Length - 12.05 Km)in the state of Arunachal Pradesh under SARDP-NE”

STAGE OF PAYMENT	PERCENTAGE WEIGHTAGE vis a vis overall Project	PAYMENT PROCEDURE
<b>(viii) Repair of protection works</b>	0.00%	length of not less than 10 (ten) percent of the total length.
<b>(ix) Traffic diversion, Safety and traffic management during construction</b>	0.00%	Payment shall be made on prorata basis every six months.
<b>(x) Miscellaneous Items</b>	0.00%	Unit of measurement is linear length. Payment shall be made on pro rata basis on completion of a stage in a length of not less than 10 (ten) percent of the total length
<b>(xi) Slope Protection works as special requirement for hill roads</b>		
(a) Breast wall	18.46%	Unit of measurement is linear length. Payment shall be made on pro rata basis on completion of a stage in a length of not less than 10 (ten) percent of the total length.
(b) Retaining wall/Gabion wall	1.77%	
(c) Parapet	1.38%	
(d) Plantation (Vetiver, Hydro seeding and Mulching etc.) for slope protection on exposed hill slopes as slide mitigation measure.	3.29%	

## 2 Procedure for payment for Maintenance

2.1 The cost for maintenance shall be as stated in Clause 14.1.1.

2.2 Payment for Maintenance shall be made in quarterly installments in accordance with the provisions of Clause 19.7.



“Construction of two-Lane with paved shoulders of Joram – Koloriang Road (NH-713) on EPC basis from existing Km 20.000 to Km 35.150 [Design Km. 20.000 to Km. 32.050] (Design Length - 12.05 Km) in the state of Arunachal Pradesh under SARDP-NE”

**SCHEDULE - I**  
**(See Clause 10.2.4)**  
**DRAWINGS**

**1 Drawings**

In compliance of the obligations set forth in Clause 10.2 of this Agreement, the Contractor shall furnish to the Authority's Engineer, free of cost, all Drawings listed in Annex-I of this Schedule-I.

**2 Additional Drawings**

If the Authority's Engineer determines that for discharging its duties and functions under this Agreement, it requires any drawings other than those listed in Annex-I, it may by notice require the Contractor to prepare and furnish such drawings forthwith. Upon receiving a requisition to this effect, the Contractor shall promptly prepare and furnish such drawings to the Authority's Engineer, as if such drawings formed part of Annex-I of this Schedule-I.



**Annex - I  
(Schedule - I)**

**List of Drawings**

[Note : The Contractor is required to furnish all the drawings as per the manual and clause 10.2]



**SCHEDULE - J**  
**(See Clause 10.3.2)****PROJECT COMPLETION SCHEDULE****1 Project Completion Schedule**

During Construction period, the Contractor shall comply with the requirements set forth in this Schedule-J for each of the Project Milestones and the Scheduled Completion Date. Within 15 (fifteen) days of the date of each Project Milestone, the Contractor shall notify the Authority of such compliance along with necessary particulars thereof.

**2 Project Milestone-I**

2.1 Project Milestone-I shall occur on the date falling on the 180th (one hundred and eightieth) day from the Appointed Date (the “Project Milestone-I”).

2.2 Prior to the occurrence of Project Milestone-I, the Contractor shall have commenced construction of the Project Highway and submitted to the Authority duly and validly prepared Stage Payment Statements for an amount not less than 10% (ten per cent) of the Contract Price.

**3 Project Milestone-II**

3.1 Project Milestone-II shall occur on the date falling on the 550th (Five hundred and fiftieth) day from the Appointed Date (the “Project Milestone-II”).

3.2 Prior to the occurrence of Project Milestone-II, the Contractor shall have continued with construction of the Project Highway and submitted to the Authority duly and validly prepared Stage Payment Statements for an amount not less than 40% (Fourty per cent) of the Contract Price.

**4 Project Milestone-III**

4.1 Project Milestone-III shall occur on the date falling on the 915th (Nine hundred and fifteenth) day from the Appointed Date (the “Project Milestone- III”).

4.2 Prior to the occurrence of Project Milestone-III, the Contractor shall have continued with construction of the Project Highway and submitted to the Authority duly and validly



prepared Stage Payment Statements for an amount not less than 80% (Eighty per cent) of the Contract Price.

**5 Scheduled Completion Date**

5.1 The Scheduled Completion Date shall occur on the 1095th (one thousand ninety fifth ) day from the Appointed Date.

5.2 On or before the Scheduled Completion Date, the Contractor shall have completed construction in accordance with this Agreement.

**6 Extension of time**

Upon extension of any or all of the aforesaid Project Milestones or the Scheduled Completion Date, as the case may be, under and in accordance with the provisions of this Agreement, the Project Completion Schedule shall be deemed to have been amended accordingly.



**SCHEDULE – K**  
**(See Clause 12.1.2)****Tests on Completion****1 Schedule for Tests**

- 1.1 The Contractor shall, no later than 30 (thirty) days prior to the likely completion of construction, notify the Authority's Engineer and the Authority of its intent to subject the Project Highway to Tests, and no later than 10 (ten) days prior to the actual date of Tests, furnish to the Authority's Engineer and the Authority detailed inventory and particulars of all works and equipment forming part of Works.
- 1.2 The Contractor shall notify the Authority's Engineer of its readiness to subject the Project Highway to Tests at any time after 10 (ten) days from the date of such notice, and upon receipt of such notice, the Authority's Engineer shall, in consultation with the Contractor, determine the date and time for each Test and notify the same to the Authority who may designate its representative to witness the Tests. The Authority's Engineer shall thereupon conduct the Tests itself or cause any of the Tests to be conducted in accordance with Article 12 and this Schedule-K.

**2 Tests**

- 2.1 Visual and physical test: The Authority's Engineer shall conduct a visual and physical check of construction to determine that all works and equipment forming part thereof conform to the provisions of this Agreement. The physical tests shall include all the tests required for quality control or as decided in consultation with the Authority's Engineer at the time of physical tests as per relevant IRC code Manual .
- 2.2 Riding quality test: Riding quality of each lane of the carriageway shall be checked with the help of a calibrated bump integrator and the maximum permissible roughness for purposes of this Test shall be 2,000 (two thousand) mm for each kilometer.
- 2.3 Tests for bridges: All major and minor bridges shall be subjected to the rebound hammer and ultrasonic pulse velocity tests, to be conducted in accordance with the procedure described in Special Report No. 17: 1996 of the IRC Highway Research Board on Non destructive Testing Techniques, at two spots in every span, to be chosen at random by

---

"Construction of two-Lane with paved shoulders of Joram – Koloriang Road (NH-713) on EPC basis from existing Km 20.000 to Km 35.150 [Design Km. 20.000 to Km. 32.050] (Design Length - 12.05 Km)in the state of Arunachal Pradesh under SARDP-NE"



the Authority's Engineer. Bridges with a span of 15 (fifteen) metres or more shall also be subjected to load testing.

- 2.4 Other tests: The Authority's Engineer may require the Contractor to carry out or cause to be carried additional tests, in accordance with Good Industry Practice, for determining the compliance of the Project Highway with Specifications and Standards.
- 2.5 Environmental audit: The Authority's Engineer shall carry out a check to determine conformity of the Project Highway with the environmental requirements set forth in Applicable Laws and Applicable Permits.
- 2.6 Safety Audit: The Authority's Engineer shall carry out, or cause to be carried out, a safety audit to determine conformity of the Project Highway with the safety requirements and Good Industry Practice.

**3 Agency for conducting Tests**

The Authority's Engineer or such other agency or person shall conduct all Tests set forth in this Schedule-K as it may specify in consultation with the Authority.

**4 Completion Certificate**

Upon successful completion of Tests, the Authority's Engineer shall issue the Completion Certificate in accordance with the provisions of Article 12.





**SCHEDULE - L**  
**(See Clause 12.2 and 12.4)**  
**PROVISIONAL CERTIFICATE**

- 1 I, ..... (Name of the Authority's Engineer), acting as the Authority's Engineer, under and in accordance with the Agreement dated ..... (the "Agreement"), for **"Construction of two-Lane with paved shoulders of Joram – Koloriang Road (NH-713) on EPC basis from existing Km 20.000 to Km 35.150 [Design Km. 20.000 to Km. 32.050] (Design Length - 12.05 Km) in the state of Arunachal Pradesh under SARDP-NE"** on Engineering, Procurement and Construction (EPC) basis through ..... (Name of Contractor), hereby certify that the Tests in accordance with Article 12 of the Agreement have been undertaken to determine compliance of the Project Highway with the provisions of the Agreement.
- 2 Works that are incomplete on account of Time Extension have been specified in the Punch List appended hereto, and the Contractor has agreed and accepted that it shall complete all such works in the time and manner set forth in the Agreement. In addition, certain minor works are incomplete and these are not likely to cause material inconvenience to the Users of the Project Highway or affect their safety. The Contractor has agreed and accepted that as a condition of this Provisional Certificate, it shall complete such minor works within 30 (thirty) days hereof. These minor works have also been specified in the aforesaid Punch List.
- 3 In view of the foregoing, I am satisfied that the **"Construction of two-Lane with paved shoulders of Joram – Koloriang Road (NH-713) on EPC basis from existing Km 20.000 to Km 35.150 [Design Km. 20.000 to Km. 32.050] (Design Length - 12.05 Km) in the state of Arunachal Pradesh under SARDP-NE"**, can be safely and reliably placed in service of the Users thereof, and in terms of the Agreement, the Project Highway is hereby provisionally declared fit for entry into operation on this the ..... day of ..... 20.....

ACCEPTED, SIGNED, SEALED

SIGNED, SEALED and

And DELIVERED

DELIVERED




---

"Construction of two-Lane with paved shoulders of Joram – Koloriang Road (NH-713) on EPC basis from existing Km 20.000 to Km 35.150 [Design Km. 20.000 to Km. 32.050] (Design Length - 12.05 Km) in the state of Arunachal Pradesh under SARDP-NE"

For and on behalf of  
CONTRACTOR by:

For and on behalf of  
AUTHORITY ENGINEER by:

### COMPLETION CERTIFICATE

- 1 I, ..... (Name of the Authority's Engineer), acting as the Authority's Engineer, under and in accordance with the Agreement dated ..... (the "Agreement"), for **"Construction of two-Lane with paved shoulders of Joram – Koloriang Road (NH-713) on EPC basis from existing Km 20.000 to Km 35.150 [Design Km. 20.000 to Km. 32.050] (Design Length - 12.05 Km)in the state of Arunachal Pradesh under SARDP-NE"** on Engineering, Procurement and Construction (EPC) basis through ..... (Name of Contractor), hereby certify that the Tests in accordance with Article 12 of the Agreement have been successfully undertaken to determine compliance of the Project Highway with the provisions of the Agreement, and I am satisfied that the Project Highway can be safely and reliably placed in service of the Users thereof.
- 2 It is certified that, in terms of the aforesaid Agreement, all works forming part of Project Highway have been completed, and the Project Highway is hereby declared fit for entry into operation on this the ..... day of ..... 20.....

SIGNED, SEALED AND DELIVERED For and on

behalf of the Authority's Engineer by:

(Signature)

(Name)

(Designation)

(Address)

105



---

**"Construction of two-Lane with paved shoulders of Joram – Koloriang Road (NH-713) on EPC basis from existing Km 20.000 to Km 35.150 [Design Km. 20.000 to Km. 32.050] (Design Length - 12.05 Km)in the state of Arunachal Pradesh under SARDP-NE"**

**SCHEDULE - M**  
(See Clauses 14.6, 15.2 and 19.7)

**PAYMENT REDUCTION FOR NON-COMPLIANCE**

- 1. Payment reduction for non-compliance with the Maintenance Requirements**
  - 1.1 Monthly lump sum payments for maintenance shall be reduced in the case of non-compliance with the Maintenance Requirements set forth in Schedule-E.
  - 1.2 Any deduction made on account of non-compliance with the Maintenance Requirements shall not be paid even after compliance subsequently. The deductions shall continue to be made every month until compliance is done.
  - 1.3 The Authority's Engineer shall calculate the amount of payment reduction on the basis of weightage in percentage assigned to non-conforming items as given in Paragraph 2.
- 2. Percentage reductions in lump sum payments**
  - 2.1 The following percentages shall govern the payment reduction:

SI No	Item/Defect/Deficiency	Percentage (%)
<b>a</b>	<b>Carriageway/Pavement</b>	
I	Potholes, cracks, other surface defects	15
II	Repair of edges, rutting	5
<b>b</b>	<b>Road, Embankment, Cuttings, Shoulders</b>	
I	Edge drop, inadequate crossfall, undulations, settlement, potholes, ponding, obstructions	10

"Construction of two-Lane with paved shoulders of Joram – Koloriang Road (NH-713) on EPC basis from existing Km 20.000 to Km 35.150 [Design Km. 20.000 to Km. 32.050] (Design Length - 12.05 Km) in the state of Arunachal Pradesh under SARDP-NE"



SI No	Item/Defect/Deficiency	Percentage (%)
II	Deficient slopes, raincuts, disturbed pitching, vegetation growth, pruning of trees	5
<b>c</b>	<b>Bridges and Culverts</b>	
I	Desilting, Cleaning, vegetation, growth, damaged pitching, flooring, parapets, wearing course, footpaths, any damage to foundations	20
II	Any Defects in superstructures, bearings and sub-structures	10
III	Painting, repairs/replacement kerbs, railings, parapets, guideposts/crash barriers.	5
<b>d</b>	<b>Roadside drains</b>	
I	Cleaning and repair of drains	5
<b>e</b>	<b>Road Furniture</b>	
I	Cleaning, painting, replacement of road signs, delineators, road markings, 200 m/km/5th km stones.	5
<b>f</b>	<b>Miscellaneous Items</b>	
I	Removal of dead animals, broken down/accidented vehicles, fallen trees, road blockades or malfunctioning of mobile crane	10
II	Any other Defects in accordance with paragraph 1.	5
<b>g</b>	<b>Defects in Other Project Facilities</b>	5

The amount to be deducted from monthly lump-sum payment for non compliance of



particular item shall be calculated as under:

$$R = P/100 \times M \times L1/L$$

Where P = Percentage of particular item/Defect/deficiency for deduction

M = Monthly lump-sum payment in accordance with the Bid

L1 = Non-complying Length

L = Total length of the road

R = Reduction (the amount to be deducted for non-compliance for a particular item/Defect/deficiency)

The total amount of reduction shall be arrived at by summation of reductions for such items/Defects/deficiency or non-compliance.

For any Defect in a part of one kilometre, the non-conforming length shall be taken as one kilometre.



**SCHEDULE - N**  
**(See Clause 18.1.1)**

**SELECTION OF AUTHORITY'S ENGINEER**

**1 Selection of Authority's Engineer**

- 1.1 The provisions of the Model Request for Proposal for Selection of Technical Consultants, issued by the Ministry of Finance in May 2009, or any substitute thereof shall apply for selection of an experienced firm to discharge the functions and duties of an Authority's Engineer.
- 1.2 In the event of termination of the Technical Consultants appointed in accordance with the provisions of Paragraph 1.1, the Authority shall appoint another firm of Technical Consultants forthwith and may engage a government-owned entity in accordance with the provisions of Paragraph 3 of this Schedule -N.

**2 Terms of Reference**

The Terms of Reference for the Authority's Engineer (the "TOR") shall substantially conform with Annex 1 to this Schedule N.

**3 Appointment of Government entity as Authority's Engineer**

Notwithstanding anything to the contrary contained in this Schedule, the Authority may in its discretion appoint a government-owned entity as the Authority's Engineer;



provided that such entity shall be a body corporate having as one of its primary functions the provision of consulting, advisory and supervisory services for engineering projects; provided further that a government-owned entity which is owned or controlled by the Authority shall not be eligible for appointment as Authority's Engineer.

**Annex – I**  
**(Schedule - N)**

**TERMS OF REFERENCE FOR AUTHORITY'S ENGINEER**

**1 Scope**

- 1.1 These Terms of Reference (the "TOR") for the Authority's Engineer are being specified pursuant to the EPC Agreement dated ..... (the "Agreement"), which has been entered into between the National Highways and Infrastructure Development Corporation Ltd. (the "Authority") and ..... (the "Contractor") for the **"Construction of two-Lane with paved shoulders of Joram – Koloriang Road (NH-713) on EPC basis from existing Km 20.000 to Km 35.150 [Design Km. 20.000 to Km. 32.050] (Design Length - 12.05 Km) in the state of Arunachal Pradesh under SARDP-NEs"**, on Engineering, Procurement, Construction (EPC) basis, and a copy of which is annexed hereto and marked as Annex-A to form part of this TOR.
- 1.2 The TOR shall apply to construction and maintenance of the Project Highway.

**2 Definitions and interpretation**

- 2.1 The words and expressions beginning with or in capital letters and not defined herein but defined in the Agreement shall have, unless repugnant to the context, the meaning



respectively assigned to them in the Agreement.

- 2.2 References to Articles, Clauses and Schedules in this TOR shall, except where the context otherwise requires, be deemed to be references to the Articles, Clauses and Schedules of the Agreement, and references to Paragraphs shall be deemed to be references to Paragraphs of this TOR.
- 2.3 The rules of interpretation stated in Clauses 1.2, 1.3 and 1.4 of the Agreement shall apply, mutatis mutandis, to this TOR.

### **3. General**

- 3.1 The Authority's Engineer shall discharge its duties in a fair, impartial and efficient manner, consistent with the highest standards of professional integrity and Good Industry Practice.
- 3.2 The Authority's Engineer shall perform the duties and exercise the authority in accordance with the provisions of this Agreement, but subject to obtaining prior written approval of the Authority before determining:
- (a) any Time Extension;
  - (b) any additional cost to be paid by the Authority to the Contractor;
  - (c) the Termination Payment; or
  - (d) any other matter which is not specified in (a), (b) or (c) above and which creates an obligation or liability on either Party for a sum exceeding Rs. 5,000,000 (Rs. fifty lakh).
- 3.3 The Authority's Engineer shall submit regular periodic reports, at least once every month, to the Authority in respect of its duties and functions under this Agreement. Such reports shall be submitted by the Authority's Engineer within 10 (ten) days of the beginning of every month.
- 3.4 The Authority's Engineer shall inform the Contractor of any delegation of its duties and



responsibilities to its suitably qualified and experienced personnel; provided, however, that it shall not delegate the authority to refer any matter for the Authority's prior approval in accordance with the provisions of Clause 18.2.

- 3.5 The Authority's Engineer shall aid and advise the Authority on any proposal for Change of Scope under Article 13.
- 3.6 In the event of any disagreement between the Parties regarding the meaning, scope and nature of Good Industry Practice, as set forth in any provision of the Agreement, the Authority's Engineer shall specify such meaning, scope and nature by issuing a reasoned written statement relying on good industry practice and authentic literature.

#### **4 Construction Period**

- 4.1 During the Construction Period, the Authority's Engineer shall review the Drawings furnished by the Contractor along with supporting data, including the geo-technical and hydrological investigations, characteristics of materials from borrow areas and quarry sites, topographical surveys, and the recommendations of the Safety Consultant in accordance with the provisions of Clause 10.1.6. The Authority's Engineer shall complete such review and send its observations to the Authority and the Contractor within 15 (fifteen) days of receipt of such Drawings; provided, however that in case of a Major Bridge or Structure, the aforesaid period of 15 (fifteen) days may be extended upto 30 (thirty) days. In particular, such comments shall specify the conformity or otherwise of such Drawings with the Scope of the Project and Specifications and Standards.
- 4.2 The Authority's Engineer shall review any revised Drawings sent to it by the Contractor and furnish its comments within 10 (ten) days of receiving such Drawings.
- 4.3 The Authority's Engineer shall review the Quality Assurance Plan submitted by the Contractor and shall convey its comments to the Contractor within a period of 21 (twenty-one) days stating the modifications, if any, required thereto.
- 4.4 The Authority's Engineer shall complete the review of the methodology proposed to be adopted by the Contractor for executing the Works, and convey its comments to the



- Contractor within a period of 10 (ten) days from the date of receipt of the proposed methodology from the Contractor.
- 4.5 The Authority's Engineer shall grant written approval to the Contractor, where necessary, for interruption and diversion of the flow of traffic in the existing lane(s) of the Project Highway for purposes of maintenance during the Construction Period in accordance with the provisions of Clause 10.4.
- 4.6 The Authority's Engineer shall review the monthly progress report furnished by the Contractor and send its comments thereon to the Authority and the Contractor within 7 (seven) days of receipt of such report.
- 4.7 The Authority's Engineer shall inspect the Construction Works and the Project Highway and shall submit a monthly Inspection Report bringing out the results of inspections and the remedial action taken by the Contractor in respect of Defects or deficiencies. In particular, the Authority's Engineer shall include in its Inspection Report, the compliance of the recommendations made by the Safety Consultant.
- 4.8 The Authority's Engineer shall conduct the pre-construction review of manufacturer's test reports and standard samples of manufactured Materials, and such other Materials as the Authority's Engineer may require.
- 4.9 For determining that the Works conform to Specifications and Standards, the Authority's Engineer shall require the Contractor to carry out, or cause to be carried out, tests at such time and frequency and in such manner as specified in the Agreement and in accordance with Good Industry Practice for quality assurance. For purposes of this Paragraph 4.9, the tests specified in the IRC Special Publication-11 (Handbook of Quality Control for Construction of Roads and Runways) and the Specifications for Road and Bridge Works issued by MORTH (the "Quality Control Manuals") or any modification/substitution thereof shall be deemed to be tests conforming to Good Industry Practice for quality assurance.
- 4.10 The Authority's Engineer shall test check at least 20 (twenty) percent of the quantity or number of tests prescribed for each category or type of test for quality control by the Contractor.



- 4.11 The timing of tests referred to in Paragraph 4.9, and the criteria for acceptance/rejection of their results shall be determined by the Authority's Engineer in accordance with the Quality Control Manuals. The tests shall be undertaken on a random sample basis and shall be in addition to, and independent of, the tests that may be carried out by the Contractor for its own quality assurance in accordance with Good Industry Practice.
- 4.12 In the event that results of any tests conducted under Clause 11.10 establish any Defects or deficiencies in the Works, the Authority's Engineer shall require the Contractor to carry out remedial measures.
- 4.13 The Authority's Engineer may instruct the Contractor to execute any work which is urgently required for the safety of the Project Highway, whether because of an accident, unforeseeable event or otherwise; provided that in case of any work required on account of a Force Majeure Event, the provisions of Clause 21.6 shall apply.
- 4.14 In the event that the Contractor fails to achieve any of the Project Milestones, the Authority's Engineer shall undertake a review of the progress of construction and identify potential delays, if any. If the Authority's Engineer shall determine that completion of the Project Highway is not feasible within the time specified in the Agreement, it shall require the Contractor to indicate within 15 (fifteen) days the steps proposed to be taken to expedite progress, and the period within which the Project Completion Date shall be achieved. Upon receipt of a report from the Contractor, the Authority's Engineer shall review the same and send its comments to the Authority and the Contractor forthwith.
- 4.15 The Authority's Engineer shall obtain from the Contractor a copy of all the Contractor's quality control records and documents before the Completion Certificate is issued pursuant to Clause 12.4.
- 4.16 Authority's Engineer may recommend to the Authority suspension of the whole or part



of the Works if the work threatens the safety of the Users and pedestrians. After the Contractor has carried out remedial measure, the Authority's Engineer shall inspect such remedial measures forthwith and make a report to the Authority recommending whether or not the suspension hereunder may be revoked.

- 4.17 In the event that the Contractor carries out any remedial measures to secure the safety of suspended works and Users, and requires the Authority's Engineer to inspect such works, the Authority's Engineer shall inspect the suspended works within 3 (three) days of receiving such notice, and make a report to the Authority forthwith, recommending whether or not such suspension may be revoked by the Authority.
- 4.18 The Authority's Engineer shall carry out, or cause to be carried out, all the Tests specified in Schedule-K and issue a Completion Certificate or Provisional Certificate, as the case may be. For carrying out its functions under this Paragraph 4.18 and all matters incidental thereto, the Authority's Engineer shall act under and in accordance with the provisions of Article 12 and Schedule-K.

## **5. Maintenance Period**

- 5.1 The Authority's Engineer shall aid and advise the Contractor in the preparation of its monthly Maintenance Programme and for this purpose carry out a joint monthly inspection with the Contractor.
- 5.2 The Authority's Engineer shall undertake regular inspections, at least once every month, to evaluate compliance with the Maintenance Requirements and submit a Maintenance Inspection Report to the Authority and the Contractor.
- 5.3 The Authority's Engineer shall specify the tests, if any, that the Contractor shall carry out, or cause to be carried out, for the purpose of determining that the Project Highway is in conformity with the Maintenance Requirements. It shall monitor and review the results of such tests and the remedial measures, if any, taken by the Contractor in this behalf.



- 5.4 In respect of any defect or deficiency referred to in Paragraph 3 of Schedule-E, the Authority's Engineer shall, in conformity with Good Industry Practice, specify the permissible limit of deviation or deterioration with reference to the Specifications and Standards and shall also specify the time limit for repair or rectification of any deviation or deterioration beyond the permissible limit.
- 5.5 The Authority's Engineer shall examine the request of the Contractor for closure of any lane(s) of the Project Highway for undertaking maintenance/repair thereof, and shall grant permission with such modifications, as it may deem necessary, within 5 (five) days of receiving a request from the Contractor. Upon expiry of the permitted period of closure, the Authority's Engineer shall monitor the reopening of such lane(s), and in case of delay, determine the Damages payable by the Contractor to the Authority under Clause 14.5.

## **6 Determination of costs and time**

- 6.1 The Authority's Engineer shall determine the costs, and/or their reasonableness, that are required to be determined by it under the Agreement.
- 6.2 The Authority's Engineer shall determine the period of Time Extension that is required to be determined by it under the Agreement.
- 6.3 The Authority's Engineer shall consult each Party in every case of determination in accordance with the provisions of Clause 18.5.

## **7. Payments**

- 7.1 The Authority's Engineer shall withhold payments for the affected works for which the Contractor fails to revise and resubmit the Drawings to the Authority's Engineer in accordance with the provisions of Clause 10.2.4 (d).

### **7.2 Authority's Engineer shall -**

- (a) within 10 (ten) days of receipt of the Stage Payment Statement from the Contractor pursuant to Clause 19.4, determine the amount due to the Contractor and recommend



the release of 90 (ninety) percent of the amount so determined as part payment, pending issue of the Interim Payment Certificate; and

- (b) within 15 (fifteen) days of the receipt of the Stage Payment Statement referred to in Clause 19.4, deliver to the Authority and the Contractor an Interim Payment Certificate certifying the amount due and payable to the Contractor, after adjustments in accordance with the provisions of Clause 19.10.

7.3 The Authority's Engineer shall, within 15 (fifteen) days of receipt of the Monthly Maintenance Statement from the Contractor pursuant to Clause 19.6, verify the Contractor's monthly statement and certify the amount to be paid to the Contractor in accordance with the provisions of the Agreement.

7.4 The Authority's Engineer shall certify final payment within 30 (thirty) days of the receipt of the final payment statement of Maintenance in accordance with the provisions of Clause 19.16.

## **8. Other duties and functions**


The Authority's Engineer shall perform all other duties and functions as specified in the Agreement.

## **9 Miscellaneous**

9.1 A copy of all communications, comments, instructions, Drawings or Documents sent by the Authority's Engineer to the Contractor pursuant to this TOR, and a copy of all the test results with comments of the Authority's Engineer thereon, shall be furnished by the Authority's Engineer to the Authority forthwith.


9.2 The Authority's Engineer shall retain at least one copy each of all Drawings and Documents received by it, including 'as-built' Drawings, and keep them in its safe custody.

9.3 Within 90 (ninety) days of the Project Completion Date, the Authority's Engineer shall



obtain a complete set of as-built Drawings, in 2 (two) hard copies and in micro film form or in such other medium as may be acceptable to the Authority, reflecting the Project Highway as actually designed, engineered and constructed, including an as-built survey illustrating the layout of the Project Highway and setback lines, if any, of the buildings and structures forming part of Project Facilities; and shall hand them over to the Authority against receipt thereof.

- 9.4 The Authority's Engineer, if called upon by the Authority or the Contractor or both, shall mediate and assist the Parties in arriving at an amicable settlement of any Dispute between the Parties.
- 9.5 The Authority's Engineer shall inform the Authority and the Contractor of any event of Contractor's Default within one week of its occurrence.




**SCHEDULE - O**  
*(See Clauses 19.4.1, 19.6.1, and 19.8.1)*  
**Forms of Payment Statements**

**1. Stage Payment Statement for Works**

The Stage Payment Statement for Works shall state:

- (a) The estimated amount for the Works executed in accordance with Clause 19.3.1 subsequent to the last claim;
- (b) Amounts reflecting adjustments in price for the aforesaid claim;
- (c) The estimated amount of each Change of Scope Order executed subsequent to the last claim
- (d) Amounts reflecting adjustment in price, if any, for (c) above in accordance with the provisions of Clause 13.2.3 (a);
- (e) Total of (a), (b), (c) and (d) above;
- (f) Deductions:
  - (i) Any amount to be deducted in accordance with the provisions of the Agreement except taxes;
  - (ii) Any amount towards deduction of taxes; and
  - (iii) Total of (i) and (ii) above.
- (g) Net claim: (e) – (f) (iii);
- (h) The amounts received by the Contractor up to the last claim:
  - (i) For the Works executed (excluding Change of Scope orders);
  - (ii) For Change of Scope Orders, and





- (iii) Taxes deducted

## **2. Monthly Maintenance Payment Statement**

The monthly Statement for Maintenance Payment shall state:

- (a) the monthly payment admissible in accordance with the provisions of the Agreement;
- (b) the deductions for maintenance work not done;
- (c) net payment for maintenance due, (a) minus (b);
- (d) amounts reflecting adjustments in price under Clause 19.12; and
- (e) amount towards deduction of taxes

## **3. Contractor's claim for Damages**

Note: The Contractor shall submit its claims in a form acceptable to the Authority.



**SCHEDULE - P****(See Clause 20.1)****INSURANCE****1. Insurance during Construction Period**

1.1 The Contractor shall effect and maintain at its own cost, from the Appointed Date till the date of issue of the Completion Certificate, the following insurances for any loss or damage occurring on account of Non Political Event of Force Majeure, malicious act, accidental damage, explosion, fire and terrorism:

(a) Insurance of Works, Plant and Materials and an additional sum of 15 (fifteen) per cent of such replacement cost to cover any additional costs of and incidental to the rectification of loss or damage including professional fees and the cost of demolishing and removing any part of the Works and of removing debris of whatsoever nature; and

(b) Insurance for the Contractor's equipment and Documents brought onto the Site by the Contractor, for a sum sufficient to provide for their replacement at the Site.

1.2 The insurance under paragraph 1.1 (a) and (b) above shall cover the Authority and the Contractor against all loss or damage from any cause arising under paragraph 1.1 other than risks which are not insurable at commercial terms.

**2. Insurance for Contractor's Defects Liability**

The Contractor shall effect and maintain insurance cover for the Works from the date of issue of the Completion Certificate until the end of the Defects Liability Period for any loss or damage



for which the Contractor is liable and which arises from a cause occurring prior to the issue of the Completion Certificate. The Contractor shall also maintain other insurances for maximum sums as may be required under the Applicable Laws and in accordance with Good Industry Practice.

### **3. Insurance against injury to persons and damage to property**

3.1 The Contractor shall insure against its liability for any loss, damage, death or bodily injury, or damage to any property (except things insured under Paragraphs 1 and 2 of this Schedule or to any person (except persons insured under Clause 20.9), which may arise out of the Contractor's performance of this Agreement. This insurance shall be for a limit per occurrence of not less than the amount stated below with no limit on the number of occurrences. The insurance cover shall be not less than the project cost.

3.2 The insurance shall be extended to cover liability for all loss and damage to the Authority's property arising out of the Contractor's performance of this Agreement excluding:

- (a) The Authority's right to have the construction works executed on, over, under, in or through any land, and to occupy this land for the Works; and
- (b) Damage which is an unavoidable result of the Contractor's obligations to execute the Works.

### **4. Insurance to be in joint names**

The insurance under paragraphs 1 to 3 above shall be in the joint names of the Contractor and the Authority.





---

“Construction of two-Lane with paved shoulders of Joram – Koloriang Road (NH-713) on EPC basis from existing Km 20.000 to Km 35.150 [Design Km. 20.000 to Km. 32.050] (Design Length - 12.05 Km)in the state of Arunachal Pradesh under SARDP-NE”